

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	112	PM _{2.5}	1
2	Agra	Moderate	119	PM _{2.5}	1
3	Ahmedabad	Satisfactory	95	PM ₁₀	1
4	Aizawl	Good	29	PM ₁₀	1
5	Ajmer	Satisfactory	71	PM ₁₀	1
6	Alwar	Satisfactory	76	PM ₁₀	1
7	Amaravati	Satisfactory	96	PM ₁₀	1
8	Ambala	Satisfactory	84	PM ₁₀	1
9	Amritsar	Satisfactory	57	PM ₁₀	1
10	Ankleshwar	Moderate	138	PM _{2.5}	1
11	Asansol	Poor	274	PM _{2.5}	1
12	Bagalkot	Good	34	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Brajrajnagar, Coimbatore, Damoh, Davanagere, Dewas, Durgapur, Eloor, Hapur,
 Kochi, Muzaffarnagar, Panipat, Raichur, Shillong, Solapur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	116	PM ₁₀	1
14	Bahadurgarh	Moderate	123	PM _{2.5}	1
15	Ballabgarh	Moderate	138	PM _{2.5}	1
16	Bathinda	Satisfactory	55	PM ₁₀	1
17	Bengaluru	Satisfactory	88	PM ₁₀ , PM _{2.5} , O ₃	9
18	Bhiwadi	Poor	228	PM _{2.5}	1
19	Bhiwani	Satisfactory	87	PM ₁₀	1
20	Bhopal	Moderate	132	PM _{2.5}	1
21	Bulandshahr	Moderate	200	PM _{2.5}	1
22	Chamarajanagar	Satisfactory	78	PM _{2.5}	1
23	Chandigarh	Satisfactory	67	PM ₁₀	1
24	Chandrapur	Moderate	172	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere, Dewas, Durgapur, Eloor, Hapur, Kochi, Muzaffarnagar, Panipat, Raichur, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	169	PM _{2.5}	1
26	Chennai	Moderate	109	PM _{2.5} , PM ₁₀	8
27	Chikkaballapur	Satisfactory	93	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	80	O ₃	1
29	Delhi	Moderate	199	PM _{2.5} , O ₃	38
30	Dharuhera	Moderate	142	PM ₁₀	1
31	Ernakulam	Moderate	110	PM _{2.5}	1
32	Faridabad	Moderate	198	PM _{2.5}	1
33	Fatehabad	Satisfactory	88	PM ₁₀	1
34	Gadag	Satisfactory	65	03	1
35	Gandhinagar	Satisfactory	88	PM ₁₀	1
36	Gaya	Moderate	174	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere, Dewas, Durgapur, Eloor, Hapur, Kochi, Muzaffarnagar, Panipat, Raichur, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Poor	218	PM _{2.5}	1
38	Greater Noida	Moderate	180	PM _{2.5}	1
39	Gummidipoondi	Moderate	152	PM ₁₀	1
40	Gurugram	Moderate	170	PM _{2.5}	4
41	Guwahati	Poor	220	PM _{2.5}	2
42	Gwalior	Moderate	161	PM _{2.5}	1
43	Hajipur	Moderate	111	PM ₁₀	1
44	Haldia	Moderate	148	PM ₁₀	1
45	Hisar	Moderate	111	PM _{2.5}	1
46	Howrah	Poor	281	PM ₁₀ , PM _{2.5}	3
47	Hubballi	Moderate	106	PM ₁₀	1
48	Hyderabad	Moderate	114	PM ₁₀	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Brajrajnagar, Coimbatore, Damoh, Davanagere, Dewas, Durgapur, Eloor, Hapur,
 Kochi, Muzaffarnagar, Panipat, Raichur, Shillong, Solapur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Moderate	102	PM ₁₀	1
50	Jabalpur	Poor	210	PM _{2.5}	1
51	Jaipur	Satisfactory	87	PM _{2.5} , PM ₁₀	3
52	Jalandhar	Satisfactory	89	PM ₁₀	1
53	Jind	Satisfactory	90	PM _{2.5}	1
54	Jodhpur	Moderate	124	PM _{2.5}	1
55	Jorapokhar	Moderate	153	PM ₁₀	1
56	Kaithal	Satisfactory	51	PM ₁₀	1
57	Kalaburgi	Moderate	122	PM ₁₀	1
58	Kalyan	Moderate	143	PM _{2.5}	1
59	Kannur	Moderate	114	PM _{2.5}	1
60	Kanpur	Moderate	176	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Brajrajnagar, Coimbatore, Damoh, Davanagere, Dewas, Durgapur, Eloor, Hapur,
 Kochi, Muzaffarnagar, Panipat, Raichur, Shillong, Solapur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Satisfactory	65	PM ₁₀	1
62	Katni	Poor	264	PM _{2.5}	1
63	Khanna	Satisfactory	68	со	1
64	Kohima	Moderate	123	PM ₁₀	1
65	Kolar	Satisfactory	73	03	1
66	Kolkata	Poor	277	PM _{2.5}	7
67	Kollam	Moderate	101	PM ₁₀	1
68	Koppal	Satisfactory	94	PM ₁₀	1
69	Kota	Moderate	138	PM _{2.5}	1
70	Kozhikode	Satisfactory	78	PM ₁₀	1
71	Kurukshetra	Satisfactory	80	PM ₁₀	1
72	Lucknow	Moderate	178	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Brajrajnagar, Coimbatore, Damoh, Davanagere, Dewas, Durgapur, Eloor, Hapur,
 Kochi, Muzaffarnagar, Panipat, Raichur, Shillong, Solapur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Satisfactory	65	PM ₁₀	1
74	Maihar	Moderate	134	PM _{2.5}	1
75	Mandi Gobindgarh	Moderate	127	PM ₁₀	1
76	Mandideep	Moderate	124	PM ₁₀	1
77	Mandikhera	Satisfactory	54	PM _{2.5}	1
78	Manesar	Satisfactory	97	PM ₁₀	1
79	Manglore	Satisfactory	93	PM _{2.5}	1
80	Medikeri	Satisfactory	78	PM ₁₀	1
81	Meerut	Moderate	129	PM _{2.5} , PM ₁₀	2
82	Moradabad	Moderate	151	PM _{2.5}	1
83	Mumbai	Moderate	149	PM _{2.5} , O ₃	21
84	Muzaffarpur	Moderate	152	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere, Dewas, Durgapur, Eloor, Hapur, Kochi, Muzaffarnagar, Panipat, Raichur, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	97	PM _{2.5}	1
86	Nagpur	Satisfactory	72	PM _{2.5}	1
87	Nandesari	Moderate	107	со	1
88	Narnaul	Moderate	194	PM ₁₀	1
89	Nashik	Satisfactory	72	PM ₁₀	1
90	Navi Mumbai	Moderate	141	PM ₁₀	3
91	Noida	Moderate	167	PM _{2.5}	4
92	Pali	Moderate	108	PM ₁₀	1
93	Palwal	Satisfactory	79	со	1
94	Panchkula	Satisfactory	55	со	1
95	Patiala	Satisfactory	75	PM ₁₀	1
96	Patna	Moderate	170	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar,
 Brajrajnagar, Coimbatore, Damoh, Davanagere, Dewas, Durgapur, Eloor, Hapur,
 Kochi, Muzaffarnagar, Panipat, Raichur, Shillong, Solapur as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	131	PM _{2.5}	1
98	Puducherry	Satisfactory	84	PM ₁₀	1
99	Pune	Moderate	107	PM _{2.5} , PM ₁₀	6
100	Rajamahendravaram	Moderate	127	PM ₁₀	1
101	Ramanagara	Moderate	115	03	1
102	Ratlam	Moderate	124	PM ₁₀	1
103	Rohtak	Moderate	110	PM _{2.5}	1
104	Rupnagar	Satisfactory	68	PM ₁₀	1
105	Sagar	Satisfactory	59	PM _{2.5}	1
106	Satna	Satisfactory	90	PM ₁₀	1
107	Shivamogga	Satisfactory	84	NO ₂	1
108	Siliguri	Poor	265	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere, Dewas, Durgapur, Eloor, Hapur, Kochi, Muzaffarnagar, Panipat, Raichur, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Moderate	172	PM ₁₀	1
110	Sirsa	Satisfactory	76	PM ₁₀	1
111	Sonipat	Satisfactory	87	PM ₁₀	1
112	Talcher	Moderate	161	PM _{2.5}	1
113	Thane	Moderate	191	PM ₁₀	1
114	Thiruvananthapuram	Satisfactory	98	PM ₁₀	2
115	Thoothukudi	Satisfactory	69	PM ₁₀	1
116	Thrissur	Moderate	129	03	1
117	Tirupati	Satisfactory	79	PM ₁₀	1
118	Udaipur	Moderate	104	PM ₁₀	1
119	Ujjain	Moderate	121	O ₃	1
120	Vapi	Moderate	154	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere, Dewas, Durgapur, Eloor, Hapur, Kochi, Muzaffarnagar, Panipat, Raichur, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Moderate	155	O ₃	1
122	Vatva	Moderate	169	PM ₁₀	1
123	Vijayapura	Good	46	PM ₁₀	1
124	Visakhapatnam	Moderate	189	PM ₁₀	1
125	Yadgir	Satisfactory	92	PM ₁₀	1
126	Yamunanagar	Satisfactory	89	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Damoh, Davanagere, Dewas, Durgapur, Eloor, Hapur, Kochi, Muzaffarnagar, Panipat, Raichur, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.