



Air Quality Index on Jan 23, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|---------------------|--|
| 1 | Agra | Very Poor | 312 | PM _{2.5} | 1 |
| 2 | Ahmedabad | Moderate | 186 | PM _{2.5} | 1 |
| 3 | Ajmer | Satisfactory | 78 | PM ₁₀ | 1 |
| 4 | Alwar | Satisfactory | 78 | PM ₁₀ | 1 |
| 5 | Amaravati | Moderate | 151 | PM _{2.5} | 1 |
| 6 | Ambala | Satisfactory | 70 | PM ₁₀ | 1 |
| 7 | Amritsar | Good | 34 | PM ₁₀ | 1 |
| 8 | Asanol | Poor | 300 | PM _{2.5} | 1 |
| 9 | Aurangabad | Satisfactory | 86 | PM _{2.5} | 1 |
| 10 | Baghpat | Moderate | 142 | PM _{2.5} | 1 |
| 11 | Bahadurgarh | Satisfactory | 97 | PM _{2.5} | 1 |
| 12 | Bathinda | Satisfactory | 65 | PM ₁₀ | 1 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Fatehabad, Kalaburgi, Siliguri, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 23, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|----------------|--------------|-------------|---|--|
| 13 | Bengaluru | Moderate | 125 | OZONE, PM ₁₀ , PM _{2.5} | 9 |
| 14 | Bhiwadi | Poor | 207 | PM _{2.5} | 1 |
| 15 | Bhiwani | Satisfactory | 53 | NO ₂ | 1 |
| 16 | Brajrajnagar | Poor | 240 | PM _{2.5} | 1 |
| 17 | Bulandshahr | Moderate | 162 | PM _{2.5} | 1 |
| 18 | Chandrapur | Moderate | 108 | PM _{2.5} , OZONE | 2 |
| 19 | Chennai | Satisfactory | 58 | OZONE, CO | 3 |
| 20 | Chikkaballapur | Moderate | 141 | PM ₁₀ | 1 |
| 21 | Damoh | Moderate | 159 | PM _{2.5} | 1 |
| 22 | Delhi | Poor | 212 | PM _{2.5} | 29 |
| 23 | Dewas | Moderate | 135 | PM ₁₀ | 1 |
| 24 | Dharuhera | Moderate | 158 | PM _{2.5} | 1 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Fatehabad, Kalaburgi, Siliguri, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 23, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|--------------------------------------|--|
| 25 | Durgapur | Satisfactory | 67 | CO | 1 |
| 26 | Faridabad | Poor | 202 | PM _{2.5} | 1 |
| 27 | Gaya | Very Poor | 337 | PM _{2.5} | 1 |
| 28 | Ghaziabad | Poor | 235 | PM _{2.5} | 1 |
| 29 | Greater_Noida | Poor | 214 | PM _{2.5} | 1 |
| 30 | Gurugram | Moderate | 190 | PM _{2.5} | 2 |
| 31 | Haldia | Moderate | 181 | PM ₁₀ | 1 |
| 32 | Hapur | Moderate | 130 | PM _{2.5} | 1 |
| 33 | Howrah | Very Poor | 373 | PM ₁₀ | 1 |
| 34 | Hubballi | Moderate | 123 | PM _{2.5} | 1 |
| 35 | Hyderabad | Moderate | 112 | PM _{2.5} , PM ₁₀ | 5 |
| 36 | Jaipur | Satisfactory | 98 | PM ₁₀ | 3 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Fatehabad, Kalaburgi, Siliguri, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 23, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|---------------------|--|
| 37 | Jalandhar | Satisfactory | 75 | CO | 1 |
| 38 | Jodhpur | Moderate | 121 | PM ₁₀ | 1 |
| 39 | Jorapokhar | Moderate | 198 | PM ₁₀ | 1 |
| 40 | Kanpur | Poor | 296 | PM _{2.5} | 1 |
| 41 | Khanna | Good | 22 | NO ₂ | 1 |
| 42 | Kolkata | Severe | 419 | PM _{2.5} | 2 |
| 43 | Kota | Moderate | 125 | PM ₁₀ | 1 |
| 44 | Kurushketra | Satisfactory | 57 | OZONE | 1 |
| 45 | Lucknow | Poor | 285 | PM _{2.5} | 3 |
| 46 | Ludhiana | Good | 33 | PM ₁₀ | 1 |
| 47 | Mandi Gobindgarh | Moderate | 144 | NO ₂ | 1 |
| 48 | Mandideep | Moderate | 171 | PM ₁₀ | 1 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Fatehabad, Kalaburgi, Siliguri, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 23, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 49 | Manesar | Moderate | 162 | PM _{2.5} | 1 |
| 50 | Moradabad | Poor | 232 | PM _{2.5} | 1 |
| 51 | Mumbai | Satisfactory | 93 | PM ₁₀ | 1 |
| 52 | Muzaffarnagar | Moderate | 121 | PM _{2.5} | 1 |
| 53 | Muzaffarpur | Very Poor | 336 | PM _{2.5} | 1 |
| 54 | Nagpur | Satisfactory | 94 | PM ₁₀ | 1 |
| 55 | Nashik | Satisfactory | 84 | PM ₁₀ | 1 |
| 56 | Navi Mumbai | Moderate | 110 | PM ₁₀ | 1 |
| 57 | Noida | Poor | 224 | PM _{2.5} | 2 |
| 58 | Pali | Moderate | 102 | PM _{2.5} | 1 |
| 59 | Palwal | Moderate | 169 | PM _{2.5} | 1 |
| 60 | Panchkula | Good | 42 | OZONE | 1 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Fatehabad, Kalaburgi, Siliguri, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 23, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------------|--------------|-------------|---------------------|--|
| 61 | Panipat | Satisfactory | 88 | PM ₁₀ | 1 |
| 62 | Patiala | Satisfactory | 57 | PM ₁₀ | 1 |
| 63 | Patna | Very Poor | 366 | PM _{2.5} | 1 |
| 64 | Pithampur | Moderate | 133 | PM ₁₀ | 1 |
| 65 | Pune | Satisfactory | 81 | PM ₁₀ | 1 |
| 66 | Rajamahendravaram | Moderate | 199 | PM _{2.5} | 1 |
| 67 | Ratlam | Moderate | 143 | PM ₁₀ | 1 |
| 68 | Rohtak | Satisfactory | 58 | PM _{2.5} | 1 |
| 69 | Rupnagar | Good | 38 | PM ₁₀ | 1 |
| 70 | Satna | Moderate | 104 | CO | 1 |
| 71 | Singrauli | Very Poor | 332 | PM ₁₀ | 1 |
| 72 | Solapur | Moderate | 178 | PM ₁₀ | 1 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Fatehabad, Kalaburgi, Siliguri, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Jan 23, 2019 @ 4 PM

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 73 | Sonipat | Moderate | 102 | PM _{2.5} | 1 |
| 74 | Talcher | Poor | 235 | PM ₁₀ | 1 |
| 75 | Thane | Moderate | 107 | PM ₁₀ | 1 |
| 76 | Thiruvananthapuram | Moderate | 164 | OZONE | 1 |
| 77 | Tirupati | Satisfactory | 97 | PM ₁₀ | 1 |
| 78 | Udaipur | Moderate | 134 | PM ₁₀ | 1 |
| 79 | Ujjain | Moderate | 143 | PM ₁₀ | 1 |
| 80 | Varanasi | Very Poor | 311 | PM _{2.5} | 1 |
| 81 | Vijayawada | Satisfactory | 76 | PM ₁₀ | 1 |
| 82 | Yamunanagar | Satisfactory | 73 | PM ₁₀ | 1 |

Possible Health Impacts

| | |
|--------------|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Fatehabad, Kalaburgi, Siliguri, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.