



Air Quality Index on Feb 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	83	PM _{2.5}	1
2	Ahmedabad	Satisfactory	95	PM ₁₀	1
3	Ajmer	Satisfactory	84	PM _{2.5}	1
4	Alwar	Satisfactory	69	PM _{2.5}	1
5	Amaravati	Satisfactory	54	PM ₁₀	1
6	Ambala	Satisfactory	87	PM ₁₀	1
7	Amritsar	Satisfactory	93	PM ₁₀	1
8	Ankleshwar	Moderate	192	PM _{2.5}	1
9	Asanol	Poor	253	PM _{2.5}	1
10	Aurangabad	Satisfactory	87	PM _{2.5}	1
11	Bagalkot	Satisfactory	68	PM ₁₀	1
12	Bahadurgarh	Satisfactory	93	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Kalyan, Moradabad, Nagpur, Narnaul, Satna, Shillong, Sonipat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	85	CO	1
14	Bengaluru	Satisfactory	74	PM ₁₀ , O ₃ , PM _{2.5}	9
15	Bhiwadi	Poor	267	PM _{2.5}	1
16	Bhiwani	Moderate	105	O ₃	1
17	Bhopal	Moderate	145	PM ₁₀	1
18	Brajrajnagar	Moderate	134	PM ₁₀	1
19	Bulandshahr	Moderate	109	O ₃	1
20	Chandigarh	Satisfactory	54	PM ₁₀	1
21	Chandrapur	Satisfactory	67	PM ₁₀	1
22	Chennai	Satisfactory	62	CO, PM _{2.5}	3
23	Chikkaballapur	Satisfactory	71	PM ₁₀	1
24	Coimbatore	Satisfactory	53	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Kalyan, Moradabad, Nagpur, Narnaul, Satna, Shillong, Sonipat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Satisfactory	97	PM ₁₀	1
26	Delhi	Satisfactory	100	NO ₂ , O ₃ , PM ₁₀	30
27	Dewas	Moderate	118	PM ₁₀	1
28	Dharuhera	Moderate	121	PM ₁₀	1
29	Eloor	Satisfactory	92	PM ₁₀	1
30	Ernakulam	Satisfactory	93	PM _{2.5}	1
31	Faridabad	Satisfactory	70	O ₃	1
32	Fatehabad	Satisfactory	60	PM _{2.5}	1
33	GandhiNagar	Satisfactory	64	PM ₁₀	1
34	Gaya	Moderate	170	PM _{2.5}	1
35	Ghaziabad	Satisfactory	82	PM _{2.5} , PM ₁₀	4
36	Greater_Noida	Satisfactory	88	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Kalyan, Moradabad, Nagpur, Narnaul, Satna, Shillong, Sonipat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Satisfactory	81	PM _{2.5}	1
38	Guwahati	Poor	257	PM _{2.5}	1
39	Gwalior	Moderate	184	PM _{2.5}	2
40	Hapur	Satisfactory	66	NO ₂	1
41	Hisar	Moderate	112	CO	1
42	Howrah	Poor	230	PM _{2.5} , PM ₁₀	3
43	Hubballi	Satisfactory	74	PM ₁₀	1
44	Hyderabad	Satisfactory	71	PM ₁₀ , PM _{2.5}	5
45	Indore	Moderate	127	PM ₁₀	1
46	Jabalpur	Moderate	130	PM ₁₀	1
47	Jaipur	Satisfactory	91	PM _{2.5} , PM ₁₀	3
48	Jalandhar	Moderate	108	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Kalyan, Moradabad, Nagpur, Narnaul, Satna, Shillong, Sonipat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Satisfactory	67	O ₃	1
50	Jodhpur	Moderate	151	PM _{2.5}	1
51	Jorapokhar	Poor	215	PM _{2.5}	1
52	Kaithal	Satisfactory	63	PM ₁₀	1
53	Kalaburgi	Satisfactory	75	PM ₁₀	1
54	Kannur	Moderate	147	PM _{2.5}	1
55	Kanpur	Moderate	167	PM _{2.5}	1
56	Karnal	Satisfactory	67	PM _{2.5}	1
57	Katni	Moderate	136	PM _{2.5}	1
58	Khanna	Good	44	PM ₁₀	1
59	Kochi	Satisfactory	99	PM ₁₀	1
60	Kolkata	Poor	240	PM _{2.5} , O ₃	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Kalyan, Moradabad, Nagpur, Narnaul, Satna, Shillong, Sonapat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kota	Satisfactory	84	PM ₁₀	1
62	Kozhikode	Satisfactory	97	PM ₁₀	1
63	Kurukshetra	Satisfactory	75	PM _{2.5}	1
64	Lucknow	Satisfactory	82	PM _{2.5}	4
65	Ludhiana	Satisfactory	52	PM ₁₀	1
66	Maihar	Satisfactory	87	PM _{2.5}	1
67	Mandi Gobindgarh	Satisfactory	68	PM ₁₀	1
68	Mandideep	Moderate	101	PM ₁₀	1
69	Mandikhera	Satisfactory	64	PM ₁₀	1
70	Manesar	Moderate	103	PM ₁₀	1
71	Meerut	Good	50	CO	2
72	Mumbai	Moderate	123	PM ₁₀ , PM _{2.5}	9

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Kalyan, Moradabad, Nagpur, Narnaul, Satna, Shillong, Sonipat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarnagar	Satisfactory	75	PM _{2.5}	1
74	Muzaffarpur	Moderate	162	PM _{2.5}	1
75	Mysuru	Satisfactory	52	O ₃	1
76	Nashik	Poor	213	O ₃	1
77	Navi Mumbai	Moderate	159	PM ₁₀ , O ₃ , CO	3
78	Noida	Satisfactory	78	PM _{2.5} , PM ₁₀	4
79	Pali	Moderate	152	O ₃	1
80	Palwal	Satisfactory	91	PM ₁₀	1
81	Panchkula	Good	47	O ₃	1
82	Panipat	Moderate	112	NO ₂	1
83	Patiala	Satisfactory	62	PM ₁₀	1
84	Patna	Moderate	172	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Kalyan, Moradabad, Nagpur, Narnaul, Satna, Shillong, Sonipat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pithampur	Moderate	139	PM ₁₀	1
86	Pune	Moderate	146	PM _{2.5}	1
87	Rajamahendravaram	Satisfactory	83	O ₃	1
88	Ramanagara	Satisfactory	55	PM ₁₀	1
89	Ratlam	Moderate	155	PM ₁₀	1
90	Rohtak	Satisfactory	80	O ₃	1
91	Rupnagar	Satisfactory	95	PM ₁₀	1
92	Sagar	Satisfactory	75	CO	1
93	Siliguri	Poor	279	PM _{2.5}	1
94	Singrauli	Poor	263	PM _{2.5}	1
95	Sirsa	Satisfactory	54	SO ₂	1
96	Solapur	Moderate	139	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Kalyan, Moradabad, Nagpur, Narnaul, Satna, Shillong, Sonapat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Talcher	Satisfactory	89	PM _{2.5}	1
98	Thane	Moderate	148	PM ₁₀	1
99	Thiruvananthapuram	Satisfactory	76	CO, PM _{2.5}	2
100	Tirupati	Good	43	PM ₁₀	1
101	Udaipur	Satisfactory	81	O ₃	1
102	Ujjain	Moderate	168	O ₃	1
103	Vapi	Poor	226	PM _{2.5}	1
104	Varanasi	Moderate	152	PM _{2.5}	1
105	Vatva	Moderate	148	PM ₁₀	1
106	Vijayapura	Satisfactory	74	PM _{2.5}	1
107	Yadgir	Satisfactory	56	O ₃	1
108	Yamunanagar	Moderate	122	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Kalyan, Moradabad, Nagpur, Narnaul, Satna, Shillong, Sonapat, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.