

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	152	PM _{2.5}	1
2	Ahmedabad	Moderate	187	OZONE	1
3	Ajmer	Moderate	126	PM _{2.5}	1
4	Alwar	Satisfactory	82	PM ₁₀	1
5	Amaravati	Good	43	OZONE	1
6	Ambala	Poor	253	PM _{2.5}	1
7	Amritsar	Moderate	156	PM _{2.5}	1
8	Ankleshwar	Moderate	114	PM ₁₀	1
9	Asanol	Satisfactory	53	PM _{2.5}	1
10	Aurangabad	Satisfactory	60	PM ₁₀	1
11	Baghpat	Very Poor	305	PM _{2.5}	1
12	Bahadurgarh	Poor	260	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Faridabad, Ramanagara, Sonipat, Talcher, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	305	PM _{2.5}	1
14	Bathinda	Moderate	137	PM ₁₀	1
15	Bengaluru	Good	41	PM ₁₀ , CO, OZONE	8
16	Bhiwadi	Very Poor	302	PM _{2.5}	1
17	Bhiwani	Moderate	150	PM ₁₀	1
18	Bhopal	Moderate	112	PM ₁₀	1
19	Bulandshahr	Poor	254	PM _{2.5}	1
20	Chandigarh	Moderate	104	PM _{2.5}	1
21	Chandrapur	Satisfactory	58	PM ₁₀ , PM _{2.5}	2
22	Chennai	Satisfactory	58	PM _{2.5} , OZONE, CO	3
23	Chikkaballapur	Good	35	PM ₁₀	1
24	Coimbatore	Satisfactory	87	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Faridabad, Ramanagara, Sonipat, Talcher, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Very Poor	311	PM ₁₀ , PM _{2.5}	35
26	Dewas	Moderate	152	OZONE	1
27	Dharuhera	Poor	286	PM ₁₀	1
28	Eloor	Good	39	PM ₁₀	1
29	Fatehabad	Moderate	161	PM ₁₀	1
30	GandhiNagar	Moderate	141	NO ₂	1
31	Gaya	Moderate	182	PM _{2.5}	1
32	Ghaziabad	Very Poor	335	PM _{2.5}	4
33	Greater_Noida	Very Poor	320	PM ₁₀ , PM _{2.5}	2
34	Gurugram	Poor	294	PM _{2.5}	2
35	Guwahati	Moderate	172	PM _{2.5}	1
36	Haldia	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Faridabad, Ramanagara, Sonipat, Talcher, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Poor	229	PM _{2.5}	1
38	Hisar	Poor	294	PM _{2.5}	1
39	Howrah	Moderate	159	PM _{2.5}	2
40	Hubballi	Good	42	PM ₁₀	1
41	Hyderabad	Satisfactory	76	CO, PM _{2.5} , PM ₁₀	6
42	Indore	Satisfactory	86	PM ₁₀	1
43	Jabalpur	Moderate	103	PM ₁₀	1
44	Jaipur	Moderate	138	PM _{2.5} , PM ₁₀	3
45	Jalandhar	Moderate	172	PM _{2.5}	1
46	Jind	Very Poor	303	PM _{2.5}	1
47	Jodhpur	Moderate	197	PM _{2.5}	1
48	Jorapokhar	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Faridabad, Ramanagara, Sonipat, Talcher, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Poor	246	PM ₁₀	1
50	Kalaburagi	Good	22	NO ₂	1
51	Kalyan	Satisfactory	60	PM ₁₀	1
52	Kanpur	Poor	254	PM _{2.5}	1
53	Karnal	Very Poor	308	PM _{2.5}	1
54	Katni	Moderate	141	PM _{2.5}	1
55	Khanna	Moderate	153	PM ₁₀	1
56	Kolkata	Satisfactory	94	PM _{2.5} , PM ₁₀ , OZONE	6
57	Kota	Satisfactory	77	PM _{2.5}	1
58	Kurukshetra	Poor	255	PM _{2.5}	1
59	Lucknow	Poor	275	PM _{2.5}	3
60	Ludhiana	Poor	219	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Faridabad, Ramanagara, Sonipat, Talcher, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Satisfactory	95	PM ₁₀	1
62	Mandi Gobindgarh	Moderate	107	PM ₁₀	1
63	Mandideep	Moderate	142	PM ₁₀	1
64	Mandikhera	Poor	263	OZONE	1
65	Manesar	Poor	253	PM _{2.5}	1
66	Meerut	Poor	293	PM _{2.5}	3
67	Moradabad	Poor	275	PM _{2.5}	1
68	Mumbai	Satisfactory	71	CO, PM ₁₀	9
69	Muzaffarnagar	Poor	295	PM _{2.5}	1
70	Muzaffarpur	Very Poor	327	PM _{2.5}	1
71	Mysuru	Good	25	OZONE	1
72	Nagpur	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Faridabad, Ramanagara, Sonipat, Talcher, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Moderate	193	PM _{2.5}	1
74	Nashik	Good	40	со	1
75	Navi Mumbai	Satisfactory	69	PM ₁₀	3
76	Noida	Very Poor	319	PM _{2.5} , PM ₁₀	4
77	Pali	Moderate	117	PM _{2.5}	1
78	Palwal	Poor	276	PM _{2.5}	1
79	Panchkula	Moderate	110	OZONE	1
80	Panipat	Very Poor	319	PM _{2.5}	1
81	Patiala	Moderate	153	PM _{2.5}	1
82	Patna	Very Poor	310	PM _{2.5}	1
83	Pithampur	Satisfactory	94	PM ₁₀	1
84	Pune	Satisfactory	82	SO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Faridabad, Ramanagara, Sonipat, Talcher, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Good	37	OZONE	1
86	Ratlam	Moderate	121	NO ₂	1
87	Rohtak	Poor	264	PM _{2.5}	1
88	Rupnagar	Moderate	110	PM ₁₀	1
89	Satna	Moderate	109	PM ₁₀	1
90	Shillong	Satisfactory	53	PM _{2.5}	1
91	Siliguri	Moderate	194	PM _{2.5}	1
92	Singrauli	Moderate	153	PM ₁₀	1
93	Sirsa	Very Poor	308	PM _{2.5}	1
94	Solapur	Good	45	СО	1
95	Thane	Satisfactory	62	SO ₂	1
96	Thiruvananthapuram	Good	49	со	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Faridabad, Ramanagara, Sonipat, Talcher, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Tirupati	Good	46	NO ₂	1
98	Udaipur	Moderate	143	PM ₁₀	1
99	Ujjain	Moderate	159	OZONE	1
100	Vapi	Satisfactory	72	PM _{2.5}	1
101	Varanasi	Poor	245	PM _{2.5}	1
102	Vatva	Moderate	107	PM ₁₀	1
103	Vijayawada	Satisfactory	71	СО	1
104	Yadgir	Good	26	OZONE	1
105	Yamunanagar	Poor	275	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Brajrajnagar, Damoh, Faridabad, Ramanagara, Sonipat, Talcher, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.