

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	276	PM _{2.5}	1
2	Ahmedabad	Moderate	136	PM _{2.5}	1
3	Ajmer	Moderate	151	PM _{2.5}	1
4	Alwar	Moderate	101	PM _{2.5}	1
5	Amaravati	Satisfactory	72	PM _{2.5}	1
6	Ambala	Severe	452	PM ₁₀	1
7	Amritsar	Poor	293	PM _{2.5}	1
8	Ankleshwar	Moderate	170	PM ₁₀	1
9	Asansol	Poor	238	PM _{2.5}	1
10	Bagalkot	Moderate	170	PM _{2.5}	1
11	Baghpat	Severe	420	PM ₁₀	1
12	Bahadurgarh	Very Poor	340	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Charkhi Dadri, Coimbatore, Ernakulam, Hubballi, Jorapokhar, Kota, Kurukshetra, Nagpur, Nashik, Vatva as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	288	PM _{2.5}	1
14	Bathinda	Poor	239	PM _{2.5}	1
15	Bengaluru	Satisfactory	94	PM _{2.5} , PM ₁₀	9
16	Bhiwadi	Very Poor	332	PM _{2.5}	1
17	Bhiwani	Poor	268	O ₃	1
18	Bhopal	Moderate	157	PM ₁₀	1
19	Brajrajnagar	Moderate	190	PM _{2.5}	1
20	Bulandshahr	Very Poor	352	PM _{2.5}	1
21	Chandigarh	Poor	203	PM _{2.5}	1
22	Chandrapur	Satisfactory	98	PM ₁₀	1
23	Chennai	Satisfactory	90	PM _{2.5}	4
24	Chikkaballapur	Moderate	118	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Charkhi Dadri, Coimbatore, Ernakulam, Hubballi, Jorapokhar, Kota, Kurukshetra, Nagpur, Nashik, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Satisfactory	84	PM ₁₀	1
26	Damoh	Moderate	126	PM ₁₀	1
27	Delhi	Very Poor	343	PM ₁₀	35
28	Dewas	Moderate	141	PM ₁₀	1
29	Dharuhera	Poor	299	PM ₁₀	1
30	Eloor	Satisfactory	54	PM ₁₀	1
31	Faridabad	Very Poor	331	PM _{2.5} , PM ₁₀	4
32	Fatehabad	Severe	406	PM _{2.5}	1
33	Gandhinagar	Moderate	108	PM ₁₀	1
34	Gaya	Satisfactory	98	O ₃	1
35	Ghaziabad	Very Poor	389	PM ₁₀ , PM _{2.5}	4
36	Greater Noida	Very Poor	368	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Charkhi Dadri, Coimbatore, Ernakulam, Hubballi, Jorapokhar, Kota, Kurukshetra, Nagpur, Nashik, Vatva as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Poor	296	PM ₁₀ , PM _{2.5}	4
38	Guwahati	Moderate	174	PM _{2.5}	1
39	Gwalior	Moderate	128	PM ₁₀	1
40	Hajipur	Moderate	170	PM ₁₀	1
41	Hapur	Very Poor	380	PM ₁₀	1
42	Hisar	Very Poor	350	PM _{2.5}	1
43	Howrah	Poor	249	PM _{2.5}	3
44	Hyderabad	Moderate	155	PM _{2.5} , PM ₁₀	5
45	Indore	Poor	213	PM _{2.5}	1
46	Jabalpur	Moderate	161	PM ₁₀	1
47	Jaipur	Moderate	191	PM _{2.5}	3
48	Jalandhar	Poor	295	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Charkhi Dadri, Coimbatore, Ernakulam, Hubballi, Jorapokhar, Kota, Kurukshetra, Nagpur, Nashik, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Very Poor	367	PM _{2.5}	1
50	Jodhpur	Poor	237	PM _{2.5}	1
51	Kaithal	Very Poor	362	PM _{2.5}	1
52	Kalaburgi	Moderate	114	PM ₁₀	1
53	Kalyan	Moderate	167	PM _{2.5}	1
54	Kannur	Good	43	СО	1
55	Kanpur	Very Poor	334	PM _{2.5}	1
56	Karnal	Poor	298	PM _{2.5}	1
57	Katni	Poor	228	PM _{2.5}	1
58	Khanna	Very Poor	331	PM _{2.5}	1
59	Kochi	Poor	202	PM _{2.5}	1
60	Kohima	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Charkhi Dadri, Coimbatore, Ernakulam, Hubballi, Jorapokhar, Kota, Kurukshetra, Nagpur, Nashik, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Poor	248	PM _{2.5}	6
62	Kollam	Moderate	167	PM _{2.5}	1
63	Kozhikode	Satisfactory	100	PM ₁₀	1
64	Lucknow	Very Poor	317	PM _{2.5} , PM ₁₀	4
65	Ludhiana	Poor	280	PM _{2.5}	1
66	Maihar	Good	31	СО	1
67	Mandi Gobindgarh	Poor	298	PM _{2.5}	1
68	Mandideep	Moderate	179	PM _{2.5}	1
69	Mandikhera	Poor	244	PM _{2.5}	1
70	Manesar	Poor	283	PM _{2.5}	1
71	Meerut	Very Poor	374	PM ₁₀ , PM _{2.5}	3
72	Moradabad	Severe	425	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Charkhi Dadri, Coimbatore, Ernakulam, Hubballi, Jorapokhar, Kota, Kurukshetra, Nagpur, Nashik, Vatva as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mumbai	Moderate	160	PM _{2.5} , PM ₁₀	9
74	Muzaffarnagar	Severe	412	PM ₁₀	1
75	Muzaffarpur	Poor	214	PM _{2.5} , O ₃	2
76	Mysuru	Satisfactory	64	O ₃	1
77	Nandesari	Moderate	125	со	1
78	Narnaul	Moderate	179	PM _{2.5}	1
79	Navi Mumbai	Poor	216	PM _{2.5}	2
80	Noida	Very Poor	345	PM ₁₀ , PM _{2.5}	3
81	Pali	Moderate	132	PM ₁₀	1
82	Palwal	Moderate	157	PM ₁₀	1
83	Panchkula	Poor	241	PM _{2.5}	1
84	Panipat	Very Poor	368	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Charkhi Dadri, Coimbatore, Ernakulam, Hubballi, Jorapokhar, Kota, Kurukshetra, Nagpur, Nashik, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patiala	Very Poor	311	PM _{2.5}	1
86	Patna	Poor	212	PM _{2.5} , PM ₁₀	6
87	Pithampur	Moderate	127	PM ₁₀	1
88	Pune	Satisfactory	79	PM _{2.5}	1
89	Rajamahendravaram	Satisfactory	82	PM ₁₀	1
90	Ramanagara	Moderate	103	PM _{2.5}	1
91	Ratlam	Moderate	171	PM ₁₀	1
92	Rohtak	Poor	267	PM _{2.5}	1
93	Rupnagar	Poor	290	PM _{2.5}	1
94	Sagar	Moderate	191	PM _{2.5}	1
95	Satna	Satisfactory	61	PM ₁₀	1
96	Shillong	Good	27	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Charkhi Dadri, Coimbatore, Ernakulam, Hubballi, Jorapokhar, Kota, Kurukshetra, Nagpur, Nashik, Vatva as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Siliguri	Very Poor	316	PM _{2.5}	1
98	Singrauli	Poor	201	PM _{2.5}	1
99	Sirsa	Very Poor	332	PM ₁₀	1
100	Solapur	Moderate	127	PM ₁₀	1
101	Sonipat	Very Poor	330	PM ₁₀	1
102	Talcher	Moderate	169	O ₃	1
103	Thane	Poor	219	PM ₁₀	1
104	Thiruvananthapuram	Satisfactory	92	PM ₁₀ , PM _{2.5}	2
105	Thrissur	Moderate	165	PM _{2.5}	1
106	Tirupati	Satisfactory	80	PM _{2.5}	1
107	Udaipur	Moderate	106	PM ₁₀	1
108	Ujjain	Moderate	186	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Charkhi Dadri, Coimbatore, Ernakulam, Hubballi, Jorapokhar, Kota, Kurukshetra, Nagpur, Nashik, Vatva as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vapi	Poor	245	PM _{2.5}	1
110	Varanasi	Poor	241	PM ₁₀	1
111	Vijayapura	Satisfactory	95	PM ₁₀	1
112	Visakhapatnam	Moderate	102	PM ₁₀	1
113	Yadgir	Moderate	105	O ₃	1
114	Yamunanagar	Very Poor	369	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Charkhi Dadri, Coimbatore, Ernakulam, Hubballi, Jorapokhar, Kota, Kurukshetra, Nagpur, Nashik, Vatva as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.