

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	53	PM ₁₀	1
2	Agra	Satisfactory	55	PM _{2.5}	1
3	Ahmedabad	Moderate	152	O ₃	1
4	Aizawl	Good	35	PM ₁₀	1
5	Alwar	Satisfactory	58	PM ₁₀	1
6	Amaravati	Satisfactory	64	PM ₁₀	1
7	Ambala	Satisfactory	91	PM _{2.5}	1
8	Amritsar	Moderate	143	PM ₁₀	1
9	Ankleshwar	Moderate	194	O ₃	1
10	Asansol	Good	34	PM ₁₀	1
11	Aurangabad	Satisfactory	57	NO ₂	1
12	Baghpat	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Ballabgarh, Bathinda, Chandigarh, Coimbatore, Gadag, Gandhinagar, Hajipur,
 Jorapokhar, Kannur, Kolar, Maihar, Mandikhera, Naharlagun, Nandesari,
 Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vatva,
 Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	96	PM ₁₀	1
14	Bengaluru	Satisfactory	59	PM _{2.5} , PM ₁₀ , CO	10
15	Bhiwadi	Moderate	146	PM ₁₀	1
16	Bhiwani	Moderate	125	PM ₁₀	1
17	Bhopal	Satisfactory	82	03	1
18	Bidar	Good	41	PM ₁₀	1
19	Brajrajnagar	Satisfactory	59	СО	1
20	Bulandshahr	Satisfactory	94	O ₃	1
21	Chamarajanagar	Satisfactory	54	O ₃	1
22	Chandrapur	Satisfactory	67	PM ₁₀	2
23	Charkhi Dadri	Moderate	176	PM _{2.5}	1
24	Chennai	Satisfactory	65	SO ₂ , PM ₁₀	5

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Ballabgarh, Bathinda, Chandigarh, Coimbatore, Gadag, Gandhinagar, Hajipur,
 Jorapokhar, Kannur, Kolar, Maihar, Mandikhera, Naharlagun, Nandesari,
 Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vatva,
 Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	45	PM ₁₀	1
26	Chikkamagaluru	Good	40	PM ₁₀	1
27	Damoh	Good	37	PM _{2.5}	1
28	Davanagere	Good	41	PM ₁₀	1
29	Delhi	Moderate	106	PM ₁₀ , PM _{2.5}	7
30	Dewas	Satisfactory	74	PM ₁₀	1
31	Dharuhera	Moderate	141	PM ₁₀	1
32	Durgapur	Satisfactory	73	PM ₁₀	1
33	Eloor	Satisfactory	59	со	1
34	Ernakulam	Good	47	PM ₁₀	1
35	Faridabad	Moderate	137	O ₃ , PM _{2.5} , PM ₁₀	4
36	Fatehabad	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Ballabgarh, Bathinda, Chandigarh, Coimbatore, Gadag, Gandhinagar, Hajipur,
 Jorapokhar, Kannur, Kolar, Maihar, Mandikhera, Naharlagun, Nandesari,
 Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vatva,
 Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	51	SO ₂	1
38	Ghaziabad	Moderate	128	PM ₁₀	4
39	Greater Noida	Satisfactory	87	PM ₁₀	1
40	Gummidipoondi	Satisfactory	100	PM ₁₀	1
41	Gurugram	Satisfactory	94	PM ₁₀	3
42	Guwahati	Good	47	PM ₁₀	1
43	Gwalior	Satisfactory	89	O ₃	1
44	Haldia	Good	33	O ₃	1
45	Hapur	Good	49	O ₃	1
46	Hassan	Good	29	PM _{2.5}	1
47	Hisar	Moderate	157	PM _{2.5}	1
48	Howrah	Good	41	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Ballabgarh, Bathinda, Chandigarh, Coimbatore, Gadag, Gandhinagar, Hajipur,
 Jorapokhar, Kannur, Kolar, Maihar, Mandikhera, Naharlagun, Nandesari,
 Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vatva,
 Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Good	50	PM ₁₀	1
50	Hyderabad	Satisfactory	51	NO ₂ , PM ₁₀ , PM _{2.5}	5
51	Indore	Satisfactory	99	PM ₁₀	1
52	Jabalpur	Satisfactory	85	PM ₁₀	1
53	Jaipur	Moderate	118	PM ₁₀	2
54	Jalandhar	Moderate	102	PM ₁₀	1
55	Jind	Moderate	123	PM ₁₀	1
56	Jodhpur	Moderate	119	PM ₁₀	1
57	Kaithal	Moderate	132	PM ₁₀	1
58	Kalaburgi	Good	48	PM ₁₀	1
59	Kalyan	Satisfactory	70	PM ₁₀	1
60	Kanpur	Good	38	O ₃ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Ballabgarh, Bathinda, Chandigarh, Coimbatore, Gadag, Gandhinagar, Hajipur,
 Jorapokhar, Kannur, Kolar, Maihar, Mandikhera, Naharlagun, Nandesari,
 Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vatva,
 Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	130	PM ₁₀	1
62	Katni	Satisfactory	63	O ₃	1
63	Khanna	Satisfactory	99	PM ₁₀	1
64	Kochi	Good	40	PM ₁₀	1
65	Kohima	Good	49	PM ₁₀	1
66	Kolkata	Good	48	PM ₁₀	5
67	Kollam	Satisfactory	69	PM ₁₀	1
68	Koppal	Satisfactory	83	O ₃	1
69	Kota	Satisfactory	74	PM ₁₀	1
70	Kozhikode	Good	41	со	1
71	Kurukshetra	Moderate	106	PM ₁₀	1
72	Lucknow	Satisfactory	55	CO, O ₃	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Ballabgarh, Bathinda, Chandigarh, Coimbatore, Gadag, Gandhinagar, Hajipur,
 Jorapokhar, Kannur, Kolar, Maihar, Mandikhera, Naharlagun, Nandesari,
 Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vatva,
 Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Satisfactory	93	PM ₁₀	1
74	Mandi Gobindgarh	Satisfactory	90	PM _{2.5}	1
75	Mandideep	Good	44	PM ₁₀	1
76	Manesar	Moderate	104	PM _{2.5}	1
77	Manglore	Satisfactory	55	PM ₁₀	1
78	Medikeri	Good	41	PM ₁₀	1
79	Meerut	Moderate	109	PM ₁₀	3
80	Moradabad	Satisfactory	74	PM ₁₀	1
81	Mumbai	Satisfactory	65	NO ₂ , PM ₁₀	15
82	Muzaffarnagar	Satisfactory	100	PM ₁₀	1
83	Muzaffarpur	Good	23	PM _{2.5}	1
84	Mysuru	Good	45	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Ballabgarh, Bathinda, Chandigarh, Coimbatore, Gadag, Gandhinagar, Hajipur,
 Jorapokhar, Kannur, Kolar, Maihar, Mandikhera, Naharlagun, Nandesari,
 Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vatva,
 Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nagpur	Satisfactory	65	PM ₁₀	1
86	Narnaul	Moderate	186	PM ₁₀	1
87	Noida	Moderate	118	PM ₁₀	3
88	Pali	Satisfactory	91	PM ₁₀	1
89	Palwal	Satisfactory	100	PM ₁₀	1
90	Panchkula	Satisfactory	79	PM _{2.5}	1
91	Panipat	Moderate	135	PM ₁₀	1
92	Patiala	Moderate	134	PM ₁₀	1
93	Patna	Good	48	PM ₁₀ , O ₃	3
94	Pithampur	Satisfactory	60	O ₃	1
95	Puducherry	Satisfactory	54	PM ₁₀	1
96	Pune	Satisfactory	63	CO, PM ₁₀	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Ballabgarh, Bathinda, Chandigarh, Coimbatore, Gadag, Gandhinagar, Hajipur,
 Jorapokhar, Kannur, Kolar, Maihar, Mandikhera, Naharlagun, Nandesari,
 Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vatva,
 Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Satisfactory	61	PM ₁₀	1
98	Rajamahendravaram	Moderate	110	PM ₁₀	1
99	Ratlam	Satisfactory	71	PM ₁₀	1
100	Rohtak	Satisfactory	84	NO ₂	1
101	Rupnagar	Satisfactory	81	PM ₁₀	1
102	Sagar	Good	48	PM _{2.5}	1
103	Satna	Satisfactory	73	PM ₁₀	1
104	Shivamogga	Good	45	PM ₁₀	1
105	Siliguri	Satisfactory	55	O ₃	1
106	Singrauli	Satisfactory	62	со	1
107	Sirsa	Moderate	135	PM ₁₀	1
108	Sonipat	Moderate	163	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Ballabgarh, Bathinda, Chandigarh, Coimbatore, Gadag, Gandhinagar, Hajipur,
 Jorapokhar, Kannur, Kolar, Maihar, Mandikhera, Naharlagun, Nandesari,
 Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vatva,
 Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Srinagar	Moderate	134	PM ₁₀	1
110	Talcher	Satisfactory	93	со	1
111	Thane	Moderate	138	NO ₂	1
112	Thiruvananthapuram	Satisfactory	52	PM ₁₀	2
113	Thoothukudi	Satisfactory	68	PM ₁₀	1
114	Tirupati	Satisfactory	58	PM ₁₀	1
115	Udaipur	Satisfactory	73	PM ₁₀	1
116	Ujjain	Satisfactory	81	PM ₁₀	1
117	Vapi	Satisfactory	51	PM ₁₀	1
118	Varanasi	Good	28	SO ₂	1
119	Yadgir	Good	40	PM ₁₀	1
120	Yamunanagar	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Ballabgarh, Bathinda, Chandigarh, Coimbatore, Gadag, Gandhinagar, Hajipur,
 Jorapokhar, Kannur, Kolar, Maihar, Mandikhera, Naharlagun, Nandesari,
 Nashik, Navi Mumbai, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vatva,
 Vijayapura, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.