

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	64	PM ₁₀ , PM _{2.5}	4
2	Ahmedabad	Satisfactory	76	CO, PM _{2.5} , PM ₁₀	7
3	Aizawl	Good	14	SO ₂	1
4	Ajmer	Satisfactory	60	PM _{2.5}	1
5	Alwar	Satisfactory	86	PM ₁₀	1
6	Amaravati	Good	25	со	1
7	Ambala	Good	43	PM ₁₀	1
8	Amritsar	Satisfactory	51	со	1
9	Asansol	Good	40	PM ₁₀	1
10	Aurangabad	Satisfactory	54	со	1
11	Bagalkot	Good	25	со	1
12	Baghpat	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Durgapur, Gadag, Gorakhpur, Gummidipoondi, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Mandideep, Manesar, Naharlagun, Nashik, Pali, Rupnagar, Satna, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	70	PM ₁₀	1
14	Ballabgarh	Satisfactory	58	PM ₁₀	1
15	Bathinda	Good	26	PM ₁₀	1
16	Bengaluru	Satisfactory	51	CO, PM ₁₀ , NO ₂	7
17	Bhiwadi	Satisfactory	93	PM _{2.5}	1
18	Bhiwani	Satisfactory	83	PM ₁₀	1
19	Bhopal	Satisfactory	67	PM ₁₀	1
20	Brajrajnagar	Satisfactory	94	NO ₂	1
21	Bulandshahr	Satisfactory	58	PM ₁₀	1
22	Chamarajanagar	Good	43	PM ₁₀	1
23	Chandigarh	Good	33	PM ₁₀	1
24	Chandrapur	Good	24	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Durgapur, Gadag, Gorakhpur, Gummidipoondi, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Mandideep, Manesar, Naharlagun, Nashik, Pali, Rupnagar, Satna, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Satisfactory	77	PM ₁₀	1
26	Chennai	Satisfactory	54	O ₃ , CO, PM ₁₀	7
27	Chikkaballapur	Good	30	со	1
28	Damoh	Good	48	PM _{2.5}	1
29	Davanagere	Good	19	03	1
30	Delhi	Satisfactory	90	PM ₁₀	30
31	Dewas	Good	34	PM _{2.5}	1
32	Dharuhera	Moderate	137	PM _{2.5}	1
33	Eloor	Satisfactory	99	со	1
34	Ernakulam	Satisfactory	58	со	1
35	Faridabad	Satisfactory	94	PM _{2.5} , PM ₁₀	4
36	Fatehabad	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Durgapur, Gadag, Gorakhpur, Gummidipoondi, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Mandideep, Manesar, Naharlagun, Nashik, Pali, Rupnagar, Satna, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	71	PM _{2.5} , CO	3
38	Gaya	Satisfactory	57	O ₃	2
39	Ghaziabad	Satisfactory	80	PM ₁₀	4
40	Greater Noida	Satisfactory	70	PM ₁₀	2
41	Gurugram	Satisfactory	87	PM ₁₀ , PM _{2.5}	4
42	Guwahati	Good	40	SO ₂	2
43	Gwalior	Satisfactory	53	03	1
44	Hajipur	Good	48	PM ₁₀	1
45	Haldia	Good	42	03	1
46	Hapur	Good	30	PM ₁₀	1
47	Hassan	Satisfactory	55	PM ₁₀	1
48	Hisar	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Durgapur, Gadag, Gorakhpur, Gummidipoondi, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Mandideep, Manesar, Naharlagun, Nashik, Pali, Rupnagar, Satna, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Good	32	O ₃ , CO	2
50	Hubballi	Good	23	СО	1
51	Hyderabad	Good	33	NO ₂ , PM _{2.5} , CO	5
52	Indore	Good	50	O ₃	1
53	Jabalpur	Satisfactory	54	PM ₁₀	1
54	Jaipur	Satisfactory	84	PM _{2.5} , PM ₁₀	2
55	Jind	Moderate	124	PM _{2.5}	1
56	Jodhpur	Moderate	115	PM ₁₀	1
57	Kaithal	Satisfactory	76	PM ₁₀	1
58	Kannur	Satisfactory	62	PM ₁₀	1
59	Kanpur	Good	48	PM _{2.5}	3
60	Karnal	Good	45	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Durgapur, Gadag, Gorakhpur, Gummidipoondi, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Mandideep, Manesar, Naharlagun, Nashik, Pali, Rupnagar, Satna, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Good	48	PM ₁₀	1
62	Khanna	Good	40	PM ₁₀	1
63	Kochi	Good	46	со	1
64	Kolar	Satisfactory	87	со	1
65	Kolkata	Good	33	O ₃ , PM ₁₀ , NO ₂	5
66	Kollam	Satisfactory	74	PM ₁₀	1
67	Koppal	Satisfactory	74	со	1
68	Kota	Good	41	PM ₁₀	1
69	Kozhikode	Satisfactory	72	со	1
70	Kurukshetra	Satisfactory	56	PM ₁₀	1
71	Lucknow	Satisfactory	62	PM ₁₀ , NO ₂ , PM _{2.5}	5
72	Ludhiana	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Durgapur, Gadag, Gorakhpur, Gummidipoondi, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Mandideep, Manesar, Naharlagun, Nashik, Pali, Rupnagar, Satna, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Satisfactory	54	со	1
74	Mandi Gobindgarh	Good	38	PM _{2.5}	1
75	Mandikhera	Satisfactory	71	со	1
76	Manglore	Satisfactory	71	NO ₂	1
77	Medikeri	Good	23	со	1
78	Meerut	Satisfactory	56	PM ₁₀ , CO	3
79	Moradabad	Good	50	PM ₁₀	1
80	Mumbai	Good	40	PM ₁₀ , SO ₂ , CO	18
81	Muzaffarnagar	Satisfactory	60	PM ₁₀	1
82	Muzaffarpur	Good	34	CO, PM _{2.5}	2
83	Mysuru	Good	46	03	1
84	Nagpur	Satisfactory	81	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Durgapur, Gadag, Gorakhpur, Gummidipoondi, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Mandideep, Manesar, Naharlagun, Nashik, Pali, Rupnagar, Satna, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Poor	220	PM _{2.5}	1
86	Narnaul	Moderate	105	PM ₁₀	1
87	Navi Mumbai	Moderate	134	PM ₁₀ , CO	2
88	Noida	Satisfactory	82	PM ₁₀ , O ₃	3
89	Palwal	Satisfactory	77	PM ₁₀	1
90	Panchkula	Satisfactory	89	PM _{2.5}	1
91	Panipat	Satisfactory	80	PM ₁₀	1
92	Patiala	Satisfactory	51	PM ₁₀	1
93	Patna	Good	50	O ₃ , PM ₁₀	5
94	Pithampur	Satisfactory	57	PM ₁₀	1
95	Prayagraj	Satisfactory	67	PM _{2.5}	2
96	Puducherry	Good	38	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Durgapur, Gadag, Gorakhpur, Gummidipoondi, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Mandideep, Manesar, Naharlagun, Nashik, Pali, Rupnagar, Satna, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Satisfactory	88	NO ₂ , CO	4
98	Raichur	Good	26	PM ₁₀	1
99	Rajamahendravaram	Good	37	со	1
100	Ramanagara	Good	36	03	1
101	Ratlam	Good	45	PM _{2.5}	1
102	Rohtak	Moderate	127	03	1
103	Sagar	Satisfactory	84	PM ₁₀	1
104	Shivamogga	Good	48	PM ₁₀	1
105	Siliguri	Good	36	PM _{2.5}	1
106	Singrauli	Satisfactory	84	PM ₁₀	1
107	Sirsa	Moderate	134	O ₃	1
108	Sonipat	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Durgapur, Gadag, Gorakhpur, Gummidipoondi, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Mandideep, Manesar, Naharlagun, Nashik, Pali, Rupnagar, Satna, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Srinagar	Satisfactory	74	PM ₁₀	1
110	Talcher	Satisfactory	52	NO ₂	1
111	Thane	Satisfactory	58	PM ₁₀	1
112	Thiruvananthapuram	Satisfactory	53	CO, PM ₁₀	2
113	Thoothukudi	Satisfactory	55	PM ₁₀	1
114	Thrissur	Satisfactory	55	03	1
115	Tirupati	Good	34	со	1
116	Udaipur	Satisfactory	72	PM ₁₀	1
117	Udupi	Satisfactory	87	со	1
118	Ujjain	Satisfactory	79	O ₃	1
119	Vapi	Satisfactory	56	O ₃	1
120	Varanasi	Good	44	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Durgapur, Gadag, Gorakhpur, Gummidipoondi, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Mandideep, Manesar, Naharlagun, Nashik, Pali, Rupnagar, Satna, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Satisfactory	74	PM ₁₀	1
122	Vijayapura	Good	49	СО	1
123	Visakhapatnam	Good	36	СО	1
124	Yadgir	Good	21	O ₃	1
125	Yamunanagar	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Ankleshwar, Bidar, Chikkamagaluru, Coimbatore, Durgapur, Gadag, Gorakhpur, Gummidipoondi, Jalandhar, Jorapokhar, Kalaburgi, Kalyan, Kohima, Mandideep, Manesar, Naharlagun, Nashik, Pali, Rupnagar, Satna, Shillong, Solapur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.