

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	90	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	67	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	122	PM <sub>2.5</sub> , NO <sub>2</sub>	6
4	Aizawl	Satisfactory	71	PM <sub>10</sub>	1
5	Ajmer	Moderate	144	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	80	PM <sub>10</sub>	1
7	Amaravati	Good	41	O <sub>3</sub>	1
8	Ambala	Satisfactory	77	PM <sub>10</sub>	1
9	Amritsar	Moderate	104	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	52	PM <sub>10</sub>	1
11	Ankleshwar	Moderate	122	со	1
12	Araria	Very Poor	313	03	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	144	PM <sub>10</sub>	1
14	Asansol	Satisfactory	98	PM <sub>2.5</sub>	1
15	Aurangabad (Maharashtra)	Moderate	113	PM <sub>10</sub>	1
16	Baddi	Moderate	110	PM <sub>10</sub>	1
17	Bagalkot	Satisfactory	66	O <sub>3</sub>	1
18	Baghpat	Moderate	128	PM <sub>10</sub>	1
19	Bahadurgarh	Satisfactory	92	PM <sub>10</sub>	1
20	Bareilly	Satisfactory	76	PM <sub>10</sub>	2
21	Baripada	Satisfactory	73	PM <sub>10</sub>	1
22	Barmer	Moderate	115	PM <sub>10</sub>	1
23	Bathinda	Satisfactory	52	PM <sub>10</sub>	1
24	Begusarai	Moderate	191	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	62	PM <sub>10</sub>	1
26	Bengaluru	Satisfactory	52	PM <sub>10</sub>	6
27	Bettiah	Moderate	157	PM <sub>2.5</sub>	1
28	Bhagalpur	Moderate	115	PM <sub>10</sub>	2
29	Bharatpur	Moderate	162	PM <sub>10</sub>	1
30	Bhilai	Good	40	PM <sub>10</sub>	2
31	Bhiwadi	Moderate	168	PM <sub>10</sub>	1
32	Bhiwani	Satisfactory	88	PM <sub>2.5</sub>	1
33	Bhopal	Moderate	105	O <sub>3</sub> , PM <sub>10</sub>	3
34	Bidar	Moderate	105	со	1
35	Bihar Sharif	Moderate	126	PM <sub>10</sub>	1
36	Bikaner	Moderate	149	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Moderate	109	со	1
38	Bileipada	Moderate	136	PM <sub>10</sub>	1
39	Brajrajnagar	Satisfactory	98	со	1
40	Bulandshahr	Moderate	175	03	1
41	Byrnihat	Moderate	162	PM <sub>2.5</sub>	1
42	Chamarajanagar	Good	44	PM <sub>10</sub>	1
43	Chandigarh	Satisfactory	84	PM <sub>10</sub> , PM <sub>2.5</sub>	3
44	Chandrapur	Satisfactory	91	PM <sub>2.5</sub>	1
45	Charkhi Dadri	Moderate	139	PM <sub>2.5</sub>	1
46	Chennai	Good	42	со	7
47	Chhal	Satisfactory	57	PM <sub>10</sub>	1
48	Chhapra	Moderate	171	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Good	50	PM <sub>10</sub>	1
50	Chikkamagaluru	Good	33	03	1
51	Chittoor	Good	42	PM <sub>10</sub>	1
52	Chittorgarh	Moderate	171	03	1
53	Coimbatore	Satisfactory	92	со	1
54	Cuddalore	Good	50	NO <sub>2</sub>	2
55	Damoh	Good	34	PM <sub>2.5</sub>	1
56	Dausa	Moderate	163	PM <sub>10</sub>	1
57	Davanagere	Good	46	PM <sub>2.5</sub>	1
58	Dehradun	Satisfactory	93	PM <sub>10</sub>	1
59	Delhi	Moderate	146	PM <sub>10</sub> , PM <sub>2.5</sub>	37
60	Dewas	Satisfactory	78	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Moderate	166	PM <sub>2.5</sub>	1
62	Dharuhera	Poor	215	PM <sub>10</sub>	1
63	Dharwad	Satisfactory	72	PM <sub>10</sub>	1
64	Dholpur	Moderate	124	PM <sub>2.5</sub>	1
65	Dindigul	Moderate	157	NO <sub>2</sub>	1
66	Durgapur	Moderate	114	PM <sub>10</sub>	1
67	Eloor	Satisfactory	82	PM <sub>10</sub>	1
68	Faridabad	Moderate	122	PM <sub>10</sub> , PM <sub>2.5</sub>	2
69	Firozabad	Satisfactory	76	PM <sub>10</sub>	2
70	Gandhinagar	Moderate	142	PM <sub>2.5</sub> , PM <sub>10</sub>	3
71	Gangtok	Satisfactory	69	O <sub>3</sub>	1
72	Gaya	Moderate	127	O <sub>3</sub> , CO	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ghaziabad	Moderate	121	PM <sub>10</sub>	4
74	Gorakhpur	Satisfactory	65	PM <sub>10</sub>	1
75	Greater Noida	Moderate	138	NO <sub>2</sub> , PM <sub>10</sub>	2
76	Gurugram	Moderate	162	PM <sub>2.5</sub>	4
77	Guwahati	Satisfactory	87	PM <sub>10</sub> , PM <sub>2.5</sub>	4
78	Gwalior	Moderate	152	O <sub>3</sub> , PM <sub>10</sub>	3
79	Hajipur	Moderate	144	PM <sub>10</sub>	1
80	Haldia	Good	44	PM <sub>10</sub>	1
81	Hanumangarh	Moderate	196	PM <sub>2.5</sub>	1
82	Hapur	Satisfactory	70	O <sub>3</sub>	1
83	Hassan	Satisfactory	69	PM <sub>10</sub>	1
84	Haveri	Satisfactory	58	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hosur	Moderate	121	со	1
86	Howrah	Satisfactory	82	PM <sub>10</sub>	1
87	Hubballi	Satisfactory	63	PM <sub>10</sub>	2
88	Hyderabad	Satisfactory	81	PM <sub>10</sub>	13
89	Indore	Satisfactory	86	PM <sub>10</sub>	2
90	Jabalpur	Satisfactory	96	PM <sub>10</sub>	1
91	Jaipur	Moderate	118	PM <sub>10</sub>	4
92	Jalandhar	Satisfactory	95	PM <sub>10</sub>	1
93	Jhansi	Satisfactory	79	PM <sub>10</sub>	1
94	Jhunjhunu	Poor	225	03	1
95	Jind	Satisfactory	64	со	1
96	Jodhpur	Moderate	142	03	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# Notes:

(Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

\* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Satisfactory	69	PM <sub>10</sub>	1
98	Kalaburgi	Satisfactory	68	PM <sub>10</sub>	2
99	Kanchipuram	Good	32	PM <sub>10</sub>	1
100	Kannur	Satisfactory	73	PM <sub>10</sub>	1
101	Kanpur	Moderate	104	PM <sub>10</sub> , O <sub>3</sub>	3
102	Karnal	Satisfactory	54	PM <sub>10</sub>	1
103	Kashipur	Satisfactory	100	PM <sub>10</sub>	1
104	Katihar	Moderate	165	PM <sub>10</sub>	1
105	Katni	Satisfactory	82	PM <sub>10</sub>	1
106	Keonjhar	Moderate	105	PM <sub>2.5</sub>	1
107	Khanna	Satisfactory	91	PM <sub>10</sub>	1
108	Khurja	Satisfactory	77	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga,

Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kishanganj	Moderate	132	PM <sub>10</sub>	1
110	Kochi	Satisfactory	56	со	1
111	Kohima	Satisfactory	74	PM <sub>2.5</sub>	1
112	Kolar	Satisfactory	84	PM <sub>10</sub>	1
113	Kolkata	Satisfactory	66	03	6
114	Kollam	Satisfactory	88	PM <sub>10</sub>	1
115	Koppal	Satisfactory	51	O <sub>3</sub>	1
116	Korba	Satisfactory	67	PM <sub>10</sub>	2
117	Kota	Moderate	131	O <sub>3</sub> , PM <sub>2.5</sub>	3
118	Kunjemura	Satisfactory	80	PM <sub>10</sub>	1
119	Kurukshetra	Satisfactory	79	O <sub>3</sub>	1
120	Lucknow	Satisfactory	99	PM <sub>2.5</sub>	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ludhiana	Satisfactory	83	PM <sub>10</sub>	1
122	Madikeri	Good	29	03	1
123	Maihar	Satisfactory	69	PM <sub>10</sub>	1
124	Mandi Gobindgarh	Poor	269	PM <sub>2.5</sub>	1
125	Mandikhera	Satisfactory	68	PM <sub>10</sub>	1
126	Manesar	Moderate	114	PM <sub>10</sub>	1
127	Mangalore	Satisfactory	89	PM <sub>10</sub>	1
128	Meerut	Moderate	113	PM <sub>10</sub>	3
129	Milupara	Satisfactory	54	PM <sub>10</sub>	1
130	Moradabad	Satisfactory	95	PM <sub>10</sub>	6
131	Motihari	Moderate	112	NO <sub>2</sub>	1
132	Mumbai	Satisfactory	97	PM <sub>2.5</sub> , PM <sub>10</sub>	18

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## Notes: (Bihar)

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Moderate	149	PM <sub>10</sub>	1
134	Muzaffarnagar	Moderate	116	PM <sub>10</sub>	1
135	Muzaffarpur	Moderate	152	PM <sub>2.5</sub> , CO	2
136	Mysuru	Satisfactory	58	PM <sub>10</sub>	1
137	Nagaon	Moderate	174	PM <sub>10</sub>	1
138	Nagpur	Moderate	110	PM <sub>2.5</sub>	1
139	Naharlagun	Good	14	СО	1
140	Nalbari	Moderate	109	PM <sub>2.5</sub>	1
141	Nandesari	Good	42	СО	1
142	Narnaul	Moderate	119	PM <sub>10</sub>	1
143	Nashik	Satisfactory	64	PM <sub>10</sub>	1
144	Navi Mumbai	Moderate	117	PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## Notes: (Bihar),

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nayagarh	Moderate	184	PM <sub>2.5</sub>	1
146	Noida	Moderate	125	PM <sub>10</sub>	4
147	Pali	Satisfactory	91	PM <sub>10</sub>	1
148	Palkalaiperur	Satisfactory	52	SO <sub>2</sub>	1
149	Palwal	Satisfactory	74	PM <sub>10</sub>	1
150	Panchkula	Satisfactory	74	PM <sub>2.5</sub>	1
151	Panipat	Satisfactory	77	PM <sub>10</sub>	1
152	Patiala	Satisfactory	57	PM <sub>10</sub>	1
153	Patna	Moderate	135	PM <sub>10</sub> , NO <sub>2</sub>	6
154	Pithampur	Moderate	105	PM <sub>10</sub>	1
155	Pratapgarh	Satisfactory	80	03	1
156	Prayagraj	Satisfactory	56	O <sub>3</sub> , PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Puducherry	Good	29	PM <sub>10</sub>	1
158	Pune	Satisfactory	90	NO <sub>2</sub> , CO	3
159	Purnia	Moderate	125	PM <sub>10</sub>	1
160	Raichur	Satisfactory	51	SO <sub>2</sub>	1
161	Raipur	Satisfactory	53	PM <sub>10</sub> , NO <sub>2</sub>	4
162	Rairangpur	Moderate	134	PM <sub>2.5</sub>	1
163	Rajamahendravaram	Good	29	PM <sub>10</sub>	1
164	Rajsamand	Moderate	104	PM <sub>10</sub>	1
165	Ramanagara	Good	49	PM <sub>10</sub>	1
166	Ramanathapuram	Good	31	PM <sub>10</sub>	1
167	Ratlam	Moderate	107	PM <sub>10</sub>	1
168	Rohtak	Satisfactory	51	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rourkela	Moderate	180	PM <sub>2.5</sub>	2
170	Rupnagar	Satisfactory	78	PM <sub>10</sub>	1
171	Sagar	Satisfactory	90	03	1
172	Saharsa	Moderate	140	PM <sub>10</sub>	1
173	Salem	Satisfactory	99	SO <sub>2</sub>	1
174	Samastipur	Moderate	168	PM <sub>10</sub>	1
175	Satna	Moderate	138	PM <sub>10</sub>	1
176	Sawai Madhopur	Moderate	144	PM <sub>10</sub>	1
177	Shillong	Satisfactory	82	PM <sub>2.5</sub>	1
178	Shivamogga	Good	49	O <sub>3</sub>	1
179	Sikar	Moderate	130	PM <sub>10</sub>	1
180	Silchar	Good	40	СО	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga,

Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siliguri	Satisfactory	87	PM <sub>10</sub>	1
182	Singrauli	Moderate	166	PM <sub>2.5</sub>	1
183	Sirohi	Moderate	113	PM <sub>10</sub>	1
184	Sirsa	Satisfactory	82	O <sub>3</sub>	1
185	Sivasagar	Good	43	PM <sub>2.5</sub>	1
186	Solapur	Moderate	116	PM <sub>10</sub>	1
187	Sonipat	Moderate	107	PM <sub>10</sub>	1
188	Sri Ganganagar	Moderate	162	PM <sub>10</sub>	1
189	Srinagar	Satisfactory	69	PM <sub>10</sub>	1
190	Suakati	Satisfactory	100	PM <sub>10</sub>	1
191	Surat	Satisfactory	87	со	1
192	Talcher	Satisfactory	82	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga,

Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tensa	Satisfactory	100	PM <sub>2.5</sub>	1
194	Thane	Moderate	171	O <sub>3</sub>	1
195	Thiruvananthapuram	Good	35	PM <sub>10</sub>	2
196	Thoothukudi	Good	42	PM <sub>10</sub>	1
197	Thrissur	Satisfactory	100	PM <sub>10</sub>	1
198	Tirupati	Satisfactory	69	PM <sub>2.5</sub>	1
199	Tirupur	Good	47	PM <sub>10</sub>	1
200	Tonk	Moderate	153	PM <sub>10</sub>	1
201	Tumidih	Satisfactory	67	PM <sub>2.5</sub>	1
202	Udaipur	Moderate	113	PM <sub>10</sub>	1
203	Ujjain	Moderate	110	PM <sub>10</sub>	1
204	Varanasi	Good	50	PM <sub>10</sub> , NO <sub>2</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vatva	Moderate	127	PM <sub>10</sub>	1
206	Vijayapura	Good	42	PM <sub>10</sub>	1
207	Visakhapatnam	Satisfactory	90	PM <sub>10</sub>	1
208	Vrindavan	Moderate	146	PM <sub>10</sub>	1
209	Yadgir	Satisfactory	68	PM <sub>10</sub>	1
210	Yamunanagar	Satisfactory	73	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ariyalur, Aurangabad (Bihar), Ballabgarh, Banswara, Buxar, Chengalpattu, Churu, Darbhanga, Ernakulam, Fatehabad, Gadag, Gummidipoondi, Hisar, Imphal, Jhalawar, Jorapokhar, Kadapa, Kalyan, Karauli, Kozhikode, Mandideep, Manguraha, Ooty, Rajgir, Rishikesh, Sasaram, Siwan, Tumakuru, Udupi, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.