Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	163	PM$_{2.5}$	1
2	Agra	Satisfactory	71	PM$_{2.5}$	6
3	Ahmedabad	Moderate	130	PM$_{2.5}$	7
4	Aizawl	Satisfactory	71	PM$_{10}$	1
5	Ajmer	Satisfactory	94	PM$_{2.5}$	1
6	Alwar	Satisfactory	88	PM$_{10}$	1
7	Amaravati	Satisfactory	98	PM$_{10}$	1
8	Ambala	Moderate	134	PM$_{2.5}$	1
9	Amritsar	Moderate	106	PM$_{10}$	1
10	Anantapur	Good	50	PM$_{2.5}$	1
11	Ankleshwar	Satisfactory	73	PM$_{10}$	1
12	Araria	Moderate	126	PM$_{10}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	49	PM_{10}	1
14	Arrah	Moderate	166	PM_{10}	1
15	Asansol	Moderate	138	PM_{10}	1
16	Aurangabad (Bihar)	Moderate	139	PM_{10}	1
17	Aurangabad (Maharashtra)	Satisfactory	98	PM_{10}	1
18	Baddi	Very Poor	301	O_3	1
19	Bagalkot	Good	46	PM_{10}	1
20	Baghpat	Poor	271	$PM_{2.5}$	1
21	Bahadurgarh	Poor	227	$PM_{2.5}$	1
22	Ballabgarh	Satisfactory	73	PM_{10}	1
23	Banswara	Moderate	116	PM_{10}	1
24	Bareilly	Satisfactory	89	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Moderate	176	O_3	1
26	Barmer	Satisfactory	92	PM_{10}	1
27	Bathinda	Moderate	153	PM_{10}	1
28	Begusarai	Poor	231	$PM_{2.5}$	1
29	Belgaum	Satisfactory	61	PM_{10}	1
30	Bengaluru	Satisfactory	63	CO, $PM_{2.5}$	11
31	Bettiah	Poor	236	PM_{10}	1
32	Bhagalpur	Moderate	148	PM_{10}	2
33	Bharatpur	Moderate	139	PM_{10}	1
34	Bhilai	Satisfactory	66	PM_{10}	2
35	Bhiwadi	Moderate	172	PM_{10}	1
36	Bhiwani	Poor	255	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Moderate	103	O_3, PM_{10}	3
38	Bihar Sharif	Moderate	144	PM_{10}	1
39	Bikaner	Moderate	193	PM_{10}	1
40	Bilaspur	Satisfactory	70	PM_{10}	1
41	Bileipada	Moderate	122	PM_{10}	1
42	Brajrajnagar	Good	45	PM_{10}	1
43	Bulandshahr	Moderate	157	O_3	1
44	Chamarajanagar	Good	41	PM_{10}	1
45	Chandigarh	Poor	217	O_3, $PM_{2.5}$	3
46	Chandrapur	Moderate	130	$PM_{2.5}$	1
47	Charkhi Dadri	Very Poor	302	$PM_{2.5}$	1
48	Chennai	Satisfactory	89	SO_2, PM_{10}	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhal	Satisfactory	74	PM_{10}	1
50	Chhapra	Poor	238	PM_{10}	1
51	Chikkaballapur	Satisfactory	68	PM_{10}	1
52	Chittorgarh	Moderate	151	O_3	1
53	Cuddalore	Satisfactory	90	NO_2	2
54	Damoh	Good	43	PM_{10}	1
55	Dausa	Moderate	195	PM_{10}	1
56	Davanagere	Good	42	$PM_{2.5}$	1
57	Dehradun	Satisfactory	96	O_3	1
58	Delhi	Poor	235	$PM_{2.5}$	39
59	Dewas	Moderate	131	PM_{10}	1
60	Dharwad	Satisfactory	77	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Moderate	126	O_3	1
62	Dindigul	Good	43	PM_{10}	1
63	Durgapur	Moderate	109	PM_{10}	1
64	Faridabad	Moderate	154	$PM_{2.5}$, PM_{10}	4
65	Fatehabad	Moderate	123	$PM_{2.5}$	1
66	Firozabad	Moderate	136	O_3, PM_{10}	2
67	Gadag	Satisfactory	68	O_3	1
68	Gandhinagar	Moderate	134	$PM_{2.5}$, PM_{10}	3
69	Gangtok	Satisfactory	73	O_3	1
70	Gaya	Moderate	148	O_3, $PM_{2.5}$	3
71	Ghaziabad	Poor	221	O_3, PM_{10}	4
72	Greater Noida	Poor	210	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Poor	270	PM_{10}, $PM_{2.5}$	4
74	Guwahati	Moderate	143	O_3	4
75	Gwalior	Moderate	152	O_3, $PM_{2.5}$	4
76	Hajipur	Moderate	129	PM_{10}	1
77	Haldia	Good	35	PM_{10}	1
78	Hanumangarh	Poor	235	PM_{10}	1
79	Hapur	Moderate	184	O_3	1
80	Hisar	Poor	256	$PM_{2.5}$	1
81	Hosur	Satisfactory	73	PM_{10}	1
82	Howrah	Satisfactory	63	PM_{10}	2
83	Hubballi	Satisfactory	98	PM_{10}	1
84	Hyderabad	Moderate	109	PM_{10}	11

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Satisfactory	85	NO_2	2
86	Jabalpur	Moderate	175	O_3	1
87	Jaipur	Moderate	159	PM_{10}, $PM_{2.5}$	6
88	Jalandhar	Moderate	137	PM_{10}	1
89	Jhalawar	Moderate	132	PM_{10}	1
90	Jhansi	Moderate	148	PM_{10}	1
91	Jhunjhunu	Very Poor	301	O_3	1
92	Jodhpur	Moderate	117	O_3	3
93	Jorapokhar	Moderate	131	PM_{10}	1
94	Kadapa	Satisfactory	54	O_3	1
95	Kaithal	Poor	238	$PM_{2.5}$	1
96	Kalaburgi	Satisfactory	62	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalyan	Moderate	107	PM_{10}	1
98	Kanchipuram	Satisfactory	74	PM_{10}	1
99	Kanpur	Moderate	149	NO_2	3
100	Karauli	Moderate	111	O_3	1
101	Karnal	Moderate	157	$PM_{2.5}$	1
102	Katni	Moderate	147	O_3	1
103	Keonjhar	Satisfactory	69	PM_{10}	1
104	Khanna	Satisfactory	98	PM_{10}	1
105	Kishanganj	Moderate	124	PM_{10}	1
106	Kochi	Moderate	119	PM_{10}	1
107	Kohima	Satisfactory	95	PM_{10}	1
108	Kolhapur	Satisfactory	79	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolkata	Good	50	O_3, PM_{10}	7
110	Kollam	Satisfactory	85	PM_{10}	1
111	Korba	Satisfactory	82	$PM_{2.5}$, PM_{10}	2
112	Kota	Moderate	106	PM_{10}, O_3	3
113	Kunjemura	Satisfactory	97	PM_{10}	1
114	Kurukshetra	Moderate	199	$PM_{2.5}$	1
115	Lucknow	Moderate	154	$PM_{2.5}$	6
116	Ludhiana	Poor	269	$PM_{2.5}$	1
117	Madikeri	Good	31	O_3	1
118	Mandi Gobindgarh	Satisfactory	92	PM_{10}	1
119	Mandideep	Poor	224	PM_{10}	1
120	Manesar	Poor	229	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, ~~Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore,~~ Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Manguraha	Moderate	128	PM_{10}	1
122	Meerut	Poor	240	O_3, $PM_{2.5}$	3
123	Milupara	Satisfactory	64	PM_{10}	1
124	Moradabad	Moderate	134	$PM_{2.5}$, PM_{10}	6
125	Motihari	Satisfactory	93	NO_2	1
126	Mumbai	Satisfactory	99	PM_{10}	17
127	Munger	Moderate	195	PM_{10}	1
128	Muzaffarnagar	Poor	260	$PM_{2.5}$	1
129	Muzaffarpur	Poor	252	O_3, $PM_{2.5}$	3
130	Mysuru	Good	39	PM_{10}	1
131	Nagaon	Moderate	146	$PM_{2.5}$	1
132	Nagpur	Moderate	107	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nalbari	Moderate	153	PM_{10}	1
134	Nandesari	Satisfactory	70	$PM_{2.5}$	1
135	Narnaul	Moderate	150	$PM_{2.5}$	1
136	Nashik	Satisfactory	66	PM_{10}	1
137	Navi Mumbai	Moderate	104	PM_{10}	2
138	Noida	Moderate	189	PM_{10}	4
139	Ooty	Moderate	142	PM_{10}	1
140	Pali	Moderate	103	PM_{10}	1
141	Palwal	Satisfactory	98	PM_{10}	1
142	Panchkula	Moderate	133	CO	1
143	Panipat	Moderate	173	PM_{10}	1
144	Patiala	Moderate	188	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patna	Moderate	175	PM_{10}	5
146	Pithampur	Satisfactory	98	PM_{10}	1
147	Pratapgarh	Moderate	107	PM_{10}	1
148	Prayagraj	Satisfactory	81	PM_{10}	3
149	Puducherry	Satisfactory	60	PM_{10}	1
150	Pune	Moderate	127	PM_{10}	3
151	Purnia	Moderate	170	PM_{10}	1
152	Raipur	Moderate	113	O_3, PM_{10}	4
153	Rairangpur	Satisfactory	76	O_3	1
154	Rajamahendravaram	Satisfactory	75	PM_{10}	1
155	Rajgir	Moderate	118	PM_{10}	1
156	Rajsamand	Satisfactory	85	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanagara	Satisfactory	64	O_3	1
158	Ramanathapuram	Good	21	CO	1
159	Ratlam	Satisfactory	100	PM_{10}	1
160	Rishikesh	Satisfactory	83	O_3	1
161	Rohtak	Very Poor	306	$PM_{2.5}$	1
162	Rourkela	Moderate	117	PM_{10}	3
163	Rupnagar	Poor	208	PM_{10}	1
164	Sagar	Moderate	159	O_3	1
165	Saharsa	Moderate	171	PM_{10}	1
166	Samastipur	Poor	204	PM_{10}	1
167	Satna	Moderate	117	PM_{10}	1
168	Sawai Madhopur	Moderate	107	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shillong	Satisfactory	75	PM_{10}	1
170	Shivamogga	Good	48	PM_{10}	1
171	Sikar	Moderate	166	PM_{10}	1
172	Silchar	Good	35	PM_{10}	1
173	Siliguri	Satisfactory	82	O_3	1
174	Singrauli	Poor	219	PM_{10}	1
175	Sivasagar	Good	48	PM_{10}	1
176	Siwan	Poor	222	PM_{10}	1
177	Solapur	Moderate	126	PM_{10}	1
178	Sonipat	Poor	249	PM_{10}	1
179	Sri Ganganagar	Very Poor	318	PM_{10}	1
180	Srinagar	Moderate	194	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Suakati	Satisfactory	96	PM_{10}	1
182	Surat	Satisfactory	65	CO	1
183	Talcher	Satisfactory	63	CO	1
184	Tensa	Moderate	101	PM_{10}	1
185	Thiruvananthapuram	Good	25	PM_{10}	2
186	Thoothukudi	Good	46	O_3	1
187	Thrissur	Satisfactory	60	PM_{10}	1
188	Tirupur	Good	26	SO_2	1
189	Tonk	Moderate	154	PM_{10}	1
190	Tumakuru	Moderate	104	PM_{10}	1
191	Tumidih	Moderate	181	PM_{10}	1
192	Udaipur	Moderate	107	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on May 13, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Ujjain	Moderate	128	PM_{10}	1
194	Vapi	Satisfactory	83	$PM_{2.5}$	1
195	Varanasi	Satisfactory	81	PM_{10}, $PM_{2.5}$	4
196	Vatva	Moderate	145	$PM_{2.5}$	1
197	Vijayapura	Good	49	PM_{10}	1
198	Visakhapatnam	Satisfactory	90	PM_{10}	1
199	Vrindavan	Moderate	140	PM_{10}	1
200	Yadgir	Satisfactory	78	PM_{10}	1
201	Yamunanagar	Moderate	192	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilwara, Bidar, Bundi, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Chittoor, Churu, Coimbatore, Darbhanga, Dhanbad, Dharuhera, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Haveri, Imphal, Jaisalmer, Jind, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Maihar, Mandikhera, Mangalore, Naharlagun, Nayagarh, Palkalaiperur, Pimpri Chinchwad, Raichur, Salem, Sasaram, Sirohi, Sirsa, Thane, Tirupati, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.