

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	22	SO ₂	1
2	Agra	Satisfactory	93	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	76	CO, PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	13	SO ₂	1
5	Alwar	Good	50	PM ₁₀	1
6	Amaravati	Good	39	03	1
7	Ambala	Moderate	112	PM ₁₀	1
8	Amritsar	Poor	218	PM _{2.5}	1
9	Asansol	Satisfactory	68	PM ₁₀	1
10	Bagalkot	Good	25	со	1
11	Baghpat	Moderate	126	PM ₁₀	1
12	Bahadurgarh	Moderate	111	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar,
 Aurangabad, Bhiwadi, Brajrajnagar, Chamarajanagar, Chikkamagaluru,
 Coimbatore, Eloor, Kalaburgi, Khanna, Kolar, Mandideep, Manglore, Nagpur,
 Naharlagun, Rupnagar, Satna, Shillong, Siliguri, Thrissur, Udupi,
 Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	100	PM ₁₀	1
14	Bathinda	Good	21	СО	1
15	Bengaluru	Good	47	CO, PM ₁₀ , NO ₂	9
16	Bhiwani	Satisfactory	75	PM ₁₀	1
17	Bhopal	Moderate	103	PM ₁₀	1
18	Bidar	Satisfactory	60	PM ₁₀	1
19	Bulandshahr	Moderate	157	03	1
20	Chandigarh	Moderate	108	PM ₁₀	1
21	Chandrapur	Satisfactory	72	PM ₁₀	2
22	Charkhi Dadri	Moderate	118	PM _{2.5}	1
23	Chennai	Satisfactory	60	O ₃ , PM ₁₀ , CO	8
24	Chikkaballapur	Good	29	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar,
 Aurangabad, Bhiwadi, Brajrajnagar, Chamarajanagar, Chikkamagaluru,
 Coimbatore, Eloor, Kalaburgi, Khanna, Kolar, Mandideep, Manglore, Nagpur,
 Naharlagun, Rupnagar, Satna, Shillong, Siliguri, Thrissur, Udupi,
 Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Good	27	PM _{2.5}	1
26	Davanagere	Good	50	SO ₂	1
27	Delhi	Moderate	140	PM _{2.5} , O ₃ , PM ₁₀	29
28	Dewas	Satisfactory	70	PM ₁₀	1
29	Dharuhera	Moderate	142	PM ₁₀	1
30	Durgapur	Moderate	150	PM _{2.5}	1
31	Ernakulam	Good	35	со	1
32	Faridabad	Moderate	118	PM ₁₀ , PM _{2.5}	4
33	Fatehabad	Moderate	157	03	1
34	Gadag	Good	13	со	1
35	Gandhinagar	Satisfactory	75	PM _{2.5} , PM ₁₀	3
36	Gaya	Good	48	CO, PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar,
 Aurangabad, Bhiwadi, Brajrajnagar, Chamarajanagar, Chikkamagaluru,
 Coimbatore, Eloor, Kalaburgi, Khanna, Kolar, Mandideep, Manglore, Nagpur,
 Naharlagun, Rupnagar, Satna, Shillong, Siliguri, Thrissur, Udupi,
 Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Moderate	155	PM ₁₀ , O ₃	4
38	Gorakhpur	Good	35	O ₃	1
39	Greater Noida	Moderate	174	03	2
40	Gummidipoondi	Satisfactory	84	PM ₁₀	1
41	Gurugram	Satisfactory	91	PM ₁₀ , PM _{2.5}	4
42	Guwahati	Good	46	SO ₂ , PM ₁₀	2
43	Gwalior	Satisfactory	77	PM ₁₀	1
44	Hajipur	Moderate	107	PM _{2.5}	1
45	Haldia	Satisfactory	59	PM ₁₀	1
46	Hapur	Satisfactory	60	PM ₁₀	1
47	Hassan	Satisfactory	54	PM ₁₀	1
48	Hisar	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar,
 Aurangabad, Bhiwadi, Brajrajnagar, Chamarajanagar, Chikkamagaluru,
 Coimbatore, Eloor, Kalaburgi, Khanna, Kolar, Mandideep, Manglore, Nagpur,
 Naharlagun, Rupnagar, Satna, Shillong, Siliguri, Thrissur, Udupi,
 Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Satisfactory	60	PM ₁₀	3
50	Hubballi	Good	43	PM ₁₀	1
51	Hyderabad	Satisfactory	72	PM ₁₀ , PM _{2.5}	6
52	Indore	Satisfactory	75	PM ₁₀	1
53	Jabalpur	Satisfactory	70	PM ₁₀	1
54	Jaipur	Moderate	108	PM ₁₀	3
55	Jalandhar	Moderate	137	PM ₁₀	1
56	Jind	Satisfactory	76	PM ₁₀	1
57	Jodhpur	Moderate	122	PM _{2.5}	1
58	Jorapokhar	Good	35	со	1
59	Kaithal	Satisfactory	80	PM ₁₀	1
60	Kalyan	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar,
 Aurangabad, Bhiwadi, Brajrajnagar, Chamarajanagar, Chikkamagaluru,
 Coimbatore, Eloor, Kalaburgi, Khanna, Kolar, Mandideep, Manglore, Nagpur,
 Naharlagun, Rupnagar, Satna, Shillong, Siliguri, Thrissur, Udupi,
 Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	53	PM ₁₀	1
62	Kanpur	Satisfactory	68	PM _{2.5}	2
63	Karnal	Moderate	170	03	1
64	Katni	Satisfactory	92	PM ₁₀	1
65	Kochi	Good	29	со	1
66	Kohima	Good	43	PM ₁₀	1
67	Kolkata	Satisfactory	56	PM ₁₀ , PM _{2.5} , O ₃	7
68	Kollam	Satisfactory	74	со	1
69	Koppal	Satisfactory	66	со	1
70	Kota	Satisfactory	55	PM ₁₀	1
71	Kozhikode	Good	28	со	1
72	Kurukshetra	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar,
 Aurangabad, Bhiwadi, Brajrajnagar, Chamarajanagar, Chikkamagaluru,
 Coimbatore, Eloor, Kalaburgi, Khanna, Kolar, Mandideep, Manglore, Nagpur,
 Naharlagun, Rupnagar, Satna, Shillong, Siliguri, Thrissur, Udupi,
 Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Moderate	108	PM ₁₀ , PM _{2.5}	5
74	Ludhiana	Moderate	110	PM ₁₀	1
75	Maihar	Satisfactory	53	PM _{2.5}	1
76	Mandi Gobindgarh	Satisfactory	72	PM _{2.5}	1
77	Mandikhera	Satisfactory	72	PM ₁₀	1
78	Manesar	Moderate	117	PM ₁₀	1
79	Medikeri	Good	24	O ₃	1
80	Meerut	Moderate	162	O ₃ , PM ₁₀	3
81	Moradabad	Moderate	144	PM ₁₀	1
82	Mumbai	Satisfactory	56	PM ₁₀	20
83	Muzaffarnagar	Moderate	140	PM ₁₀	1
84	Muzaffarpur	Good	30	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar,
 Aurangabad, Bhiwadi, Brajrajnagar, Chamarajanagar, Chikkamagaluru,
 Coimbatore, Eloor, Kalaburgi, Khanna, Kolar, Mandideep, Manglore, Nagpur,
 Naharlagun, Rupnagar, Satna, Shillong, Siliguri, Thrissur, Udupi,
 Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Good	31	PM ₁₀	1
86	Nandesari	Moderate	102	PM _{2.5}	1
87	Narnaul	Satisfactory	72	PM _{2.5}	1
88	Nashik	Good	33	PM ₁₀	1
89	Navi Mumbai	Moderate	146	PM ₁₀	2
90	Noida	Moderate	147	PM ₁₀	4
91	Pali	Satisfactory	97	PM ₁₀	1
92	Palwal	Satisfactory	92	PM ₁₀	1
93	Panchkula	Satisfactory	97	PM _{2.5}	1
94	Panipat	Moderate	130	PM ₁₀	1
95	Patiala	Satisfactory	94	PM ₁₀	1
96	Patna	Satisfactory	56	PM ₁₀ , O ₃	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar,
 Aurangabad, Bhiwadi, Brajrajnagar, Chamarajanagar, Chikkamagaluru,
 Coimbatore, Eloor, Kalaburgi, Khanna, Kolar, Mandideep, Manglore, Nagpur,
 Naharlagun, Rupnagar, Satna, Shillong, Siliguri, Thrissur, Udupi,
 Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Satisfactory	60	PM ₁₀	1
98	Prayagraj	Satisfactory	85	PM ₁₀	2
99	Puducherry	Satisfactory	97	NO ₂	1
100	Pune	Satisfactory	70	PM ₁₀ , PM _{2.5}	3
101	Raichur	Good	41	PM ₁₀	1
102	Rajamahendravaram	Satisfactory	60	PM ₁₀	1
103	Ramanagara	Good	33	PM ₁₀	1
104	Ratlam	Satisfactory	60	PM ₁₀	1
105	Rohtak	Moderate	172	O ₃	1
106	Sagar	Good	32	PM _{2.5}	1
107	Shivamogga	Good	36	O ₃	1
108	Singrauli	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar,
 Aurangabad, Bhiwadi, Brajrajnagar, Chamarajanagar, Chikkamagaluru,
 Coimbatore, Eloor, Kalaburgi, Khanna, Kolar, Mandideep, Manglore, Nagpur,
 Naharlagun, Rupnagar, Satna, Shillong, Siliguri, Thrissur, Udupi,
 Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Satisfactory	96	PM ₁₀	1
110	Solapur	Satisfactory	57	PM ₁₀	1
111	Sonipat	Moderate	175	PM ₁₀	1
112	Srinagar	Moderate	112	PM ₁₀	1
113	Talcher	Satisfactory	99	со	1
114	Thane	Satisfactory	98	PM ₁₀	1
115	Thiruvananthapuram	Good	38	CO, NO ₂	2
116	Thoothukudi	Good	44	PM ₁₀	1
117	Tirupati	Good	33	PM ₁₀	1
118	Udaipur	Satisfactory	100	PM ₁₀	1
119	Ujjain	Satisfactory	96	PM ₁₀	1
120	Vapi	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Ankleshwar,
 Aurangabad, Bhiwadi, Brajrajnagar, Chamarajanagar, Chikkamagaluru,
 Coimbatore, Eloor, Kalaburgi, Khanna, Kolar, Mandideep, Manglore, Nagpur,
 Naharlagun, Rupnagar, Satna, Shillong, Siliguri, Thrissur, Udupi,
 Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Satisfactory	74	PM ₁₀	3
122	Vatva	Satisfactory	81	PM ₁₀	1
123	Vijayapura	Good	43	PM _{2.5}	1
124	Visakhapatnam	Satisfactory	83	PM ₁₀	1
125	Yadgir	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar,
Aurangabad, Bhiwadi, Brajrajnagar, Chamarajanagar, Chikkamagaluru,
Coimbatore, Eloor, Kalaburgi, Khanna, Kolar, Mandideep, Manglore, Nagpur,
Naharlagun, Rupnagar, Satna, Shillong, Siliguri, Thrissur, Udupi,
Yamunanagar as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.