Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	257	$PM_{2.5}$	1
2	Agra	Moderate	135	PM_{10}	6
3	Ahmedabad	Moderate	169	$PM_{2.5}$, PM_{10}	9
4	Aizawl	Satisfactory	94	PM_{10}	1
5	Ajmer	Satisfactory	85	PM_{10}	1
6	Alwar	Satisfactory	82	PM_{10}	1
7	Amaravati	Satisfactory	81	PM_{10}	1
8	Amritsar	Moderate	105	O_3	1
9	Ankleshwar	Moderate	125	$PM_{2.5}$	1
10	Araria	Poor	220	$PM_{2.5}$	1
11	Arrah	Moderate	170	PM_{10}	1
12	Asansol	Moderate	190	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	$PM_{2.5}$	1
14	Bahadurgarh	Moderate	119	PM_{10}	1
15	Ballabgarh	Moderate	126	PM_{10}	1
16	Bathinda	Satisfactory	87	PM_{10}	1
17	Bengaluru	Moderate	104	$PM_{2.5}$, CO, PM_{10}	6
18	Bettiah	Poor	257	$PM_{2.5}$	1
19	Bhagalpur	Poor	216	PM_{10}, $PM_{2.5}$	2
20	Bhilai	Satisfactory	61	PM_{10}	1
21	Bhiwadi	Poor	254	$PM_{2.5}$	1
22	Bhiwani	Moderate	117	$PM_{2.5}$	1
23	Bhopal	Satisfactory	94	O_3	1
24	Bihar Sharif	Poor	246	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	68	CO	1
26	Bulandshahr	Moderate	155	PM_{10}	1
27	Buxar	Poor	269	$PM_{2.5}$	1
28	Chamarajanagar	Good	46	PM_{10}	1
29	Chandigarh	Moderate	103	O_3, PM_{10}	3
30	Chandrapur	Moderate	132	O_3, PM_{10}	2
31	Charkhi Dadri	Moderate	118	PM_{10}	1
32	Chennai	Satisfactory	86	PM_{10}, $PM_{2.5}$	7
33	Chhapra	Poor	228	$PM_{2.5}$	1
34	Chikkaballapur	Moderate	130	$PM_{2.5}$	1
35	Chikkamagaluru	Good	50	PM_{10}	1
36	Coimbatore	Satisfactory	73	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	107	PM_{10}	1
38	Darbhanga	Moderate	196	$PM_{2.5}$	1
39	Delhi	Moderate	150	$PM_{2.5}$, PM_{10}	38
40	Dewas	Satisfactory	88	PM_{10}	1
41	Dharuhera	Moderate	168	PM_{10}	1
42	Durgapur	Poor	298	$PM_{2.5}$	1
43	Eloor	Satisfactory	73	PM_{10}	1
44	Ernakulam	Satisfactory	79	$PM_{2.5}$	1
45	Faridabad	Moderate	144	O_3, PM_{10}	4
46	Fatehabad	Satisfactory	99	PM_{10}	1
47	Firozabad	Satisfactory	94	PM_{10}, $PM_{2.5}$	2
48	Gadag	Satisfactory	91	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	134	$PM_{2.5}$, PM_{10}	3
50	Gaya	Moderate	147	NO_2, $PM_{2.5}$, PM_{10}	3
51	Ghaziabad	Moderate	154	PM_{10}	3
52	Gorakhpur	Satisfactory	87	PM_{10}	1
53	Greater Noida	Moderate	140	PM_{10}	2
54	Gummidipoondi	Satisfactory	57	PM_{10}	1
55	Gurugram	Moderate	140	$PM_{2.5}$, PM_{10}	4
56	Guwahati	Poor	275	$PM_{2.5}$, PM_{10}	2
57	Gwalior	Moderate	102	PM_{10}	1
58	Hajipur	Moderate	165	$PM_{2.5}$	1
59	Haldia	Moderate	142	PM_{10}	1
60	Hapur	Moderate	110	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Satisfactory	91	PM_{10}	1
62	Hisar	Moderate	115	$PM_{2.5}$	1
63	Howrah	Poor	236	$PM_{2.5}$	3
64	Hubballi	Moderate	113	PM_{10}	1
65	Hyderabad	Moderate	144	$PM_{2.5}$, PM_{10}	5
66	Indore	Moderate	109	PM_{10}	1
67	Jabalpur	Moderate	179	PM_{10}	1
68	Jaipur	Satisfactory	80	PM_{10}	3
69	Jalandhar	Satisfactory	84	PM_{10}	1
70	Jhansi	Moderate	111	PM_{10}	1
71	Jind	Moderate	176	CO	1
72	Jodhpur	Moderate	114	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Satisfactory	89	PM_{10}	1
74	Kalyan	Moderate	169	$PM_{2.5}$	1
75	Kannur	Satisfactory	54	$PM_{2.5}$	1
76	Kanpur	Satisfactory	99	PM_{10}	3
77	Karnal	Satisfactory	84	PM_{10}	1
78	Katihar	Poor	280	$PM_{2.5}$	1
79	Katni	Moderate	157	PM_{10}	1
80	Khanna	Satisfactory	87	PM_{10}	1
81	Kishanganj	Poor	258	$PM_{2.5}$	1
82	Kochi	Moderate	138	$PM_{2.5}$	1
83	Kohima	Moderate	110	PM_{10}	1
84	Kolar	Moderate	123	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Poor	222	$PM_{2.5}$, PM_{10}	6
86	Kollam	Satisfactory	92	PM_{10}	1
87	Koppal	Satisfactory	96	O_3	1
88	Kota	Satisfactory	66	$PM_{2.5}$	1
89	Kozhikode	Satisfactory	58	PM_{10}	1
90	Kurukshetra	Moderate	116	PM_{10}	1
91	Lucknow	Moderate	120	PM_{10}	6
92	Ludhiana	Satisfactory	94	PM_{10}	1
93	Madikeri	Satisfactory	63	PM_{10}	1
94	Mandi Gobindgarh	Moderate	109	PM_{10}	1
95	Mandideep	Satisfactory	85	PM_{10}	1
96	Mandikhera	Satisfactory	100	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Moderate	136	$PM_{2.5}$	1
98	Manguraha	Satisfactory	97	PM_{10}	1
99	Meerut	Moderate	138	PM_{10}	3
100	Moradabad	Satisfactory	94	PM_{10}	4
101	Mumbai	Poor	206	$PM_{2.5}$, PM_{10}	19
102	Munger	Moderate	185	PM_{10}	1
103	Muzaffarnagar	Moderate	150	O_3	1
104	Muzaffarpur	Poor	235	$PM_{2.5}$	3
105	Mysuru	Satisfactory	64	O_3	1
106	Nagpur	Moderate	108	CO	1
107	Narnaul	Moderate	107	$PM_{2.5}$	1
108	Navi Mumbai	Poor	232	$PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Moderate	111	PM_{10}, CO	3
110	Pali	Satisfactory	92	PM_{10}	1
111	Palwal	Moderate	102	PM_{10}	1
112	Panchkula	Satisfactory	96	$PM_{2.5}$	1
113	Panipat	Moderate	104	PM_{10}	1
114	Patiala	Satisfactory	99	PM_{10}	1
115	Patna	Poor	261	$PM_{2.5}$, PM_{10}	6
116	Pithampur	Satisfactory	84	PM_{10}	1
117	Prayagraj	Satisfactory	90	PM_{10}	2
118	Puducherry	Satisfactory	76	PM_{10}	1
119	Pune	Moderate	133	$PM_{2.5}$, PM_{10}	5
120	Purnia	Poor	222	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Raichur	Moderate	157	PM_{10}	1
122	Rajamahendravaram	Satisfactory	97	PM_{10}	1
123	Rajgir	Moderate	133	$PM_{2.5}$	1
124	Ramanagara	Satisfactory	87	$PM_{2.5}$	1
125	Ratlam	Satisfactory	54	PM_{10}	1
126	Rohtak	Satisfactory	83	$PM_{2.5}$	1
127	Rupnagar	Moderate	154	$PM_{2.5}$	1
128	Saharsa	Poor	292	PM_{10}	1
129	Sasaram	Very Poor	303	O_3	1
130	Satna	Satisfactory	60	PM_{10}	1
131	Shillong	Satisfactory	52	$PM_{2.5}$	1
132	Shivamogga	Satisfactory	67	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	163	PM_{10}	1
134	Singrauli	Poor	229	PM_{10}	1
135	Sirsa	Moderate	102	O_3	1
136	Solapur	Satisfactory	75	PM_{10}	1
137	Sonipat	Moderate	116	PM_{10}	1
138	Talcher	Poor	222	PM_{10}	1
139	Thane	Poor	234	PM_{10}	1
140	Thiruvananthapuram	Satisfactory	62	$PM_{2.5}$	2
141	Tirupati	Moderate	118	$PM_{2.5}$	1
142	Udaipur	Moderate	169	$PM_{2.5}$	1
143	Ujjain	Moderate	105	PM_{10}	1
144	Vapi	Poor	202	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Satisfactory	93	PM_{10}	4
146	Vatva	Moderate	136	PM_{10}	1
147	Vijayapura	Good	50	PM_{10}	1
148	Visakhapatnam	Moderate	152	$PM_{2.5}$	1
149	Vrindavan	Satisfactory	94	PM_{10}	1
150	Yadgir	Satisfactory	99	PM_{10}	1
151	Yamunanagar	Moderate	106	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Bidar, Brajrajnagar, Davanagere, Jorapokhar, Kalaburgi, Maihar, Manglore, Motihari, Naharlagun, Nandesari, Nashik, Sagar, Siwan, Srinagar, Thoothukudi, Thrissur, Udupi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.