



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	39	PM <sub>10</sub> , NO <sub>2</sub>	6
2	Ahmedabad	Satisfactory	64	PM <sub>2.5</sub> , O <sub>3</sub>	7
3	Ajmer	Satisfactory	76	PM <sub>2.5</sub>	1
4	Akola	Good	47	PM <sub>10</sub>	1
5	Alwar	Good	46	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	53	O <sub>3</sub>	1
7	Ambala	Satisfactory	91	CO	1
8	Amravati	Good	41	PM <sub>10</sub>	2
9	Amritsar	Satisfactory	97	PM <sub>10</sub>	1
10	Anantapur	Satisfactory	72	PM <sub>10</sub>	1
11	Ankleshwar	Satisfactory	70	CO	1
12	Arrah	Satisfactory	94	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Good	45	PM <sub>10</sub>	3
14	Badlapur	Good	34	CO	1
15	Bagalkot	Good	42	PM <sub>10</sub>	1
16	Baghpat	Satisfactory	66	PM <sub>10</sub>	1
17	Bahadurgarh	Good	47	PM <sub>10</sub>	1
18	Ballabgarh	Good	46	PM <sub>10</sub>	1
19	Banswara	Satisfactory	90	PM <sub>10</sub>	1
20	Baran	Moderate	144	PM <sub>2.5</sub>	1
21	Bareilly	Good	31	CO	1
22	Baripada	Satisfactory	63	PM <sub>10</sub>	1
23	Barmer	Satisfactory	77	PM <sub>10</sub>	1
24	Bathinda	Satisfactory	98	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belapur	Good	34	PM <sub>10</sub>	1
26	Belgaum	Satisfactory	55	PM <sub>10</sub>	1
27	Bengaluru	Satisfactory	78	PM <sub>2.5</sub> , PM <sub>10</sub>	11
28	Bettiah	Satisfactory	74	PM <sub>10</sub>	1
29	Bhagalpur	Good	42	PM <sub>10</sub>	1
30	Bharatpur	Good	40	CO	1
31	Bhilai	Satisfactory	55	PM <sub>10</sub> , PM <sub>2.5</sub>	2
32	Bhilwara	Satisfactory	97	PM <sub>10</sub>	1
33	Bhiwadi	Satisfactory	65	PM <sub>10</sub>	1
34	Bhiwandi	Good	39	PM <sub>2.5</sub>	1
35	Bhiwani	Satisfactory	56	CO	1
36	Bhopal	Satisfactory	67	PM <sub>2.5</sub> , PM <sub>10</sub>	3

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Good	27	CO	1
38	Bihar Sharif	Good	28	CO	1
39	Bikaner	Moderate	106	PM <sub>10</sub>	1
40	Bilaspur	Satisfactory	54	PM <sub>10</sub>	1
41	Bileipada	Moderate	101	PM <sub>10</sub>	1
42	Brajrajnagar	Good	41	PM <sub>10</sub>	1
43	Bulandshahr	Good	36	CO	1
44	Bundi	Satisfactory	98	PM <sub>10</sub>	1
45	Byrnihat	Moderate	128	PM <sub>2.5</sub>	1
46	Chamarajanagar	Good	42	PM <sub>10</sub>	1
47	Chandigarh	Satisfactory	57	PM <sub>10</sub>	3
48	Chandrapur	Satisfactory	87	CO	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Moderate	122	PM <sub>2.5</sub>	1
50	Chennai	Satisfactory	74	CO	6
51	Chhal	Satisfactory	52	PM <sub>10</sub>	1
52	Chhapra	Satisfactory	67	CO	1
53	Chikkaballapur	Satisfactory	52	PM <sub>10</sub>	1
54	Chikkamagaluru	Good	45	PM <sub>10</sub>	1
55	Chittoor	Good	45	O <sub>3</sub>	1
56	Chittorgarh	Satisfactory	81	PM <sub>10</sub>	1
57	Churu	Satisfactory	53	PM <sub>10</sub>	1
58	Cuddalore	Good	30	PM <sub>2.5</sub>	1
59	Damoh	Good	34	PM <sub>10</sub>	1
60	Dausa	Poor	204	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	37	PM <sub>10</sub>	1
62	Dehradun	Satisfactory	88	CO	1
63	Delhi	Satisfactory	71	CO, NO <sub>2</sub>	33
64	Dewas	Satisfactory	59	PM <sub>10</sub>	1
65	Dhanbad	Moderate	168	CO	1
66	Dharuhera	Good	45	PM <sub>10</sub>	1
67	Dharwad	Good	45	PM <sub>2.5</sub>	1
68	Dholpur	Good	34	O <sub>3</sub>	1
69	Dhule	Satisfactory	53	PM <sub>10</sub>	1
70	Durgapur	Satisfactory	63	PM <sub>10</sub>	1
71	Faridabad	Satisfactory	82	PM <sub>10</sub> , PM <sub>2.5</sub>	3
72	Fatehabad	Moderate	122	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	59	PM <sub>2.5</sub> , PM <sub>10</sub>	2
74	Gangtok	Satisfactory	57	SO <sub>2</sub>	1
75	Gaya	Good	47	O <sub>3</sub>	3
76	Ghaziabad	Satisfactory	64	O <sub>3</sub>	4
77	Gorakhpur	Satisfactory	55	SO <sub>2</sub>	1
78	Greater Noida	Satisfactory	53	PM <sub>10</sub> , CO	2
79	Gummidipoondi	Satisfactory	94	PM <sub>10</sub>	1
80	Gurugram	Moderate	104	PM <sub>2.5</sub> , CO	3
81	Guwahati	Satisfactory	52	CO, SO <sub>2</sub>	4
82	Gwalior	Satisfactory	52	CO, PM <sub>2.5</sub>	4
83	Hajipur	Good	41	PM <sub>10</sub>	1
84	Haldia	Good	44	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bosisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Moderate	106	PM <sub>10</sub>	1
86	Hapur	Good	33	PM <sub>10</sub>	1
87	Hisar	Moderate	109	PM <sub>10</sub>	1
88	Hosur	Satisfactory	76	PM <sub>10</sub>	1
89	Howrah	Satisfactory	57	PM <sub>10</sub>	3
90	Hubballi	Satisfactory	72	PM <sub>10</sub> , CO	2
91	Hyderabad	Satisfactory	76	PM <sub>10</sub>	12
92	Indore	Satisfactory	84	PM <sub>10</sub>	1
93	Jabalpur	Satisfactory	79	PM <sub>10</sub>	3
94	Jaipur	Moderate	101	PM <sub>10</sub>	5
95	Jaisalmer	Moderate	115	PM <sub>10</sub>	1
96	Jalandhar	Satisfactory	64	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bikaner, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Satisfactory	57	PM <sub>10</sub>	1
98	Jalna	Satisfactory	55	PM <sub>10</sub>	1
99	Jhalawar	Satisfactory	68	PM <sub>10</sub>	1
100	Jhansi	Good	35	PM <sub>10</sub>	1
101	Jhunjhunu	Satisfactory	82	PM <sub>10</sub>	1
102	Jind	Satisfactory	91	CO	1
103	Jodhpur	Satisfactory	77	PM <sub>10</sub>	5
104	Kaithal	Satisfactory	74	PM <sub>2.5</sub>	1
105	Kalaburgi	Satisfactory	73	PM <sub>10</sub>	1
106	Kalyan	Satisfactory	73	CO	1
107	Kanpur	Good	36	CO	3
108	Karauli	Good	45	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karnal	Satisfactory	61	SO <sub>2</sub>	1
110	Kashipur	Good	26	CO	1
111	Katihar	Satisfactory	78	CO	1
112	Katni	Satisfactory	87	PM <sub>10</sub>	1
113	Keonjhar	Satisfactory	59	CO	1
114	Khanna	Satisfactory	75	PM <sub>10</sub>	1
115	Khurja	Satisfactory	74	PM <sub>2.5</sub>	1
116	Kohima	Satisfactory	53	SO <sub>2</sub>	1
117	Kolhapur	Good	50	PM <sub>10</sub>	2
118	Kolkata	Satisfactory	52	PM <sub>10</sub>	7
119	Kollam	Satisfactory	83	PM <sub>10</sub>	1
120	Koppal	Good	40	SO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Korba	Good	30	PM <sub>10</sub>	2
122	Kota	Satisfactory	70	PM <sub>2.5</sub>	3
123	Kunjemura	Moderate	108	PM <sub>10</sub>	1
124	Latur	Good	43	PM <sub>10</sub>	1
125	Lucknow	Good	42	CO, NO <sub>2</sub>	5
126	Ludhiana	Moderate	111	PM <sub>10</sub>	1
127	Madikeri	Good	37	PM <sub>10</sub>	1
128	Mahad	Good	35	SO <sub>2</sub>	1
129	Maihar	Good	26	PM <sub>2.5</sub>	1
130	Mandi Gobindgarh	Good	40	O <sub>3</sub>	1
131	Mandideep	Satisfactory	55	O <sub>3</sub>	1
132	Manesar	Good	41	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bosisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mangalore	Satisfactory	56	PM <sub>10</sub>	1
134	Manguraha	Good	18	PM <sub>10</sub>	1
135	Meerut	Good	43	CO, PM <sub>2.5</sub>	3
136	Moradabad	Good	38	PM <sub>10</sub> , PM <sub>2.5</sub>	5
137	Motihari	Satisfactory	54	PM <sub>10</sub>	1
138	Mumbai	Satisfactory	52	CO, PM <sub>10</sub>	19
139	Munger	Satisfactory	54	PM <sub>10</sub>	1
140	Muzaffarpur	Moderate	120	O <sub>3</sub> , CO	2
141	Mysuru	Satisfactory	60	PM <sub>10</sub>	1
142	Nagaon	Good	38	O <sub>3</sub>	1
143	Nagaur	Satisfactory	100	PM <sub>10</sub>	1
144	Nagpur	Good	45	CO, PM <sub>10</sub>	4

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nalbari	Satisfactory	62	PM <sub>10</sub>	1
146	Nanded	Good	37	O <sub>3</sub>	1
147	Narnaul	Good	42	PM <sub>10</sub>	1
148	Nashik	Good	32	PM <sub>10</sub>	3
149	Navi Mumbai	Good	47	PM <sub>10</sub>	7
150	Noida	Satisfactory	64	CO	4
151	Ooty	Satisfactory	79	PM <sub>10</sub>	1
152	Pali	Moderate	102	PM <sub>10</sub>	1
153	Palkalaiperur	Satisfactory	73	SO <sub>2</sub>	1
154	Palwal	Good	50	PM <sub>2.5</sub>	1
155	Panchkula	Good	49	PM <sub>2.5</sub>	1
156	Panipat	Moderate	134	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Parbhani	Good	45	O <sub>3</sub>	1
158	Patiala	Good	48	O <sub>3</sub>	1
159	Patna	Satisfactory	65	PM <sub>10</sub> , NO <sub>2</sub>	5
160	Pimpri Chinchwad	Good	39	PM <sub>10</sub>	3
161	Pithampur	Satisfactory	78	PM <sub>10</sub>	1
162	Pratapgarh	Moderate	109	PM <sub>10</sub>	1
163	Prayagraj	Good	49	PM <sub>2.5</sub> , PM <sub>10</sub>	3
164	Puducherry	Satisfactory	70	O <sub>3</sub>	1
165	Pune	Satisfactory	79	NO <sub>2</sub> , PM <sub>10</sub>	6
166	Purnia	Satisfactory	70	PM <sub>10</sub>	1
167	Raipur	Good	44	PM <sub>10</sub>	4
168	Rajamahendravaram	Good	50	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajsamand	Satisfactory	84	PM <sub>10</sub>	1
170	Ramanagara	Satisfactory	55	PM <sub>10</sub>	1
171	Ramanathapuram	Good	32	PM <sub>10</sub>	1
172	Ratlam	Satisfactory	65	PM <sub>10</sub>	1
173	Rishikesh	Good	26	CO	1
174	Rohtak	Moderate	103	PM <sub>2.5</sub>	1
175	Rourkela	Satisfactory	58	PM <sub>10</sub>	2
176	Rupnagar	Satisfactory	74	PM <sub>10</sub>	1
177	Sagar	Good	44	PM <sub>10</sub>	1
178	Saharsa	Satisfactory	81	O <sub>3</sub>	1
179	Samastipur	Satisfactory	80	PM <sub>10</sub>	1
180	Sangli	Good	38	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sasaram	Satisfactory	85	CO	1
182	Satna	Satisfactory	74	PM <sub>10</sub>	1
183	Sawai Madhopur	Satisfactory	72	PM <sub>10</sub>	1
184	Shillong	Good	28	PM <sub>10</sub> , PM <sub>2.5</sub>	2
185	Shivamogga	Satisfactory	52	O <sub>3</sub>	1
186	Sikar	Satisfactory	86	PM <sub>10</sub>	1
187	Silchar	Good	32	CO	1
188	Siliguri	Good	35	PM <sub>10</sub>	1
189	Singrauli	Moderate	101	NO <sub>2</sub>	1
190	Sirohi	Satisfactory	55	PM <sub>10</sub>	1
191	Sirsa	Good	45	PM <sub>10</sub>	1
192	Sivasagar	Good	35	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Solapur	Satisfactory	62	PM <sub>10</sub>	3
194	Sonipat	Satisfactory	85	PM <sub>10</sub>	1
195	Sri Ganganagar	Satisfactory	72	PM <sub>10</sub>	1
196	Suakati	Satisfactory	55	PM <sub>10</sub>	1
197	Tensa	Good	37	PM <sub>10</sub>	1
198	Thane	Good	45	CO	3
199	Thiruvananthapuram	Satisfactory	58	PM <sub>2.5</sub> , CO	2
200	Thoothukudi	Satisfactory	73	PM <sub>10</sub>	1
201	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
202	Tirupati	Good	48	PM <sub>10</sub>	2
203	Tirupur	Satisfactory	59	PM <sub>10</sub>	1
204	Tonk	Satisfactory	99	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 23, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumakuru	Good	47	CO	1
206	Tumidih	Good	48	PM <sub>10</sub>	1
207	Udaipur	Satisfactory	64	PM <sub>10</sub>	1
208	Ujjain	Satisfactory	73	PM <sub>10</sub>	1
209	Ulhasnagar	Good	33	PM <sub>2.5</sub>	1
210	Varanasi	Good	24	O <sub>3</sub>	3
211	Vatva	Satisfactory	96	PM <sub>10</sub>	1
212	Vijayapura	Good	49	PM <sub>10</sub>	1
213	Visakhapatnam	Satisfactory	96	PM <sub>10</sub>	1
214	Vrindavan	Good	30	SO <sub>2</sub>	1
215	Yadgir	Good	43	PM <sub>10</sub>	1
216	Yamunanagar	Satisfactory	56	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Araria, Ariyalur, Asansol, Aurangabad (Bihar), Baddi, Begusarai, Bhisar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dindigul, Eloor, Ernakulam, Firozabad, Gadag, Hassan, Haveri, Imphal, Jorapokhar, Kadapa, Kanchipuram, Kannur, Kishanganj, Kochi, Kolar, Kozhikode, Kurukshetra, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Salem, Siwan, Srinagar, Surat, Talcher, Udupi, Vapi, Vijayawada, Virar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: