

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	38	PM _{2.5}	1
2	Agra	Moderate	138	PM ₁₀ , PM _{2.5}	3
3	Ahmedabad	Moderate	129	PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	20	PM ₁₀	1
5	Ajmer	Moderate	101	PM ₁₀	1
6	Alwar	Moderate	143	PM ₁₀	1
7	Ambala	Moderate	113	PM ₁₀	1
8	Amritsar	Moderate	144	PM _{2.5}	1
9	Ankleshwar	Satisfactory	86	PM ₁₀	1
10	Asansol	Satisfactory	57	PM ₁₀	1
11	Bagalkot	Good	41	PM _{2.5}	1
12	Baghpat	Poor	281	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Coimbatore, Hajipur, Kolar, Maihar, Manglore, Naharlagun, Shillong, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	215	PM ₁₀	1
14	Ballabgarh	Moderate	178	PM _{2.5}	1
15	Bathinda	Satisfactory	94	PM ₁₀	1
16	Bengaluru	Satisfactory	95	PM ₁₀ , PM _{2.5}	9
17	Bhiwadi	Very Poor	368	PM _{2.5}	1
18	Bhiwani	Moderate	200	PM ₁₀	1
19	Bhopal	Satisfactory	93	PM ₁₀	1
20	Bidar	Satisfactory	92	PM ₁₀	1
21	Brajrajnagar	Good	44	SO ₂	1
22	Bulandshahr	Moderate	177	03	1
23	Chamarajanagar	Good	43	PM ₁₀	1
24	Chandigarh	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Coimbatore, Hajipur, Kolar, Maihar, Manglore, Naharlagun, Shillong, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	84	PM ₁₀	1
26	Charkhi Dadri	Poor	205	PM ₁₀	1
27	Chennai	Satisfactory	86	PM ₁₀ , PM _{2.5}	8
28	Chikkaballapur	Satisfactory	87	PM ₁₀	1
29	Chikkamagaluru	Satisfactory	55	PM _{2.5}	1
30	Damoh	Good	36	PM _{2.5}	1
31	Davanagere	Satisfactory	80	PM ₁₀	1
32	Delhi	Poor	218	PM ₁₀ , O ₃	36
33	Dewas	Satisfactory	100	PM ₁₀	1
34	Dharuhera	Poor	242	PM ₁₀	1
35	Durgapur	Satisfactory	99	PM ₁₀	1
36	Eloor	Satisfactory	75	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Coimbatore, Hajipur, Kolar, Maihar, Manglore, Naharlagun, Shillong, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	70	PM ₁₀	1
38	Faridabad	Moderate	194	PM _{2.5} , PM ₁₀	4
39	Fatehabad	Poor	209	PM ₁₀	1
40	Gadag	Satisfactory	58	SO ₂	1
41	Gandhinagar	Moderate	161	PM _{2.5} , PM ₁₀	3
42	Gaya	Good	39	PM _{2.5}	1
43	Ghaziabad	Poor	225	PM ₁₀	4
44	Greater Noida	Poor	240	PM ₁₀ , PM _{2.5}	2
45	Gummidipoondi	Moderate	133	PM ₁₀	1
46	Gurugram	Moderate	180	PM _{2.5} , O ₃	3
47	Guwahati	Good	46	SO ₂ , O ₃	2
48	Gwalior	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Coimbatore, Hajipur, Kolar, Maihar, Manglore, Naharlagun, Shillong, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	46	PM ₁₀	1
50	Hapur	Moderate	109	PM ₁₀	1
51	Hassan	Moderate	113	PM ₁₀	1
52	Hisar	Poor	211	PM ₁₀	1
53	Howrah	Satisfactory	51	PM ₁₀	3
54	Hubballi	Satisfactory	97	PM ₁₀	1
55	Hyderabad	Moderate	101	PM ₁₀ , PM _{2.5}	6
56	Indore	Moderate	106	PM ₁₀	1
57	Jabalpur	Satisfactory	69	PM ₁₀	1
58	Jaipur	Moderate	144	PM ₁₀	3
59	Jalandhar	Moderate	108	PM _{2.5}	1
60	Jind	Poor	229	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Coimbatore, Hajipur, Kolar, Maihar, Manglore, Naharlagun, Shillong, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Poor	226	PM _{2.5}	1
62	Jorapokhar	Good	47	PM ₁₀	1
63	Kaithal	Moderate	157	PM ₁₀	1
64	Kalaburgi	Satisfactory	97	PM ₁₀	1
65	Kalyan	Satisfactory	98	PM ₁₀	1
66	Kannur	Satisfactory	87	PM ₁₀	1
67	Kanpur	Satisfactory	56	PM _{2.5}	2
68	Karnal	Poor	251	03	1
69	Katni	Moderate	118	PM ₁₀	1
70	Khanna	Satisfactory	77	PM ₁₀	1
71	Kochi	Satisfactory	62	PM ₁₀	1
72	Kohima	Good	30	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Coimbatore, Hajipur, Kolar, Maihar, Manglore, Naharlagun, Shillong, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Satisfactory	51	PM _{2.5} , PM ₁₀ , O ₃	7
74	Kollam	Satisfactory	99	со	1
75	Koppal	Satisfactory	70	со	1
76	Kota	Satisfactory	98	PM _{2.5}	1
77	Kozhikode	Satisfactory	68	со	1
78	Kurukshetra	Moderate	143	PM ₁₀	1
79	Lucknow	Satisfactory	75	PM _{2.5} , PM ₁₀	5
80	Ludhiana	Moderate	106	PM ₁₀	1
81	Mandi Gobindgarh	Poor	268	PM _{2.5}	1
82	Mandideep	Good	50	PM _{2.5}	1
83	Mandikhera	Moderate	123	PM ₁₀	1
84	Manesar	Poor	285	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Coimbatore, Hajipur, Kolar, Maihar, Manglore, Naharlagun, Shillong, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Satisfactory	56	PM ₁₀	1
86	Meerut	Moderate	176	PM ₁₀	1
87	Moradabad	Poor	203	PM _{2.5}	1
88	Mumbai	Satisfactory	93	PM _{2.5} , PM ₁₀	18
89	Muzaffarnagar	Moderate	169	PM _{2.5}	1
90	Muzaffarpur	Satisfactory	78	PM _{2.5} , PM ₁₀	2
91	Mysuru	Satisfactory	53	PM ₁₀	1
92	Nagpur	Satisfactory	70	PM ₁₀	1
93	Nandesari	Poor	205	PM _{2.5}	1
94	Narnaul	Poor	223	PM ₁₀	1
95	Nashik	Satisfactory	89	PM _{2.5}	1
96	Navi Mumbai	Moderate	148	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Coimbatore, Hajipur, Kolar, Maihar, Manglore, Naharlagun, Shillong, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Poor	227	PM ₁₀	4
98	Pali	Moderate	187	PM _{2.5}	1
99	Palwal	Moderate	178	PM ₁₀	1
100	Panchkula	Satisfactory	61	PM _{2.5}	1
101	Panipat	Poor	274	PM ₁₀	1
102	Patiala	Moderate	103	PM ₁₀	1
103	Patna	Satisfactory	86	PM ₁₀	4
104	Pithampur	Satisfactory	80	PM _{2.5}	1
105	Prayagraj	Satisfactory	64	PM ₁₀ , PM _{2.5}	2
106	Puducherry	Satisfactory	55	PM ₁₀	1
107	Pune	Satisfactory	89	PM _{2.5} , PM ₁₀ , CO	7
108	Raichur	Satisfactory	96	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Coimbatore, Hajipur, Kolar, Maihar, Manglore, Naharlagun, Shillong, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rajamahendravaram	Satisfactory	89	PM ₁₀	1
110	Ramanagara	Satisfactory	71	PM ₁₀	1
111	Ratlam	Moderate	103	PM ₁₀	1
112	Rohtak	Poor	217	PM _{2.5}	1
113	Rupnagar	Moderate	103	PM ₁₀	1
114	Sagar	Good	34	PM _{2.5}	1
115	Satna	Satisfactory	74	PM ₁₀	1
116	Shivamogga	Good	45	PM ₁₀	1
117	Singrauli	Good	48	со	1
118	Sirsa	Moderate	142	PM ₁₀	1
119	Solapur	Satisfactory	58	PM ₁₀	1
120	Sonipat	Poor	273	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Coimbatore, Hajipur, Kolar, Maihar, Manglore, Naharlagun, Shillong, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Srinagar	Moderate	123	PM ₁₀	1
122	Talcher	Moderate	105	со	1
123	Thane	Moderate	121	PM ₁₀	1
124	Thiruvananthapuram	Satisfactory	72	CO, PM ₁₀	2
125	Thoothukudi	Satisfactory	86	PM ₁₀	1
126	Thrissur	Satisfactory	63	PM ₁₀	1
127	Tirupati	Satisfactory	91	PM ₁₀	1
128	Udaipur	Moderate	119	PM ₁₀	1
129	Udupi	Satisfactory	82	со	1
130	Ujjain	Moderate	121	PM ₁₀	1
131	Vapi	Satisfactory	84	PM ₁₀	1
132	Varanasi	Satisfactory	56	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Coimbatore, Hajipur, Kolar, Maihar, Manglore, Naharlagun, Shillong, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vatva	Moderate	109	PM _{2.5}	1
134	Vijayapura	Satisfactory	61	PM ₁₀	1
135	Visakhapatnam	Moderate	127	PM ₁₀	1
136	Yadgir	Satisfactory	87	PM ₁₀	1
137	Yamunanagar	Moderate	159	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amaravati, Aurangabad, Coimbatore, Hajipur, Kolar, Maihar, Manglore, Naharlagun, Shillong, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.