

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	182	PM _{2.5}	2
2	Agra	Moderate	148	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Poor	205	PM ₁₀	1
4	Aizawl	Good	25	PM ₁₀	1
5	Ajmer	Moderate	132	PM ₁₀	1
6	Alwar	Poor	216	PM _{2.5}	1
7	Amaravati	Satisfactory	52	03	1
8	Amritsar	Poor	245	PM _{2.5}	1
9	Anantapur	Good	45	PM _{2.5}	1
10	Ankleshwar	Moderate	149	PM _{2.5}	1
11	Arrah	Poor	232	PM ₁₀	1
12	Asansol	Poor	240	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	200	PM ₁₀	1
14	Aurangabad (Maharashtra)	Moderate	146	PM _{2.5}	1
15	Baddi	Moderate	170	O ₃	1
16	Bagalkot	Good	39	PM ₁₀	1
17	Baghpat	Poor	270	PM _{2.5}	1
18	Bahadurgarh	Very Poor	388	PM _{2.5}	1
19	Ballabgarh	Very Poor	381	PM _{2.5}	1
20	Bareilly	Moderate	102	PM ₁₀	2
21	Bathinda	Very Poor	306	PM _{2.5}	1
22	Begusarai	Very Poor	318	PM _{2.5}	1
23	Belgaum	Moderate	121	PM ₁₀	1
24	Bengaluru	Good	49	PM ₁₀	9

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Poor	268	PM _{2.5}	1
26	Bhagalpur	Poor	244	PM _{2.5}	2
27	Bhiwadi	Very Poor	351	PM _{2.5}	1
28	Bhiwani	Very Poor	354	PM _{2.5}	1
29	Bhopal	Moderate	190	PM _{2.5}	2
30	Bidar	Moderate	145	со	1
31	Bihar Sharif	Poor	283	PM ₁₀	1
32	Bilaspur	Satisfactory	68	PM ₁₀	1
33	Bulandshahr	Poor	219	PM _{2.5}	1
34	Chamarajanagar	Good	39	PM ₁₀	1
35	Chandigarh	Moderate	168	PM _{2.5} , O ₃	3
36	Chandrapur	Moderate	182	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Severe	401	PM _{2.5}	1
38	Chengalpattu	Satisfactory	71	SO ₂	1
39	Chennai	Good	44	O ₃ , PM ₁₀	7
40	Chhapra	Very Poor	324	PM ₁₀	1
41	Chikkaballapur	Good	35	PM ₁₀	1
42	Chikkamagaluru	Good	39	03	1
43	Coimbatore	Satisfactory	73	со	1
44	Damoh	Moderate	148	PM _{2.5}	1
45	Darbhanga	Poor	289	PM _{2.5}	1
46	Davanagere	Good	38	PM ₁₀	1
47	Delhi	Very Poor	381	PM _{2.5}	37
48	Dewas	Poor	287	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Severe	408	PM _{2.5}	1
50	Dindigul	Good	42	SO ₂	1
51	Durgapur	Moderate	158	PM _{2.5}	1
52	Eloor	Satisfactory	56	PM ₁₀	1
53	Faridabad	Very Poor	334	PM _{2.5}	4
54	Fatehabad	Poor	268	PM _{2.5}	1
55	Firozabad	Satisfactory	94	PM _{2.5}	2
56	Gadag	Good	33	O ₃	1
57	Gandhinagar	Moderate	104	PM ₁₀	1
58	Gangtok	Good	30	O ₃	1
59	Gaya	Moderate	183	PM ₁₀ , PM _{2.5}	3
60	Ghaziabad	Very Poor	322	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	128	PM _{2.5}	1
62	Greater Noida	Very Poor	312	PM _{2.5}	2
63	Gurugram	Very Poor	357	PM _{2.5}	4
64	Guwahati	Satisfactory	78	PM _{2.5}	3
65	Gwalior	Very Poor	316	PM _{2.5}	2
66	Hajipur	Poor	217	PM ₁₀	1
67	Haldia	Moderate	111	PM ₁₀	1
68	Hapur	Moderate	184	PM _{2.5}	1
69	Hassan	Good	24	PM _{2.5}	1
70	Haveri	Satisfactory	51	PM ₁₀	1
71	Hisar	Poor	285	PM _{2.5}	1
72	Howrah	Poor	206	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Satisfactory	68	СО	1
74	Hyderabad	Satisfactory	92	PM _{2.5} , PM ₁₀	14
75	Imphal	Satisfactory	74	SO ₂	2
76	Indore	Poor	237	PM ₁₀	1
77	Jabalpur	Moderate	186	PM _{2.5}	1
78	Jaipur	Moderate	172	PM ₁₀	3
79	Jalandhar	Moderate	161	PM ₁₀	1
80	Jhansi	Poor	277	PM _{2.5}	1
81	Jind	Poor	255	PM _{2.5}	1
82	Jodhpur	Moderate	168	PM _{2.5}	1
83	Kaithal	Very Poor	309	PM _{2.5}	1
84	Kalaburgi	Moderate	104	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	156	PM ₁₀	1
86	Kannur	Satisfactory	76	PM ₁₀	1
87	Kanpur	Poor	236	PM _{2.5}	3
88	Karnal	Moderate	186	PM _{2.5}	1
89	Katihar	Very Poor	355	PM _{2.5}	1
90	Katni	Poor	244	PM _{2.5}	1
91	Khanna	Moderate	151	PM ₁₀	1
92	Khurja	Moderate	164	PM _{2.5}	1
93	Kishanganj	Moderate	148	PM ₁₀	1
94	Kochi	Moderate	148	PM _{2.5}	1
95	Kohima	Moderate	117	SO ₂	1
96	Kolar	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolkata	Moderate	196	PM _{2.5}	7
98	Kollam	Satisfactory	60	PM _{2.5}	1
99	Koppal	Moderate	131	O ₃	1
100	Kota	Moderate	142	PM _{2.5}	1
101	Kozhikode	Satisfactory	75	PM ₁₀	1
102	Kurukshetra	Poor	269	PM _{2.5}	1
103	Lucknow	Poor	216	PM _{2.5}	6
104	Ludhiana	Poor	241	PM _{2.5}	1
105	Madikeri	Good	33	O ₃	1
106	Maihar	Satisfactory	93	PM ₁₀	1
107	Mandi Gobindgarh	Moderate	198	PM _{2.5}	1
108	Mandideep	Poor	258	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandikhera	Poor	228	PM _{2.5}	1
110	Manesar	Poor	295	PM ₁₀	1
111	Meerut	Poor	225	PM _{2.5}	3
112	Moradabad	Moderate	124	PM _{2.5}	6
113	Motihari	Very Poor	315	PM _{2.5}	1
114	Mumbai	Moderate	159	PM _{2.5} , O ₃	17
115	Munger	Poor	223	PM _{2.5}	1
116	Muzaffarnagar	Very Poor	332	PM _{2.5}	1
117	Muzaffarpur	Poor	254	PM _{2.5}	3
118	Mysuru	Good	50	O ₃	1
119	Nagpur	Poor	219	PM _{2.5}	1
120	Narnaul	Poor	273	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nashik	Moderate	196	PM _{2.5}	1
122	Navi Mumbai	Poor	221	PM _{2.5}	3
123	Noida	Very Poor	357	PM _{2.5}	4
124	Ooty	Satisfactory	51	SO ₂	1
125	Pali	Moderate	106	PM _{2.5}	1
126	Palwal	Moderate	140	PM ₁₀	1
127	Panchkula	Moderate	192	O ₃	1
128	Panipat	Poor	230	PM ₁₀	1
129	Patiala	Moderate	174	PM _{2.5}	1
130	Patna	Very Poor	302	PM ₁₀ , PM _{2.5}	6
131	Pithampur	Moderate	134	PM ₁₀	1
132	Prayagraj	Poor	275	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Puducherry	Good	32	PM ₁₀	1
134	Purnia	Poor	237	PM _{2.5}	1
135	Rajamahendravaram	Satisfactory	68	PM ₁₀	1
136	Rajgir	Moderate	130	PM _{2.5}	1
137	Ramanagara	Good	43	PM ₁₀	1
138	Ramanathapuram	Good	14	03	1
139	Ratlam	Moderate	144	PM ₁₀	1
140	Rohtak	Moderate	191	PM _{2.5}	1
141	Rupnagar	Moderate	131	PM _{2.5}	1
142	Sagar	Moderate	117	PM _{2.5} , CO	2
143	Salem	Satisfactory	67	SO ₂	1
144	Samastipur	Very Poor	309	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sasaram	Moderate	179	PM _{2.5}	1
146	Satna	Satisfactory	99	PM ₁₀	1
147	Shillong	Satisfactory	66	PM ₁₀ , PM _{2.5}	2
148	Shivamogga	Good	45	PM ₁₀	1
149	Siliguri	Moderate	104	PM ₁₀	1
150	Singrauli	Very Poor	344	PM _{2.5}	1
151	Sirsa	Poor	216	PM _{2.5}	1
152	Sivasagar	Good	31	PM ₁₀	1
153	Siwan	Very Poor	313	PM _{2.5}	1
154	Solapur	Satisfactory	81	PM ₁₀	1
155	Sonipat	Very Poor	316	PM _{2.5}	1
156	Srinagar	Poor	248	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Surat	Poor	247	PM _{2.5}	1
158	Talcher	Moderate	158	PM _{2.5}	1
159	Thane	Moderate	168	PM ₁₀	1
160	Thiruvananthapuram	Good	37	PM _{2.5} , CO	2
161	Thoothukudi	Good	18	PM ₁₀	1
162	Thrissur	Satisfactory	61	PM ₁₀	1
163	Tirupati	Good	50	со	1
164	Tirupur	Satisfactory	79	PM ₁₀	1
165	Udaipur	Moderate	120	PM ₁₀	1
166	Ujjain	Poor	216	PM _{2.5}	1
167	Varanasi	Moderate	153	PM _{2.5} , PM ₁₀	4
168	Vatva	Moderate	185	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vijayapura	Good	47	PM ₁₀	1
170	Visakhapatnam	Moderate	122	PM _{2.5}	1
171	Vrindavan	Moderate	151	PM ₁₀	1
172	Yadgir	Satisfactory	63	PM _{2.5}	1
173	Yamunanagar	Poor	205	PM _{2.5}	1
174	vellore	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Araria,
 Aurangabad, Aurangabad, Bhilai, Brajrajnagar, Buxar, Dehradun, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kanchipuram, Korba, Manglore, Manguraha
 Naharlagun, Nandesari, Pune, Raichur, Raipur, Saharsa, Udupi, Vapi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.