Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	284	$PM_{2.5}$	1
2	Agra	Very Poor	357	PM_{10}, $PM_{2.5}$	5
3	Ahmedabad	Moderate	129	$PM_{2.5}$, NO_2, PM_{10}	8
4	Aizawl	Good	28	PM_{10}	1
5	Ajmer	Moderate	107	PM_{10}	1
6	Alwar	Moderate	130	$PM_{2.5}$	1
7	Amaravati	Moderate	101	$PM_{2.5}$	1
8	Ambala	Very Poor	331	$PM_{2.5}$	1
9	Amritsar	Moderate	147	PM_{10}	1
10	Ankleshwar	Poor	220	$PM_{2.5}$	1
11	Araria	Moderate	137	$PM_{2.5}$	1
12	Asansol	Satisfactory	79	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhilai, Chhapra, Gummidipoondi, Jorapokhar, Kolar, Kollam, Kozhikode, Muzaffarnagar, Nandesari, Raichur, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	26	$PM_{2.5}$	1
14	Baghpat	Very Poor	353	$PM_{2.5}$	1
15	Bahadurgarh	Very Poor	326	$PM_{2.5}$	1
16	Ballabgarh	Very Poor	363	$PM_{2.5}$	1
17	Bathinda	Moderate	165	$PM_{2.5}$	1
18	Bengaluru	Good	43	CO, PM_{10}, NO_2	9
19	Bettiah	Poor	277	$PM_{2.5}$	1
20	Bhagalpur	Poor	242	$PM_{2.5}$	2
21	Bhiwadi	Very Poor	332	$PM_{2.5}$	1
22	Bhiwani	Very Poor	341	$PM_{2.5}$	1
23	Bhopal	Moderate	106	PM_{10}	1
24	Bidar	Satisfactory	73	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhilai, Chhapra, Gummidipoondi, Jorapokhar, Kolar, Kollam, Kozhikode, Muzaffarnagar, Nandesari, Raichur, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Moderate	121	$PM_{2.5}$	1
26	Bilaspur	Satisfactory	73	PM_{10}	1
27	Brajrajnagar	Satisfactory	70	O_3	1
28	Bulandshahr	Very Poor	379	$PM_{2.5}$	1
29	Buxar	Very Poor	302	$PM_{2.5}$	1
30	Chamarajanagar	Good	28	PM_{10}	1
31	Chandigarh	Poor	212	$PM_{2.5}$	2
32	Chandrapur	Moderate	122	$PM_{2.5}$, PM_{10}	2
33	Charkhi Dadri	Very Poor	360	$PM_{2.5}$	1
34	Chennai	Good	49	CO, PM_{10}	7
35	Chikkaballapur	Good	37	$PM_{2.5}$	1
36	Chikkamagaluru	Good	35	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhilai, Chhapra, Gummidipoondi, Jorapokhar, Kolar, Kollam, Kozhikode, Muzaffarnagar, Nandesari, Raichur, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	75	NO_2	1
38	Damoh	Moderate	145	$PM_{2.5}$	1
39	Darbhanga	Poor	203	$PM_{2.5}$	1
40	Davanagere	Good	50	PM_{10}	1
41	Delhi	Severe	404	$PM_{2.5}$	33
42	Dewas	Moderate	106	$PM_{2.5}$	1
43	Dharuhera	Very Poor	315	$PM_{2.5}$	1
44	Durgapur	Moderate	142	PM_{10}	1
45	Eloor	Satisfactory	70	PM_{10}	1
46	Ernakulam	Good	49	CO	1
47	Faridabad	Very Poor	334	$PM_{2.5}$, PM_{10}	4
48	Fatehabad	Poor	288	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Very Poor	311	$PM_{2.5}$	1
50	Gadag	Good	40	$PM_{2.5}$	1
51	Gandhinagar	Moderate	105	$PM_{2.5}$, PM_{10}	3
52	Gaya	Moderate	166	$PM_{2.5}$, CO	2
53	Ghaziabad	Very Poor	363	$PM_{2.5}$	3
54	Gorakhpur	Moderate	157	$PM_{2.5}$	1
55	Greater Noida	Very Poor	331	$PM_{2.5}$	2
56	Gurugram	Very Poor	385	$PM_{2.5}$	4
57	Guwahati	Poor	248	$PM_{2.5}$	2
58	Gwalior	Poor	250	$PM_{2.5}$	1
59	Hajipur	Satisfactory	63	PM_{10}	1
60	Haldia	Moderate	102	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhilai, Chhapra, Gummidipoondi, Jorapokhar, Kolar, Kollam, Kozhikode, Muzaffarnagar, Nandesari, Raichur, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Very Poor	379	$PM_{2.5}$	1
62	Hassan	Good	37	PM_{10}	1
63	Hisar	Severe	401	$PM_{2.5}$	1
64	Howrah	Moderate	178	$PM_{2.5}$, PM_{10}	3
65	Hubballi	Satisfactory	80	PM_{10}	1
66	Hyderabad	Moderate	143	$PM_{2.5}$	6
67	Indore	Moderate	112	$PM_{2.5}$	1
68	Jabalpur	Poor	218	$PM_{2.5}$	1
69	Jaipur	Moderate	194	$PM_{2.5}$, PM_{10}	2
70	Jalandhar	Moderate	144	$PM_{2.5}$	1
71	Jind	Very Poor	363	$PM_{2.5}$	1
72	Jodhpur	Moderate	168	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhilai, Chhapra, Gummidipoondi, Jorapokhar, Kolar, Kollam, Kozhikode, Muzaffarnagar, Nandesari, Raichur, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Poor	295	$PM_{2.5}$	1
74	Kalaburgi	Moderate	106	$PM_{2.5}$	1
75	Kalyan	Moderate	176	$PM_{2.5}$	1
76	Kannur	Good	44	$PM_{2.5}$	1
77	Kanpur	Poor	212	$PM_{2.5}$	3
78	Karnal	Poor	283	$PM_{2.5}$	1
79	Katihar	Poor	232	$PM_{2.5}$	1
80	Katni	Poor	205	$PM_{2.5}$	1
81	Khanna	Poor	234	$PM_{2.5}$	1
82	Kishanganj	Very Poor	311	$PM_{2.5}$	1
83	Kochi	Satisfactory	69	CO	1
84	Kohima	Satisfactory	58	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhilai, Chhapra, Gummidipoondi, Jorapokhar, Kolar, Kollam, Kozhikode, Muzaffarnagar, Nandesari, Raichur, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Moderate	183	$PM_{2.5}$	7
86	Koppal	Satisfactory	54	O_3	1
87	Kota	Poor	232	$PM_{2.5}$	1
88	Kurukshetra	Very Poor	314	$PM_{2.5}$	1
89	Lucknow	Poor	238	$PM_{2.5}$, PM_{10}	6
90	Ludhiana	Moderate	158	PM_{10}	1
91	Madikeri	Good	33	PM_{10}	1
92	Maihar	Satisfactory	98	CO	1
93	Mandi Gobindgarh	Poor	282	$PM_{2.5}$	1
94	Mandideep	Satisfactory	66	PM_{10}	1
95	Mandikhera	Moderate	183	$PM_{2.5}$	1
96	Manesar	Severe	412	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhilai, Chhapra, Gummidipoondi, Jorapokhar, Kolar, Kollam, Kozhikode, Muzaffarnagar, Nandesari, Raichur, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Good	29	NO_2	1
98	Manguraha	Satisfactory	70	$PM_{2.5}$	1
99	Meerut	Very Poor	355	$PM_{2.5}$	2
100	Moradabad	Very Poor	306	$PM_{2.5}$	3
101	Motihari	Moderate	199	$PM_{2.5}$	1
102	Mumbai	Moderate	150	$PM_{2.5}$	15
103	Munger	Poor	258	$PM_{2.5}$	1
104	Muzaffarpur	Poor	272	$PM_{2.5}$	3
105	Mysuru	Good	48	O_3	1
106	Nagpur	Satisfactory	92	CO	1
107	Naharlagun	Moderate	115	O_3	1
108	Narnaul	Poor	247	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhilai, Chhapra, Gummidipoondi, Jorapokhar, Kolar, Kollam, Kozhikode, Muzaffarnagar, Nandesari, Raichur, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Moderate	145	$PM_{2.5}$	1
110	Navi Mumbai	Moderate	190	$PM_{2.5}$	2
111	Noida	Very Poor	380	$PM_{2.5}$	3
112	Pali	Moderate	168	$PM_{2.5}$	1
113	Palwal	Moderate	181	PM_{10}	1
114	Panchkula	Moderate	188	$PM_{2.5}$	1
115	Panipat	Poor	255	PM_{10}	1
116	Patiala	Poor	203	$PM_{2.5}$	1
117	Patna	Moderate	187	$PM_{2.5}$, PM_{10}	6
118	Pithampur	Moderate	121	PM_{10}	1
119	Prayagraj	Moderate	142	$PM_{2.5}$	3
120	Puducherry	Good	38	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhilai, Chhapra, Gummidipoondi, Jorapokhar, Kolar, Kollam, Kozhikode, Muzaffarnagar, Nandesari, Raichur, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Moderate	109	PM_{10}, $PM_{2.5}$	2
122	Purnia	Poor	244	$PM_{2.5}$	1
123	Rajamahendravaram	Moderate	121	$PM_{2.5}$	1
124	Rajgir	Poor	237	$PM_{2.5}$	1
125	Ramanagara	Good	37	O_3	1
126	Ratlam	Satisfactory	97	PM_{10}	1
127	Rohtak	Very Poor	342	$PM_{2.5}$	1
128	Rupnagar	Moderate	178	$PM_{2.5}$	1
129	Sagar	Moderate	138	PM_{10}	1
130	Saharsa	Poor	202	$PM_{2.5}$	1
131	Sasaram	Poor	287	$PM_{2.5}$	1
132	Satna	Satisfactory	57	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhilai, Chhapra, Gummidipoondi, Jorapokhar, Kolar, Kollam, Kozhikode, Muzaffarnagar, Nandesari, Raichur, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	18	O_3	1
134	Shivamogga	Good	48	PM_{10}	1
135	Singrauli	Poor	260	$PM_{2.5}$	1
136	Sirsa	Poor	253	$PM_{2.5}$	1
137	Siwan	Moderate	196	PM_{10}	1
138	Sonipat	Moderate	193	PM_{10}	1
139	Srinagar	Moderate	120	PM_{10}	1
140	Talcher	Moderate	120	NO_2	1
141	Thane	Moderate	182	PM_{10}	1
142	Thiruvananthapuram	Good	40	PM_{10}, NO_2	2
143	Thoothukudi	Good	16	O_3	1
144	Thrissur	Satisfactory	57	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhilai, Chhapra, Gummidipoondi, Jorapokhar, Kolar, Kollam, Kozhikode, Muzaffarnagar, Nandesari, Raichur, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tirupati	Good	38	CO	1
146	Udaipur	Poor	229	$PM_{2.5}$	1
147	Ujjain	Moderate	126	PM_{10}	1
148	Vapi	Poor	235	$PM_{2.5}$	1
149	Varanasi	Moderate	167	$PM_{2.5}$	4
150	Vatva	Moderate	147	$PM_{2.5}$	1
151	Vijayapura	Good	41	PM_{10}	1
152	Visakhapatnam	Moderate	127	$PM_{2.5}$	1
153	Vrindavan	Very Poor	330	$PM_{2.5}$	1
154	Yadgir	Satisfactory	80	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhilai, Chhapra, Gummidipoondi, Jorapokhar, Kolar, Kollam, Kozhikode, Muzaffarnagar, Nandesari, Raichur, Siliguri, Solapur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.