

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	111	PM _{2.5}	1
2	Ahmedabad	Moderate	182	OZONE	1
3	Ajmer	Moderate	120	PM _{2.5}	1
4	Alwar	Satisfactory	70	PM ₁₀	1
5	Amaravati	Good	34	со	1
6	Ambala	Poor	220	PM _{2.5}	1
7	Amritsar	Poor	240	PM _{2.5}	1
8	Ankleshwar	Satisfactory	80	со	1
9	Asanol	Poor	216	PM _{2.5}	1
10	Aurangabad	Satisfactory	57	PM ₁₀	1
11	Baghpat	Poor	251	PM _{2.5}	1
12	Bahadurgarh	Moderate	160	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ramanagara, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	340	PM _{2.5}	1
14	Bathinda	Moderate	104	со	1
15	Bengaluru	Good	49	CO, PM ₁₀	9
16	Bhiwadi	Poor	255	PM _{2.5}	1
17	Bhiwani	Moderate	145	PM ₁₀	1
18	Bhopal	Moderate	120	PM ₁₀	1
19	Brajrajnagar	Satisfactory	100	СО	1
20	Bulandshahr	Poor	240	PM _{2.5}	1
21	Chandigarh	Moderate	102	PM ₁₀	1
22	Chandrapur	Satisfactory	64	PM ₁₀	2
23	Chennai	Satisfactory	81	PM _{2.5} , OZONE	4
24	Chikkaballapur	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ramanagara, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Satisfactory	85	со	1
26	Damoh	Moderate	133	PM _{2.5}	1
27	Delhi	Poor	242	PM ₁₀ , PM _{2.5}	32
28	Dewas	Satisfactory	92	OZONE	1
29	Dharuhera	Poor	245	PM ₁₀	1
30	Eloor	Good	30	со	1
31	Faridabad	Poor	258	OZONE	1
32	Fatehabad	Moderate	163	PM ₁₀	1
33	GandhiNagar	Satisfactory	91	PM ₁₀	1
34	Gaya	Poor	236	PM _{2.5}	1
35	Ghaziabad	Poor	285	PM _{2.5} , PM ₁₀	4
36	Greater_Noida	Poor	238	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ramanagara, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Moderate	195	PM _{2.5}	1
38	Guwahati	Moderate	194	PM _{2.5}	1
39	Haldia	Satisfactory	51	PM ₁₀	1
40	Hapur	Poor	206	PM ₁₀	1
41	Hisar	Poor	224	PM _{2.5}	1
42	Howrah	Poor	262	PM _{2.5}	2
43	Hubballi	Good	48	PM ₁₀	1
44	Hyderabad	Satisfactory	75	PM _{2.5} , PM ₁₀	6
45	Indore	Satisfactory	76	NO ₂	1
46	Jabalpur	Moderate	144	PM _{2.5}	1
47	Jaipur	Moderate	179	PM _{2.5} , PM ₁₀	3
48	Jalandhar	Moderate	175	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ramanagara, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Poor	266	PM _{2.5}	1
50	Jodhpur	Poor	238	PM _{2.5}	1
51	Jorapokhar	Moderate	130	PM _{2.5}	1
52	Kaithal	Poor	220	PM ₁₀	1
53	Kalaburagi	Good	31	со	1
54	Kalyan	Satisfactory	67	со	1
55	Kanpur	Poor	282	PM _{2.5}	1
56	Karnal	Poor	276	PM _{2.5}	1
57	Katni	Moderate	170	PM ₁₀	1
58	Khanna	Moderate	144	PM ₁₀	1
59	Kolkata	Moderate	178	PM _{2.5} , PM ₁₀ , OZONE	7
60	Kota	Moderate	117	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ramanagara, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kurukshetra	Poor	238	PM _{2.5}	1
62	Lucknow	Poor	273	PM _{2.5}	4
63	Ludhiana	Poor	207	PM _{2.5}	1
64	Maihar	Satisfactory	53	PM ₁₀	1
65	Mandi Gobindgarh	Moderate	112	PM ₁₀	1
66	Mandideep	Moderate	157	PM ₁₀	1
67	Mandikhera	Moderate	135	PM ₁₀	1
68	Manesar	Poor	246	PM _{2.5}	1
69	Meerut	Poor	280	PM _{2.5}	3
70	Moradabad	Poor	280	PM _{2.5}	1
71	Mumbai	Good	50	CO, NO ₂ , PM ₁₀	9
72	Muzaffarnagar	Very Poor	343	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ramanagara, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarpur	Poor	284	PM _{2.5}	1
74	Mysuru	Good	31	со	1
75	Nagpur	Satisfactory	92	PM _{2.5}	1
76	Narnaul	Moderate	194	PM ₁₀	1
77	Nashik	Good	33	со	1
78	Navi Mumbai	Satisfactory	57	CO, PM ₁₀	3
79	Noida	Poor	246	PM ₁₀ , PM _{2.5}	4
80	Pali	Moderate	102	PM ₁₀	1
81	Palwal	Moderate	148	PM _{2.5}	1
82	Panchkula	Moderate	111	OZONE	1
83	Panipat	Poor	267	PM _{2.5}	1
84	Patiala	Moderate	148	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ramanagara, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patna	Poor	297	PM _{2.5}	1
86	Pithampur	Satisfactory	86	PM ₁₀	1
87	Pune	Satisfactory	87	SO ₂	1
88	Rajamahendravaram	Good	46	со	1
89	Ratlam	Moderate	121	NO ₂	1
90	Rohtak	Poor	208	PM _{2.5}	1
91	Rupnagar	Satisfactory	92	PM ₁₀	1
92	Satna	Moderate	112	PM ₁₀	1
93	Shillong	Good	49	PM ₁₀	1
94	Siliguri	Poor	234	PM _{2.5}	1
95	Singrauli	Poor	232	PM ₁₀	1
96	Sirsa	Very Poor	309	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ramanagara, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Solapur	Good	50	PM ₁₀	1
98	Sonipat	Moderate	122	PM _{2.5}	1
99	Talcher	Satisfactory	53	СО	1
100	Thiruvananthapuram	Good	44	со	1
101	Tirupati	Good	50	NO ₂	1
102	Udaipur	Moderate	137	PM ₁₀	1
103	Ujjain	Satisfactory	100	PM ₁₀	1
104	Vapi	Satisfactory	64	PM ₁₀	1
105	Varanasi	Poor	248	PM _{2.5}	1
106	Vatva	Moderate	104	PM ₁₀	1
107	Vijayawada	Good	42	СО	1
108	Yadgir	Good	37	СО	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ramanagara, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Yamunanagar	Very Poor	303	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ramanagara, Thane, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.