

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	27	O <sub>3</sub>	1
2	Agra	Satisfactory	71	PM <sub>2.5</sub>	1
3	Ahmedabad	Satisfactory	86	03	1
4	Aizawl	Good	11	PM <sub>10</sub>	1
5	Alwar	Satisfactory	51	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	55	03	1
7	Ambala	Moderate	103	PM <sub>2.5</sub>	1
8	Amritsar	Satisfactory	83	PM <sub>10</sub>	1
9	Ankleshwar	Moderate	181	03	1
10	Asansol	Satisfactory	51	PM <sub>10</sub>	1
11	Baghpat	Moderate	140	PM <sub>2.5</sub>	1
12	Bahadurgarh	Moderate	125	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad,
  Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gandhinagar, Hajipur,
  Hassan, Kalyan, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun,
  Nandesari, Rupnagar, Shillong, Siliguri, Sirsa, Solapur, Thane, Udupi,
  Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	64	PM <sub>10</sub>	1
14	Bengaluru	Good	42	CO, PM <sub>10</sub> , O <sub>3</sub>	10
15	Bhiwadi	Moderate	152	PM <sub>2.5</sub>	1
16	Bhiwani	Satisfactory	92	PM <sub>10</sub>	1
17	Bhopal	Satisfactory	97	PM <sub>10</sub>	1
18	Brajrajnagar	Satisfactory	60	со	1
19	Bulandshahr	Moderate	173	O <sub>3</sub>	1
20	Chamarajanagar	Good	45	03	1
21	Chandigarh	Satisfactory	52	PM <sub>10</sub>	1
22	Chandrapur	Satisfactory	54	PM <sub>10</sub>	2
23	Charkhi Dadri	Moderate	135	PM <sub>2.5</sub>	1
24	Chennai	Satisfactory	64	SO <sub>2</sub> , PM <sub>10</sub> , CO	4

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad,
  Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gandhinagar, Hajipur,
  Hassan, Kalyan, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun,
  Nandesari, Rupnagar, Shillong, Siliguri, Sirsa, Solapur, Thane, Udupi,
  Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	31	NO <sub>2</sub>	1
26	Chikkamagaluru	Good	28	PM <sub>10</sub>	1
27	Damoh	Good	26	PM <sub>2.5</sub>	1
28	Davanagere	Good	26	со	1
29	Delhi	Moderate	143	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	30
30	Dewas	Satisfactory	57	PM <sub>10</sub>	1
31	Dharuhera	Moderate	132	PM <sub>10</sub>	1
32	Eloor	Satisfactory	74	со	1
33	Ernakulam	Good	43	со	1
34	Faridabad	Moderate	176	PM <sub>2.5</sub> , PM <sub>10</sub>	3
35	Fatehabad	Satisfactory	61	PM <sub>10</sub>	1
36	Gadag	Good	11	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad,
  Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gandhinagar, Hajipur,
  Hassan, Kalyan, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun,
  Nandesari, Rupnagar, Shillong, Siliguri, Sirsa, Solapur, Thane, Udupi,
  Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Good	28	SO <sub>2</sub>	1
38	Ghaziabad	Moderate	154	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	4
39	Greater Noida	Moderate	136	PM <sub>10</sub> , PM <sub>2.5</sub>	2
40	Gummidipoondi	Satisfactory	79	PM <sub>10</sub>	1
41	Gurugram	Moderate	128	PM <sub>2.5</sub> , PM <sub>10</sub>	3
42	Guwahati	Good	48	SO <sub>2</sub> , PM <sub>10</sub>	2
43	Gwalior	Satisfactory	99	O <sub>3</sub>	1
44	Haldia	Good	37	PM <sub>10</sub>	1
45	Hapur	Satisfactory	97	со	1
46	Hisar	Satisfactory	76	PM <sub>10</sub>	1
47	Howrah	Good	48	PM <sub>10</sub>	3
48	Hubballi	Good	23	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad,
  Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gandhinagar, Hajipur,
  Hassan, Kalyan, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun,
  Nandesari, Rupnagar, Shillong, Siliguri, Sirsa, Solapur, Thane, Udupi,
  Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Good	46	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	5
50	Indore	Satisfactory	72	PM <sub>10</sub>	1
51	Jabalpur	Satisfactory	88	O <sub>3</sub>	1
52	Jaipur	Moderate	118	PM <sub>10</sub>	3
53	Jalandhar	Satisfactory	66	PM <sub>10</sub>	1
54	Jind	Satisfactory	86	PM <sub>10</sub>	1
55	Jodhpur	Moderate	107	PM <sub>10</sub>	1
56	Jorapokhar	Moderate	158	PM <sub>10</sub>	1
57	Kaithal	Satisfactory	94	PM <sub>10</sub>	1
58	Kalaburgi	Good	45	O <sub>3</sub>	1
59	Kannur	Good	50	PM <sub>10</sub>	1
60	Kanpur	Satisfactory	72	PM <sub>2.5</sub>	2

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad,
  Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gandhinagar, Hajipur,
  Hassan, Kalyan, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun,
  Nandesari, Rupnagar, Shillong, Siliguri, Sirsa, Solapur, Thane, Udupi,
  Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Satisfactory	69	PM <sub>10</sub>	1
62	Katni	Satisfactory	74	PM <sub>10</sub>	1
63	Khanna	Satisfactory	83	PM <sub>10</sub>	1
64	Kochi	Good	39	со	1
65	Kohima	Good	44	PM <sub>10</sub>	1
66	Kolkata	Good	50	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	5
67	Kollam	Satisfactory	52	PM <sub>10</sub>	1
68	Koppal	Satisfactory	89	O <sub>3</sub>	1
69	Kota	Satisfactory	91	PM <sub>10</sub>	1
70	Kozhikode	Good	35	со	1
71	Kurukshetra	Satisfactory	74	O <sub>3</sub>	1
72	Lucknow	Satisfactory	92	PM <sub>10</sub> , CO, O <sub>3</sub>	4

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad,
  Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gandhinagar, Hajipur,
  Hassan, Kalyan, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun,
  Nandesari, Rupnagar, Shillong, Siliguri, Sirsa, Solapur, Thane, Udupi,
  Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Satisfactory	75	PM <sub>10</sub>	1
74	Mandi Gobindgarh	Moderate	156	PM <sub>10</sub>	1
75	Mandideep	Good	43	PM <sub>10</sub>	1
76	Manesar	Moderate	116	PM <sub>10</sub>	1
77	Medikeri	Good	40	SO <sub>2</sub>	1
78	Meerut	Satisfactory	100	PM <sub>10</sub>	2
79	Moradabad	Moderate	131	PM <sub>2.5</sub>	1
80	Mumbai	Good	50	CO, PM <sub>10</sub> , SO <sub>2</sub>	15
81	Muzaffarnagar	Satisfactory	96	PM <sub>10</sub>	1
82	Muzaffarpur	Satisfactory	56	CO, PM <sub>2.5</sub>	2
83	Mysuru	Good	29	PM <sub>10</sub>	1
84	Narnaul	Moderate	121	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad,
  Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gandhinagar, Hajipur,
  Hassan, Kalyan, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun,
  Nandesari, Rupnagar, Shillong, Siliguri, Sirsa, Solapur, Thane, Udupi,
  Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Good	46	O <sub>3</sub>	1
86	Navi Mumbai	Satisfactory	69	СО	2
87	Noida	Moderate	132	PM <sub>10</sub>	3
88	Pali	Moderate	106	PM <sub>2.5</sub>	1
89	Palwal	Moderate	102	PM <sub>10</sub>	1
90	Panchkula	Good	43	PM <sub>2.5</sub>	1
91	Panipat	Moderate	144	PM <sub>10</sub>	1
92	Patiala	Satisfactory	100	PM <sub>10</sub>	1
93	Patna	Satisfactory	64	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	4
94	Pithampur	Satisfactory	56	PM <sub>10</sub>	1
95	Puducherry	Satisfactory	60	O <sub>3</sub>	1
96	Pune	Good	50	CO, PM <sub>2.5</sub>	5

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad,
  Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gandhinagar, Hajipur,
  Hassan, Kalyan, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun,
  Nandesari, Rupnagar, Shillong, Siliguri, Sirsa, Solapur, Thane, Udupi,
  Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Good	41	PM <sub>10</sub>	1
98	Rajamahendravaram	Satisfactory	67	PM <sub>10</sub>	1
99	Ramanagara	Good	36	03	1
100	Ratlam	Satisfactory	94	PM <sub>10</sub>	1
101	Rohtak	Satisfactory	62	03	1
102	Sagar	Good	33	PM <sub>2.5</sub>	1
103	Satna	Satisfactory	66	PM <sub>10</sub>	1
104	Shivamogga	Good	36	PM <sub>10</sub>	1
105	Singrauli	Moderate	103	PM <sub>10</sub>	1
106	Sonipat	Poor	238	PM <sub>10</sub>	1
107	Srinagar	Satisfactory	66	PM <sub>10</sub>	1
108	Talcher	Moderate	106	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad,
  Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gandhinagar, Hajipur,
  Hassan, Kalyan, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun,
  Nandesari, Rupnagar, Shillong, Siliguri, Sirsa, Solapur, Thane, Udupi,
  Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Good	44	со	2
110	Thoothukudi	Satisfactory	51	PM <sub>10</sub>	1
111	Thrissur	Satisfactory	55	03	1
112	Tirupati	Good	40	со	1
113	Udaipur	Satisfactory	70	PM <sub>10</sub>	1
114	Ujjain	Moderate	107	PM <sub>10</sub>	1
115	Vapi	Satisfactory	75	PM <sub>10</sub>	1
116	Varanasi	Satisfactory	79	03	1
117	Vatva	Moderate	136	PM <sub>2.5</sub>	1
118	Visakhapatnam	Satisfactory	78	PM <sub>10</sub>	1
119	Yadgir	Good	20	O <sub>3</sub>	1
120	Yamunanagar	Satisfactory	86	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad,
  Bagalkot, Ballabgarh, Bidar, Coimbatore, Durgapur, Gandhinagar, Hajipur,
  Hassan, Kalyan, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun,
  Nandesari, Rupnagar, Shillong, Siliguri, Sirsa, Solapur, Thane, Udupi,
  Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.