



## Air Quality Index on Dec 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	76	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	116	SO <sub>2</sub>	1
3	Ajmer	Moderate	102	PM <sub>10</sub>	1
4	Alwar	Satisfactory	66	OZONE	1
5	Amaravati	Moderate	107	PM <sub>2.5</sub>	1
6	Ambala	Poor	207	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	166	PM <sub>2.5</sub>	1
8	Ankleshwar	Poor	224	PM <sub>2.5</sub>	1
9	Asanol	Moderate	171	PM <sub>2.5</sub>	1
10	Aurangabad	Satisfactory	90	PM <sub>10</sub>	1
11	Baghpat	Poor	278	PM <sub>2.5</sub>	1
12	Bahadurgarh	Moderate	174	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Haldia, Mandideep, Muzaffarnagar, Mysuru, Nagpur, Rattlam, Shillong, Singrauli, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	194	PM <sub>10</sub>	1
14	Bathinda	Moderate	124	PM <sub>10</sub>	1
15	Bengaluru	Good	48	CO	7
16	Bhiwadi	Moderate	200	PM <sub>2.5</sub>	1
17	Bhiwani	Moderate	180	PM <sub>2.5</sub>	1
18	Bhopal	Poor	243	PM <sub>2.5</sub>	1
19	Brajrajnagar	Moderate	122	PM <sub>2.5</sub>	1
20	Bulandshahr	Poor	204	PM <sub>2.5</sub>	1
21	Chandigarh	Moderate	143	PM <sub>2.5</sub>	1
22	Chandrapur	Satisfactory	94	PM <sub>2.5</sub> , PM <sub>10</sub>	2
23	Chennai	Good	36	OZONE	2
24	Chikkaballapur	Satisfactory	60	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Haldia, Mandideep, Muzaffarnagar, Mysuru, Nagpur, Rattlam, Shillong, Singrauli, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Good	28	CO	1
26	Damoh	Moderate	151	PM <sub>2.5</sub>	1
27	Delhi	Poor	279	PM <sub>2.5</sub>	34
28	Dewas	Moderate	194	PM <sub>2.5</sub>	1
29	Dharuhera	Poor	215	PM <sub>2.5</sub>	1
30	Eloor	Good	28	CO	1
31	Faridabad	Poor	246	PM <sub>2.5</sub>	1
32	Fatehabad	Moderate	168	PM <sub>10</sub>	1
33	GandhiNagar	Satisfactory	61	PM <sub>10</sub>	1
34	Ghaziabad	Very Poor	325	PM <sub>2.5</sub>	4
35	Greater_Noida	Poor	298	PM <sub>2.5</sub>	2
36	Gurugram	Moderate	157	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Haldia, Mandideep, Muzaffarnagar, Mysuru, Nagpur, Rattlam, Shillong, Singrauli, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Satisfactory	89	PM <sub>2.5</sub>	1
38	Hapur	Moderate	183	PM <sub>10</sub>	1
39	Hisar	Poor	260	PM <sub>2.5</sub>	1
40	Howrah	Poor	234	PM <sub>2.5</sub>	2
41	Hubballi	Good	32	PM <sub>10</sub>	1
42	Hyderabad	Satisfactory	90	PM <sub>2.5</sub> , PM <sub>10</sub>	6
43	Indore	Moderate	200	PM <sub>2.5</sub>	1
44	Jabalpur	Poor	213	PM <sub>2.5</sub>	1
45	Jaipur	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub>	3
46	Jalandhar	Moderate	155	PM <sub>2.5</sub>	1
47	Jind	Poor	258	PM <sub>2.5</sub>	1
48	Jodhpur	Moderate	130	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Haldia, Mandideep, Muzaffarnagar, Mysuru, Nagpur, Rattlam, Shillong, Singrauli, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Moderate	155	PM <sub>2.5</sub>	1
50	Kaithal	Moderate	133	PM <sub>10</sub>	1
51	Kalaburagi	Satisfactory	62	PM <sub>10</sub>	1
52	Kalyan	Moderate	138	PM <sub>10</sub>	1
53	Kanpur	Poor	272	PM <sub>2.5</sub>	1
54	Karnal	Poor	212	PM <sub>2.5</sub>	1
55	Katni	Poor	228	PM <sub>2.5</sub>	1
56	Khanna	Poor	257	PM <sub>2.5</sub>	1
57	Kolkata	Moderate	180	PM <sub>2.5</sub> , PM <sub>10</sub>	5
58	Kota	Moderate	101	PM <sub>2.5</sub>	1
59	Kurukshetra	Poor	219	PM <sub>2.5</sub>	1
60	Lucknow	Poor	237	PM <sub>2.5</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Haldia, Mandideep, Muzaffarnagar, Mysuru, Nagpur, Rattlam, Shillong, Singrauli, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Satisfactory	94	PM <sub>2.5</sub>	1
62	Maihar	Satisfactory	52	PM <sub>10</sub>	1
63	Mandi Gobindgarh	Poor	223	PM <sub>2.5</sub>	1
64	Mandikhera	Moderate	123	PM <sub>2.5</sub>	1
65	Manesar	Moderate	191	PM <sub>2.5</sub>	1
66	Meerut	Poor	252	PM <sub>2.5</sub> , PM <sub>10</sub>	3
67	Moradabad	Poor	271	PM <sub>2.5</sub>	1
68	Mumbai	Moderate	151	PM <sub>2.5</sub>	8
69	Muzaffarpur	Poor	259	PM <sub>2.5</sub>	1
70	Narnaul	Moderate	115	PM <sub>2.5</sub>	1
71	Nashik	Satisfactory	100	PM <sub>2.5</sub>	1
72	Navi Mumbai	Moderate	157	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Haldia, Mandideep, Muzaffarnagar, Mysuru, Nagpur, Rattlam, Shillong, Singrauli, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Noida	Poor	275	PM <sub>2.5</sub>	4
74	Pali	Satisfactory	90	PM <sub>10</sub>	1
75	Palwal	Poor	236	PM <sub>2.5</sub>	1
76	Panchkula	Satisfactory	94	PM <sub>2.5</sub>	1
77	Panipat	Poor	228	PM <sub>10</sub>	1
78	Patiala	Moderate	105	PM <sub>10</sub>	1
79	Patna	Very Poor	326	PM <sub>2.5</sub>	1
80	Pithampur	Poor	223	PM <sub>2.5</sub>	1
81	Pune	Moderate	124	PM <sub>2.5</sub>	1
82	Rajamahendravaram	Moderate	112	PM <sub>2.5</sub>	1
83	Ramanagara	Good	34	SO <sub>2</sub>	1
84	Rohtak	Poor	227	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Haldia, Mandideep, Muzaffarnagar, Mysuru, Nagpur, Rattlam, Shillong, Singrauli, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Dec 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rupnagar	Moderate	165	PM <sub>2.5</sub>	1
86	Satna	Satisfactory	86	PM <sub>10</sub>	1
87	Siliguri	Poor	217	PM <sub>2.5</sub>	1
88	Sirsa	Poor	209	PM <sub>2.5</sub>	1
89	Solapur	Satisfactory	89	CO	1
90	Sonipat	Moderate	108	PM <sub>2.5</sub>	1
91	Talcher	Poor	212	PM <sub>10</sub>	1
92	Thane	Satisfactory	82	PM <sub>10</sub>	1
93	Thiruvananthapuram	Satisfactory	54	CO	1
94	Tirupati	Moderate	136	CO	1
95	Udaipur	Moderate	104	PM <sub>10</sub>	1
96	Ujjain	Poor	202	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Haldia, Mandideep, Muzaffarnagar, Mysuru, Nagpur, Rattlam, Shillong, Singrauli, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.





## Air Quality Index on Dec 02, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vapi	Poor	243	PM <sub>2.5</sub>	1
98	Varanasi	Poor	284	PM <sub>2.5</sub>	1
99	Vatva	Moderate	134	PM <sub>10</sub>	1
100	Visakhapatnam	Moderate	127	PM <sub>2.5</sub>	1
101	Yadgir	Good	41	PM <sub>2.5</sub>	1
102	Yamunanagar	Poor	246	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Gaya, Haldia, Mandideep, Muzaffarnagar, Mysuru, Nagpur, Ratlam, Shillong, Singrauli, Vijayawada as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.