

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	166	PM <sub>2.5</sub>	1
2	Agra	Poor	266	PM <sub>2.5</sub>	4
3	Ahmedabad	Moderate	113	PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Satisfactory	62	PM <sub>10</sub>	1
5	Ajmer	Moderate	109	PM <sub>10</sub>	1
6	Alwar	Satisfactory	90	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	53	PM <sub>2.5</sub>	1
8	Ambala	Poor	228	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	128	PM <sub>10</sub>	1
10	Asansol	Moderate	184	O <sub>3</sub>	1
11	Aurangabad	Satisfactory	88	PM <sub>10</sub>	1
12	Bagalkot	Satisfactory	56	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	285	PM <sub>2.5</sub>	1
14	Bahadurgarh	Very Poor	350	PM <sub>2.5</sub>	1
15	Ballabgarh	Poor	280	PM <sub>2.5</sub>	1
16	Bathinda	Poor	227	PM <sub>10</sub>	1
17	Bengaluru	Satisfactory	65	NO <sub>2</sub> , CO, PM <sub>10</sub>	9
18	Bhagalpur	Poor	249	PM <sub>2.5</sub> , PM <sub>10</sub>	2
19	Bhilai	Satisfactory	74	PM <sub>10</sub>	1
20	Bhiwadi	Poor	259	PM <sub>2.5</sub>	1
21	Bhiwani	Moderate	198	PM <sub>2.5</sub>	1
22	Bhopal	Moderate	160	PM <sub>2.5</sub>	1
23	Bidar	Satisfactory	66	PM <sub>10</sub>	1
24	Bilaspur	Satisfactory	100	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Moderate	105	03	1
26	Bulandshahr	Very Poor	333	PM <sub>2.5</sub>	1
27	Chamarajanagar	Good	35	PM <sub>10</sub>	1
28	Chandigarh	Satisfactory	94	PM <sub>10</sub>	2
29	Chandrapur	Satisfactory	94	PM <sub>10</sub>	2
30	Charkhi Dadri	Poor	292	PM <sub>2.5</sub>	1
31	Chennai	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	7
32	Chhapra	Very Poor	350	PM <sub>2.5</sub>	1
33	Chikkaballapur	Good	28	СО	1
34	Chikkamagaluru	Good	30	NO <sub>2</sub>	1
35	Coimbatore	Satisfactory	65	PM <sub>2.5</sub>	1
36	Damoh	Moderate	131	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Very Poor	366	PM <sub>2.5</sub>	1
38	Davanagere	Good	41	PM <sub>10</sub>	1
39	Delhi	Very Poor	400	PM <sub>2.5</sub> , PM <sub>10</sub>	37
40	Dewas	Satisfactory	82	PM <sub>10</sub>	1
41	Dharuhera	Poor	250	PM <sub>2.5</sub>	1
42	Durgapur	Poor	277	PM <sub>2.5</sub>	1
43	Eloor	Satisfactory	58	PM <sub>10</sub>	1
44	Ernakulam	Satisfactory	65	со	1
45	Faridabad	Severe	406	PM <sub>10</sub> , PM <sub>2.5</sub>	4
46	Fatehabad	Moderate	182	PM <sub>2.5</sub>	1
47	Firozabad	Poor	278	PM <sub>2.5</sub>	1
48	Gandhinagar	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	3

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	174	PM <sub>2.5</sub> , PM <sub>10</sub>	3
50	Ghaziabad	Very Poor	356	PM <sub>2.5</sub>	4
51	Gorakhpur	Poor	240	PM <sub>2.5</sub>	1
52	Greater Noida	Very Poor	323	PM <sub>2.5</sub>	2
53	Gurugram	Very Poor	334	PM <sub>2.5</sub>	4
54	Guwahati	Moderate	162	PM <sub>2.5</sub>	1
55	Gwalior	Poor	240	PM <sub>2.5</sub>	1
56	Haldia	Moderate	146	PM <sub>10</sub>	1
57	Hapur	Poor	297	PM <sub>2.5</sub>	1
58	Hisar	Very Poor	359	PM <sub>2.5</sub>	1
59	Howrah	Poor	220	PM <sub>2.5</sub>	3
60	Hubballi	Satisfactory	55	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Satisfactory	90	PM <sub>10</sub> , PM <sub>2.5</sub>	5
62	Indore	Moderate	181	PM <sub>2.5</sub>	1
63	Jabalpur	Moderate	185	PM <sub>10</sub>	1
64	Jaipur	Moderate	126	PM <sub>2.5</sub>	3
65	Jalandhar	Moderate	151	PM <sub>2.5</sub>	1
66	Jind	Very Poor	353	PM <sub>2.5</sub>	1
67	Jodhpur	Poor	256	PM <sub>10</sub>	1
68	Jorapokhar	Satisfactory	61	PM <sub>10</sub>	1
69	Kaithal	Poor	294	PM <sub>2.5</sub>	1
70	Kalaburgi	Satisfactory	93	PM <sub>10</sub>	1
71	Kalyan	Moderate	155	PM <sub>2.5</sub>	1
72	Kannur	Good	50	PM <sub>2.5</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Poor	216	PM <sub>2.5</sub>	4
74	Karnal	Poor	220	PM <sub>2.5</sub>	1
75	Katni	Moderate	200	PM <sub>2.5</sub>	1
76	Khanna	Moderate	129	PM <sub>10</sub>	1
77	Kishanganj	Moderate	177	PM <sub>2.5</sub>	1
78	Kohima	Satisfactory	94	PM <sub>2.5</sub>	1
79	Kolar	Satisfactory	69	PM <sub>10</sub>	1
80	Kolkata	Moderate	151	PM <sub>2.5</sub> , PM <sub>10</sub>	5
81	Kollam	Moderate	127	PM <sub>10</sub>	1
82	Koppal	Satisfactory	78	O <sub>3</sub>	1
83	Kota	Moderate	178	PM <sub>2.5</sub>	1
84	Kozhikode	Satisfactory	55	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kurukshetra	Poor	267	PM <sub>2.5</sub>	1
86	Lucknow	Poor	260	PM <sub>2.5</sub> , PM <sub>10</sub>	6
87	Ludhiana	Poor	208	PM <sub>2.5</sub>	1
88	Maihar	Satisfactory	82	PM <sub>10</sub>	1
89	Mandideep	Moderate	158	PM <sub>10</sub>	1
90	Mandikhera	Poor	251	PM <sub>2.5</sub>	1
91	Manesar	Very Poor	330	PM <sub>2.5</sub>	1
92	Manglore	Satisfactory	64	NO <sub>2</sub>	1
93	Medikeri	Good	25	PM <sub>10</sub>	1
94	Meerut	Very Poor	335	PM <sub>2.5</sub>	3
95	Moradabad	Poor	272	PM <sub>2.5</sub> , O <sub>3</sub>	2
96	Motihari	Poor	300	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mumbai	Moderate	149	PM <sub>2.5</sub> , PM <sub>10</sub>	18
98	Muzaffarnagar	Very Poor	356	PM <sub>2.5</sub>	1
99	Muzaffarpur	Very Poor	337	PM <sub>2.5</sub>	2
100	Mysuru	Satisfactory	61	O <sub>3</sub>	1
101	Nagpur	Satisfactory	94	PM <sub>10</sub>	1
102	Nandesari	Satisfactory	72	СО	1
103	Narnaul	Moderate	182	PM <sub>2.5</sub>	1
104	Nashik	Satisfactory	67	PM <sub>2.5</sub>	1
105	Navi Mumbai	Moderate	174	PM <sub>2.5</sub> , PM <sub>10</sub>	3
106	Noida	Very Poor	345	PM <sub>10</sub> , PM <sub>2.5</sub>	4
107	Pali	Satisfactory	97	PM <sub>2.5</sub>	1
108	Palwal	Moderate	200	PM <sub>10</sub>	1

### Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Moderate	106	PM <sub>2.5</sub>	1
110	Panipat	Poor	228	PM <sub>2.5</sub>	1
111	Patiala	Moderate	181	PM <sub>2.5</sub>	1
112	Patna	Poor	281	PM <sub>2.5</sub> , PM <sub>10</sub>	4
113	Pithampur	Moderate	193	PM <sub>2.5</sub>	1
114	Prayagraj	Poor	231	PM <sub>2.5</sub>	3
115	Puducherry	Good	41	PM <sub>10</sub>	1
116	Pune	Moderate	134	PM <sub>2.5</sub>	3
117	Purnia	Poor	272	PM <sub>2.5</sub>	1
118	Raichur	Satisfactory	80	PM <sub>10</sub>	1
119	Rajgir	Poor	245	PM <sub>2.5</sub>	1
120	Ratlam	Moderate	107	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rohtak	Very Poor	330	PM <sub>2.5</sub>	1
122	Rupnagar	Poor	257	PM <sub>10</sub>	1
123	Sagar	Satisfactory	62	PM <sub>2.5</sub>	1
124	Sasaram	Poor	219	PM <sub>2.5</sub>	1
125	Satna	Satisfactory	62	PM <sub>10</sub>	1
126	Shivamogga	Good	46	PM <sub>10</sub>	1
127	Siliguri	Satisfactory	93	PM <sub>10</sub>	1
128	Singrauli	Very Poor	319	PM <sub>10</sub>	1
129	Sirsa	Poor	238	PM <sub>2.5</sub>	1
130	Siwan	Very Poor	308	PM <sub>2.5</sub>	1
131	Solapur	Satisfactory	75	PM <sub>10</sub>	1
132	Sonipat	Very Poor	304	PM <sub>2.5</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Moderate	122	PM <sub>10</sub>	1
134	Talcher	Satisfactory	87	PM <sub>10</sub>	1
135	Thane	Moderate	174	PM <sub>10</sub>	1
136	Thiruvananthapuram	Satisfactory	52	PM <sub>10</sub> , CO	2
137	Thoothukudi	Good	39	03	1
138	Thrissur	Satisfactory	56	PM <sub>10</sub>	1
139	Tirupati	Good	42	СО	1
140	Udaipur	Moderate	131	PM <sub>2.5</sub>	1
141	Udupi	Good	41	O <sub>3</sub>	1
142	Ujjain	Moderate	109	PM <sub>10</sub>	1
143	Vapi	Moderate	146	PM <sub>2.5</sub>	1
144	Varanasi	Moderate	168	PM <sub>2.5</sub>	4

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Poor	224	NO <sub>2</sub>	1
146	Vijayapura	Good	50	PM <sub>10</sub>	1
147	Visakhapatnam	Moderate	123	PM <sub>2.5</sub>	1
148	Vrindavan	Poor	259	PM <sub>2.5</sub>	1
149	Yadgir	Satisfactory	55	PM <sub>10</sub>	1
150	Yamunanagar	Poor	267	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Bettiah, Bihar Sharif, Buxar, Gadag, Gummidipoondi, Hajipur, Hassan, Katihar, Kochi, Mandi Gobindgarh, Munger, Naharlagun, Rajamahendravaram, Ramanagara, Saharsa, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.