

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	238	PM _{2.5}	1
2	Agra	Satisfactory	92	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	149	PM _{2.5} , NO ₂	9
4	Aizawl	Moderate	110	PM ₁₀	1
5	Ajmer	Moderate	106	PM ₁₀	1
6	Alwar	Satisfactory	76	PM ₁₀	1
7	Amaravati	Satisfactory	70	O ₃	1
8	Ambala	Moderate	116	PM ₁₀	1
9	Ankleshwar	Moderate	109	PM ₁₀	1
10	Araria	Moderate	166	PM _{2.5}	1
11	Arrah	Moderate	170	PM ₁₀	1
12	Asansol	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	170	PM ₁₀	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Baghpat	Moderate	129	PM ₁₀	1
16	Bahadurgarh	Moderate	151	PM _{2.5}	1
17	Ballabgarh	Moderate	126	PM ₁₀	1
18	Bathinda	Satisfactory	73	PM ₁₀	1
19	Bengaluru	Moderate	108	PM ₁₀ , PM _{2.5} , CO	8
20	Bettiah	Poor	238	PM _{2.5}	1
21	Bhagalpur	Moderate	190	PM ₁₀ , PM _{2.5}	2
22	Bhilai	Satisfactory	56	PM ₁₀	1
23	Bhiwadi	Poor	206	PM _{2.5}	1
24	Bhiwani	Moderate	113	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	128	PM ₁₀	1
26	Bihar Sharif	Moderate	175	PM ₁₀	1
27	Bilaspur	Satisfactory	64	со	1
28	Bulandshahr	Moderate	171	PM ₁₀	1
29	Buxar	Poor	210	PM _{2.5}	1
30	Chamarajanagar	Good	42	PM ₁₀	1
31	Chandigarh	Moderate	129	O ₃ , PM _{2.5} , PM ₁₀	3
32	Chandrapur	Moderate	126	PM ₁₀	2
33	Charkhi Dadri	Moderate	121	PM ₁₀	1
34	Chennai	Satisfactory	90	PM ₁₀	8
35	Chhapra	Poor	212	PM _{2.5}	1
36	Chikkaballapur	Satisfactory	93	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	53	PM ₁₀	1
38	Coimbatore	Satisfactory	69	PM ₁₀	1
39	Damoh	Satisfactory	90	PM ₁₀	1
40	Darbhanga	Moderate	184	PM _{2.5}	1
41	Davanagere	Moderate	132	PM ₁₀	1
42	Delhi	Moderate	160	PM ₁₀ , PM _{2.5}	35
43	Dewas	Moderate	107	PM ₁₀	1
44	Dharuhera	Moderate	164	PM ₁₀	1
45	Durgapur	Poor	273	PM _{2.5}	1
46	Eloor	Satisfactory	73	PM ₁₀	1
47	Faridabad	Moderate	166	O ₃ , PM ₁₀	3
48	Fatehabad	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	120	PM _{2.5}	2
50	Gadag	Moderate	154	03	1
51	Gandhinagar	Moderate	123	PM _{2.5} , PM ₁₀	3
52	Gaya	Moderate	122	NO ₂ , PM ₁₀ , PM _{2.5}	3
53	Ghaziabad	Moderate	182	PM _{2.5} , PM ₁₀	4
54	Gorakhpur	Satisfactory	76	PM ₁₀	1
55	Greater Noida	Moderate	156	O ₃ , PM ₁₀	2
56	Gummidipoondi	Satisfactory	56	PM ₁₀	1
57	Gurugram	Moderate	122	PM _{2.5}	2
58	Guwahati	Poor	288	PM _{2.5}	2
59	Gwalior	Moderate	130	PM ₁₀	1
60	Hajipur	Moderate	117	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Moderate	141	PM ₁₀	1
62	Hapur	Moderate	187	03	1
63	Hassan	Moderate	102	PM ₁₀	1
64	Hisar	Moderate	108	PM ₁₀	1
65	Howrah	Poor	231	PM ₁₀ , PM _{2.5}	3
66	Hubballi	Moderate	126	PM ₁₀	1
67	Hyderabad	Moderate	132	PM _{2.5} , PM ₁₀	6
68	Indore	Moderate	120	PM ₁₀	1
69	Jabalpur	Moderate	126	PM ₁₀	1
70	Jaipur	Moderate	103	PM ₁₀	2
71	Jalandhar	Satisfactory	89	PM ₁₀	1
72	Jind	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	196	PM _{2.5}	1
74	Kaithal	Satisfactory	86	PM ₁₀	1
75	Kalaburgi	Moderate	127	PM ₁₀	1
76	Kalyan	Moderate	117	PM _{2.5}	1
77	Kannur	Satisfactory	73	PM _{2.5}	1
78	Kanpur	Moderate	117	PM ₁₀ , PM _{2.5}	2
79	Karnal	Satisfactory	83	PM ₁₀	1
80	Katihar	Poor	261	PM _{2.5}	1
81	Katni	Poor	238	PM ₁₀	1
82	Khanna	Moderate	103	PM ₁₀	1
83	Kishanganj	Poor	251	PM _{2.5}	1
84	Kochi	Moderate	107	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Moderate	128	PM ₁₀	1
86	Kolar	Moderate	116	PM ₁₀	1
87	Kolkata	Moderate	193	PM _{2.5} , PM ₁₀	7
88	Kota	Moderate	109	PM ₁₀	1
89	Kozhikode	Satisfactory	55	PM ₁₀	1
90	Kurukshetra	Moderate	107	PM ₁₀	1
91	Lucknow	Moderate	129	PM ₁₀ , PM _{2.5}	5
92	Madikeri	Satisfactory	72	PM ₁₀	1
93	Mandi Gobindgarh	Moderate	200	PM ₁₀	1
94	Mandideep	Moderate	117	PM ₁₀	1
95	Mandikhera	Satisfactory	100	PM ₁₀	1
96	Manguraha	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Moderate	147	PM ₁₀	3
98	Moradabad	Moderate	104	PM _{2.5} , PM ₁₀	4
99	Motihari	Poor	234	03	1
100	Mumbai	Moderate	168	PM _{2.5} , O ₃	16
101	Munger	Moderate	192	PM ₁₀	1
102	Muzaffarnagar	Moderate	199	03	1
103	Muzaffarpur	Poor	237	PM _{2.5} , PM ₁₀	3
104	Mysuru	Satisfactory	62	PM ₁₀	1
105	Nashik	Good	47	PM _{2.5}	1
106	Navi Mumbai	Moderate	168	PM ₁₀	1
107	Noida	Moderate	137	PM ₁₀	3
108	Pali	Moderate	119	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Palwal	Moderate	103	PM ₁₀	1
110	Panchkula	Moderate	122	PM _{2.5}	1
111	Panipat	Moderate	105	PM ₁₀	1
112	Patiala	Satisfactory	93	PM ₁₀	1
113	Patna	Poor	231	PM _{2.5} , PM ₁₀	6
114	Pithampur	Satisfactory	77	PM ₁₀	1
115	Prayagraj	Moderate	105	PM ₁₀	3
116	Puducherry	Satisfactory	68	PM ₁₀	1
117	Pune	Moderate	108	PM _{2.5} , PM ₁₀	7
118	Purnia	Moderate	196	PM _{2.5}	1
119	Rajamahendravaram	Moderate	108	PM ₁₀	1
120	Rajgir	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Moderate	106	PM ₁₀	1
122	Ratlam	Moderate	102	PM ₁₀	1
123	Rohtak	Satisfactory	87	PM _{2.5}	1
124	Rupnagar	Moderate	158	PM ₁₀	1
125	Sagar	Moderate	111	PM _{2.5}	1
126	Saharsa	Poor	249	PM ₁₀	1
127	Sasaram	Very Poor	302	03	1
128	Satna	Satisfactory	59	PM ₁₀	1
129	Shivamogga	Satisfactory	90	03	1
130	Siliguri	Moderate	191	PM _{2.5}	1
131	Singrauli	Poor	252	PM ₁₀	1
132	Sirsa	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Solapur	Satisfactory	93	PM ₁₀	1
134	Sonipat	Moderate	124	PM ₁₀	1
135	Srinagar	Good	45	SO ₂	1
136	Thane	Moderate	139	PM ₁₀	1
137	Thiruvananthapuram	Satisfactory	78	PM _{2.5}	2
138	Thrissur	Satisfactory	83	PM _{2.5}	1
139	Tirupati	Satisfactory	84	PM _{2.5}	1
140	Udaipur	Moderate	123	PM ₁₀	1
141	Udupi	Good	46	O ₃	1
142	Ujjain	Moderate	123	PM ₁₀	1
143	Vapi	Moderate	152	PM _{2.5}	1
144	Varanasi	Satisfactory	93	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Moderate	144	PM ₁₀	1
146	Vijayapura	Good	50	PM ₁₀	1
147	Visakhapatnam	Moderate	139	PM ₁₀	1
148	Vrindavan	Satisfactory	95	PM ₁₀	1
149	Yadgir	Satisfactory	94	PM ₁₀	1
150	Yamunanagar	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Amritsar, Aurangabad, Bidar, Brajrajnagar, Ernakulam, Jhansi, Jorapokhar, Kollam, Koppal, Ludhiana, Maihar, Manesar, Manglore, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Shillong, Siwan, Talcher, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.