

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	64	PM _{2.5}	2
2	Agra	Good	44	PM ₁₀	6
3	Ahmedabad	Satisfactory	87	PM ₁₀ , NO ₂	7
4	Aizawl	Good	22	PM ₁₀	1
5	Ajmer	Satisfactory	92	03	1
6	Alwar	Satisfactory	73	PM ₁₀	1
7	Amaravati	Good	47	со	1
8	Ambala	Satisfactory	54	PM ₁₀	1
9	Amritsar	Moderate	104	PM _{2.5}	1
10	Anantapur	Satisfactory	55	PM ₁₀	1
11	Ankleshwar	Satisfactory	72	NO ₂	1
12	Araria	Moderate	182	O ₃	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	61	NO ₂	1
14	Arrah	Moderate	123	NO ₂	1
15	Asansol	Satisfactory	93	PM ₁₀	1
16	Aurangabad (Bihar)	Satisfactory	74	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	64	PM ₁₀	1
18	Baddi	Moderate	166	O ₃	1
19	Bagalkot	Good	49	03	1
20	Baghpat	Satisfactory	79	PM _{2.5}	1
21	Bahadurgarh	Satisfactory	93	PM _{2.5}	1
22	Ballabgarh	Satisfactory	84	PM ₁₀	1
23	Banswara	Satisfactory	98	PM ₁₀	1
24	Bareilly	Satisfactory	58	PM ₁₀	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	92	O ₃	1
26	Barmer	Satisfactory	69	O ₃	1
27	Bathinda	Moderate	112	PM ₁₀	1
28	Belgaum	Good	50	PM ₁₀	1
29	Bengaluru	Satisfactory	83	PM ₁₀	8
30	Bettiah	Moderate	158	PM ₁₀	1
31	Bhagalpur	Moderate	139	PM _{2.5}	2
32	Bharatpur	Moderate	103	PM _{2.5}	1
33	Bhilai	Good	48	PM ₁₀ , CO	2
34	Bhiwadi	Moderate	166	PM ₁₀	1
35	Bhiwani	Satisfactory	95	PM ₁₀	1
36	Bhopal	Satisfactory	84	O ₃	3

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Moderate	104	СО	1
38	Bihar Sharif	Satisfactory	83	PM ₁₀	1
39	Bikaner	Moderate	154	PM _{2.5}	1
40	Bilaspur	Satisfactory	70	со	1
41	Bileipada	Moderate	154	PM ₁₀	1
42	Bulandshahr	Satisfactory	74	03	1
43	Chamarajanagar	Good	46	PM ₁₀	1
44	Chandigarh	Satisfactory	72	O ₃ , PM _{2.5}	3
45	Chandrapur	Satisfactory	88	PM _{2.5}	1
46	Charkhi Dadri	Moderate	136	PM _{2.5}	1
47	Chennai	Satisfactory	55	PM ₁₀ , CO	7
48	Chhal	Good	46	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Moderate	149	PM ₁₀	1
50	Chikkaballapur	Satisfactory	56	PM ₁₀	1
51	Chikkamagaluru	Good	41	PM ₁₀	1
52	Chittoor	Satisfactory	63	03	1
53	Chittorgarh	Moderate	160	03	1
54	Coimbatore	Satisfactory	80	со	1
55	Cuddalore	Good	44	NO ₂	2
56	Damoh	Good	26	со	1
57	Dausa	Moderate	197	PM _{2.5}	1
58	Davanagere	Good	40	PM _{2.5}	1
59	Dehradun	Good	44	03	1
60	Delhi	Moderate	164	O ₃ , PM _{2.5}	35

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dewas	Moderate	101	СО	1
62	Dhanbad	Moderate	138	PM _{2.5}	1
63	Dharuhera	Moderate	190	PM _{2.5}	1
64	Dharwad	Satisfactory	60	PM _{2.5}	1
65	Dholpur	Moderate	120	PM _{2.5}	1
66	Dindigul	Moderate	149	NO ₂	1
67	Durgapur	Moderate	106	PM ₁₀	1
68	Faridabad	Moderate	117	PM _{2.5} , PM ₁₀	3
69	Firozabad	Satisfactory	69	PM ₁₀	2
70	Gadag	Good	48	PM ₁₀	1
71	Gandhinagar	Satisfactory	67	PM _{2.5}	3
72	Gangtok	Good	31	O ₃	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gaya	Satisfactory	94	O ₃ , CO	3
74	Ghaziabad	Moderate	152	03	4
75	Gorakhpur	Satisfactory	58	SO ₂	1
76	Greater Noida	Moderate	150	PM ₁₀	2
77	Gummidipoondi	Satisfactory	61	PM ₁₀	1
78	Gurugram	Moderate	145	PM _{2.5}	4
79	Guwahati	Satisfactory	64	O ₃ , PM ₁₀	4
80	Gwalior	Moderate	127	O ₃ , PM _{2.5}	3
81	Hajipur	Moderate	150	PM _{2.5}	1
82	Haldia	Satisfactory	55	PM ₁₀	1
83	Hanumangarh	Moderate	120	PM ₁₀	1
84	Hapur	Satisfactory	74	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hassan	Satisfactory	79	PM ₁₀	1
86	Haveri	Satisfactory	51	PM ₁₀	1
87	Hisar	Satisfactory	74	PM _{2.5}	1
88	Hosur	Moderate	133	со	1
89	Howrah	Moderate	107	PM ₁₀	3
90	Hubballi	Satisfactory	73	PM ₁₀	2
91	Hyderabad	Satisfactory	97	CO, PM ₁₀	13
92	Imphal	Satisfactory	64	PM ₁₀	1
93	Indore	Satisfactory	90	PM ₁₀	2
94	Jabalpur	Satisfactory	71	PM ₁₀	1
95	Jaipur	Satisfactory	95	PM _{2.5} , PM ₁₀	5
96	Jalandhar	Good	48	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhalawar	Satisfactory	76	PM ₁₀	1
98	Jhansi	Satisfactory	56	SO ₂	1
99	Jhunjhunu	Moderate	175	03	1
100	Jind	Satisfactory	64	PM _{2.5}	1
101	Jodhpur	Moderate	104	03	2
102	Jorapokhar	Satisfactory	79	PM ₁₀	1
103	Kadapa	Moderate	199	PM _{2.5}	1
104	Kaithal	Good	49	PM ₁₀	1
105	Kalaburgi	Satisfactory	60	PM _{2.5} , PM ₁₀	2
106	Kalyan	Moderate	116	PM ₁₀	1
107	Kanchipuram	Good	33	PM ₁₀	1
108	Kanpur	Satisfactory	81	03	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Satisfactory	56	03	1
110	Karnal	Good	36	PM ₁₀	1
111	Kashipur	Good	46	PM ₁₀	1
112	Katihar	Poor	240	PM _{2.5}	1
113	Katni	Moderate	110	PM ₁₀	1
114	Keonjhar	Satisfactory	67	PM ₁₀	1
115	Khanna	Satisfactory	76	PM ₁₀	1
116	Khurja	Satisfactory	89	PM _{2.5}	1
117	Kishanganj	Satisfactory	83	PM ₁₀	1
118	Kohima	Satisfactory	90	PM ₁₀	1
119	Kolar	Satisfactory	79	PM ₁₀	1
120	Kolkata	Satisfactory	97	03	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kollam	Satisfactory	88	PM ₁₀	1
122	Koppal	Satisfactory	93	O ₃	1
123	Korba	Satisfactory	70	PM ₁₀	2
124	Kota	Moderate	113	PM _{2.5}	3
125	Kunjemura	Satisfactory	82	PM ₁₀	1
126	Kurukshetra	Satisfactory	60	03	1
127	Lucknow	Good	47	PM _{2.5}	5
128	Ludhiana	Moderate	105	PM ₁₀	1
129	Madikeri	Good	21	O ₃	1
130	Maihar	Satisfactory	59	со	1
131	Mandi Gobindgarh	Good	49	NO ₂	1
132	Mandikhera	Satisfactory	73	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Manesar	Moderate	148	PM _{2.5}	1
134	Mangalore	Satisfactory	77	PM ₁₀	1
135	Manguraha	Satisfactory	85	O ₃	1
136	Meerut	Satisfactory	72	O ₃ , NO ₂	3
137	Milupara	Good	44	NO ₂	1
138	Moradabad	Good	48	PM _{2.5} , SO ₂	5
139	Motihari	Satisfactory	65	PM ₁₀	1
140	Mumbai	Satisfactory	96	NO ₂ , PM ₁₀	19
141	Munger	Moderate	165	PM ₁₀	1
142	Muzaffarpur	Moderate	138	PM _{2.5}	2
143	Mysuru	Good	46	PM ₁₀	1
144	Nagaon	Poor	236	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagpur	Moderate	110	PM ₁₀	1
146	Nalbari	Satisfactory	57	PM _{2.5}	1
147	Nandesari	Good	13	PM _{2.5}	1
148	Narnaul	Satisfactory	96	PM _{2.5}	1
149	Nashik	Good	32	PM ₁₀	1
150	Navi Mumbai	Moderate	117	PM _{2.5} , NO ₂	3
151	Nayagarh	Moderate	105	PM ₁₀	1
152	Noida	Moderate	142	PM _{2.5}	4
153	Ooty	Satisfactory	70	PM ₁₀	1
154	Pali	Satisfactory	70	PM ₁₀	1
155	Palkalaiperur	Satisfactory	52	SO ₂	1
156	Palwal	Satisfactory	57	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panchkula	Satisfactory	71	СО	1
158	Panipat	Satisfactory	62	PM ₁₀	1
159	Patiala	Good	45	PM ₁₀	1
160	Patna	Moderate	154	O ₃ , PM ₁₀	6
161	Pithampur	Satisfactory	75	PM ₁₀	1
162	Pratapgarh	Satisfactory	78	PM ₁₀	1
163	Prayagraj	Satisfactory	62	O ₃ , PM ₁₀	3
164	Puducherry	Good	28	03	1
165	Pune	Satisfactory	98	NO ₂ , CO	3
166	Purnia	Moderate	110	PM _{2.5}	1
167	Raichur	Satisfactory	93	PM ₁₀	1
168	Raipur	Satisfactory	63	NO ₂	3

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rairangpur	Satisfactory	71	O ₃	1
170	Rajamahendravaram	Good	27	PM ₁₀	1
171	Rajgir	Satisfactory	78	со	1
172	Rajsamand	Satisfactory	64	03	1
173	Ramanagara	Satisfactory	74	PM ₁₀	1
174	Ramanathapuram	Good	23	PM ₁₀	1
175	Ratlam	Satisfactory	67	PM ₁₀	1
176	Rishikesh	Good	21	PM ₁₀	1
177	Rohtak	Satisfactory	65	PM _{2.5}	1
178	Rourkela	Moderate	106	PM ₁₀	3
179	Rupnagar	Satisfactory	69	PM ₁₀	1
180	Sagar	Satisfactory	85	O ₃	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Salem	Satisfactory	98	SO ₂	1
182	Samastipur	Moderate	193	PM ₁₀	1
183	Satna	Poor	206	PM ₁₀	1
184	Shillong	Good	33	SO ₂	1
185	Shivamogga	Satisfactory	52	03	1
186	Sikar	Satisfactory	96	PM ₁₀	1
187	Silchar	Good	25	со	1
188	Siliguri	Good	46	03	1
189	Singrauli	Satisfactory	88	PM _{2.5}	1
190	Sirohi	Satisfactory	62	03	1
191	Sirsa	Satisfactory	73	03	1
192	Sivasagar	Good	20	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Solapur	Moderate	142	PM ₁₀	1
194	Sri Ganganagar	Poor	288	PM ₁₀	1
195	Srinagar	Satisfactory	96	PM _{2.5}	1
196	Suakati	Satisfactory	71	03	1
197	Surat	Satisfactory	66	со	1
198	Talcher	Moderate	106	PM ₁₀	1
199	Tensa	Satisfactory	57	PM ₁₀	1
200	Thane	Satisfactory	100	PM ₁₀	1
201	Thiruvananthapuram	Satisfactory	55	PM _{2.5} , PM ₁₀	2
202	Thoothukudi	Satisfactory	74	PM ₁₀	1
203	Thrissur	Satisfactory	100	PM ₁₀	1
204	Tirupati	Good	43	PM ₁₀	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tirupur	Satisfactory	52	PM ₁₀	1
206	Tonk	Satisfactory	99	PM ₁₀	1
207	Tumidih	Satisfactory	56	PM _{2.5}	1
208	Udaipur	Satisfactory	64	PM ₁₀	1
209	Udupi	Satisfactory	73	03	1
210	Ujjain	Satisfactory	76	03	1
211	Vapi	Satisfactory	97	PM _{2.5}	1
212	Varanasi	Good	46	PM _{2.5} , SO ₂	4
213	Vatva	Satisfactory	100	PM ₁₀	1
214	Vijayapura	Good	42	PM ₁₀	1
215	Vijayawada	Moderate	129	PM _{2.5}	1
216	Visakhapatnam	Satisfactory	56	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar, Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam, Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun, Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vrindavan	Moderate	129	PM ₁₀	1
218	Yamunanagar	Satisfactory	99	PM ₁₀	1
219	vellore	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

- * AQI is not calculated for today's bulletin for Begusarai, Brajrajnagar,
 Buxar, Byrnihat, Chengalpattu, Churu, Darbhanga, Eloor, Ernakulam,
 Fatehabad, Kannur, Kochi, Kozhikode, Mandideep, Muzaffarnagar, Naharlagun,
 Saharsa, Sasaram, Sawai Madhopur, Siwan, Sonipat, Tumakuru, Yadgir as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.