

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	61	PM ₁₀	1
2	Agra	Satisfactory	65	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	53	PM ₁₀	7
4	Aizawl	Good	22	SO ₂	1
5	Ajmer	Satisfactory	76	PM ₁₀	1
6	Alwar	Satisfactory	59	PM ₁₀	1
7	Amaravati	Good	36	O ₃	1
8	Ambala	Satisfactory	68	PM ₁₀	1
9	Amritsar	Good	50	PM ₁₀	1
10	Ankleshwar	Satisfactory	62	PM ₁₀	1
11	Asansol	Good	43	03	1
12	Aurangabad	Satisfactory	61	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Hassan, Jind, Jorapokhar, Karnal, Kolar, Kurukshetra, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Sonipat, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	28	PM ₁₀	1
14	Bahadurgarh	Satisfactory	81	PM ₁₀	1
15	Ballabgarh	Good	43	PM ₁₀	1
16	Bathinda	Good	50	со	1
17	Bengaluru	Good	45	CO, PM ₁₀ , O ₃	7
18	Bhiwadi	Satisfactory	75	PM ₁₀	1
19	Bhiwani	Good	50	PM _{2.5}	1
20	Bhopal	Satisfactory	61	O ₃	1
21	Bidar	Good	44	со	1
22	Bulandshahr	Good	42	O ₃	1
23	Chamarajanagar	Good	43	PM ₁₀	1
24	Chandigarh	Good	50	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Hassan, Jind, Jorapokhar, Karnal, Kolar, Kurukshetra, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Sonipat, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	30	PM ₁₀	2
26	Charkhi Dadri	Satisfactory	56	PM _{2.5}	1
27	Chennai	Satisfactory	72	O ₃ , CO, PM ₁₀	6
28	Chikkaballapur	Good	29	со	1
29	Chikkamagaluru	Good	34	03	1
30	Damoh	Satisfactory	53	PM _{2.5}	1
31	Davanagere	Good	15	со	1
32	Delhi	Satisfactory	69	PM ₁₀ , CO	37
33	Dewas	Good	39	PM ₁₀	1
34	Dharuhera	Satisfactory	91	со	1
35	Durgapur	Satisfactory	53	PM ₁₀	1
36	Eloor	Satisfactory	70	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Hassan, Jind, Jorapokhar, Karnal, Kolar, Kurukshetra, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Sonipat, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	43	PM ₁₀	1
38	Faridabad	Satisfactory	73	O ₃ , PM ₁₀	3
39	Fatehabad	Good	38	03	1
40	Firozabad	Good	31	PM ₁₀	1
41	Gadag	Good	23	со	1
42	Gandhinagar	Good	46	PM _{2.5} , PM ₁₀	2
43	Gaya	Satisfactory	62	СО	2
44	Ghaziabad	Satisfactory	65	PM _{2.5} , PM ₁₀	4
45	Gorakhpur	Good	22	PM ₁₀	1
46	Greater Noida	Satisfactory	67	PM ₁₀ , O ₃	2
47	Gummidipoondi	Satisfactory	94	PM _{2.5}	1
48	Gurugram	Satisfactory	74	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Minimal Impact

Good	Minimai impaci
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Hassan, Jind, Jorapokhar, Karnal, Kolar, Kurukshetra, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Sonipat, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Satisfactory	59	SO ₂	2
50	Gwalior	Satisfactory	56	PM ₁₀	2
51	Hajipur	Satisfactory	59	O ₃	1
52	Haldia	Good	40	PM ₁₀	1
53	Hapur	Satisfactory	55	03	1
54	Hisar	Satisfactory	53	PM _{2.5}	1
55	Howrah	Good	44	СО	2
56	Hubballi	Good	41	PM ₁₀	1
57	Hyderabad	Good	37	NO ₂ , PM ₁₀ , PM _{2.5}	5
58	Indore	Satisfactory	64	PM ₁₀	1
59	Jabalpur	Satisfactory	63	PM ₁₀	1
60	Jaipur	Satisfactory	57	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Hassan, Jind, Jorapokhar, Karnal, Kolar, Kurukshetra, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Sonipat, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Satisfactory	73	03	1
62	Jodhpur	Satisfactory	85	PM ₁₀	1
63	Kaithal	Satisfactory	52	PM ₁₀	1
64	Kalaburgi	Good	19	со	1
65	Kalyan	Satisfactory	53	со	1
66	Kannur	Good	45	PM _{2.5}	1
67	Kanpur	Satisfactory	56	NO ₂ , O ₃ , PM ₁₀	4
68	Katni	Satisfactory	71	PM ₁₀	1
69	Khanna	Good	45	PM ₁₀	1
70	Kochi	Good	42	СО	1
71	Kohima	Good	45	PM ₁₀	1
72	Kolkata	Good	38	PM ₁₀ , O ₃ , NO ₂	5

Possible Health Impacts

od Minimal Impact

	•
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Hassan, Jind, Jorapokhar, Karnal, Kolar, Kurukshetra, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Sonipat, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	89	со	1
74	Koppal	Good	32	03	1
75	Kota	Good	42	PM ₁₀	1
76	Kozhikode	Good	38	PM ₁₀	1
77	Lucknow	Satisfactory	58	PM ₁₀ , CO, O ₃	5
78	Ludhiana	Satisfactory	66	PM ₁₀	1
79	Maihar	Good	31	PM _{2.5}	1
80	Mandi Gobindgarh	Good	26	03	1
81	Mandideep	Good	38	PM ₁₀	1
82	Mandikhera	Good	26	SO ₂	1
83	Manesar	Good	44	PM ₁₀	1
84	Medikeri	Good	19	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Hassan, Jind, Jorapokhar, Karnal, Kolar, Kurukshetra, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Sonipat, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Satisfactory	52	CO, NO ₂ , PM ₁₀	3
86	Moradabad	Satisfactory	89	PM ₁₀	1
87	Mumbai	Satisfactory	53	PM ₁₀ , CO, NO ₂	19
88	Muzaffarnagar	Satisfactory	78	со	1
89	Muzaffarpur	Satisfactory	64	PM ₁₀ , CO	2
90	Mysuru	Good	28	PM ₁₀	1
91	Nandesari	Moderate	116	СО	1
92	Narnaul	Good	49	PM _{2.5}	1
93	Nashik	Moderate	138	PM ₁₀	1
94	Navi Mumbai	Satisfactory	51	со	3
95	Noida	Satisfactory	62	CO, PM ₁₀ , NO ₂	4
96	Pali	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Hassan, Jind, Jorapokhar, Karnal, Kolar, Kurukshetra, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Sonipat, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Satisfactory	54	PM ₁₀	1
98	Panipat	Good	46	SO ₂	1
99	Patiala	Good	34	PM ₁₀	1
100	Patna	Satisfactory	67	PM ₁₀ , O ₃	5
101	Pithampur	Satisfactory	77	PM ₁₀	1
102	Prayagraj	Satisfactory	61	PM ₁₀ , PM _{2.5}	3
103	Puducherry	Good	49	03	1
104	Pune	Satisfactory	58	CO, PM _{2.5}	5
105	Raichur	Good	21	PM ₁₀	1
106	Rajamahendravaram	Good	31	PM ₁₀	1
107	Ramanagara	Good	35	PM ₁₀	1
108	Ratlam	Good	31	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Hassan, Jind, Jorapokhar, Karnal, Kolar, Kurukshetra, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Sonipat, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rohtak	Moderate	114	СО	1
110	Rupnagar	Satisfactory	67	PM ₁₀	1
111	Sagar	Good	22	NO ₂	1
112	Satna	Satisfactory	56	PM ₁₀	1
113	Shillong	Good	15	SO ₂	1
114	Shivamogga	Good	40	PM ₁₀	1
115	Siliguri	Good	38	PM ₁₀	1
116	Singrauli	Satisfactory	100	PM ₁₀	1
117	Sirsa	Satisfactory	52	O ₃	1
118	Solapur	Good	43	PM ₁₀	1
119	Srinagar	Good	24	со	1
120	Talcher	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Hassan, Jind, Jorapokhar, Karnal, Kolar, Kurukshetra, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Sonipat, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thiruvananthapuram	Good	46	PM ₁₀ , CO	2
122	Thoothukudi	Satisfactory	70	PM ₁₀	1
123	Tirupati	Good	39	со	1
124	Udaipur	Satisfactory	71	PM ₁₀	1
125	Udupi	Moderate	104	со	1
126	Ujjain	Satisfactory	60	PM ₁₀	1
127	Vapi	Good	36	PM ₁₀	1
128	Varanasi	Satisfactory	57	PM ₁₀	4
129	Vatva	Satisfactory	95	PM ₁₀	1
130	Vijayapura	Satisfactory	67	со	1
131	Visakhapatnam	Moderate	106	PM ₁₀	1
132	Vrindavan	Good	26	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Hassan, Jind, Jorapokhar, Karnal, Kolar, Kurukshetra, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Sonipat, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Good	18	O ₃	1
134	Yamunanagar	Moderate	147	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Hassan, Jind, Jorapokhar, Karnal, Kolar, Kurukshetra, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Sonipat, Thane, Thrissur as data was not available.
- $\ensuremath{\text{\#}}$ Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.