

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	51	O <sub>3</sub>	1
2	Ahmedabad	Satisfactory	90	PM <sub>2.5</sub>	1
3	Aizawl	Good	40	PM <sub>10</sub>	1
4	Alwar	Satisfactory	93	PM <sub>10</sub>	1
5	Amaravati	Good	24	PM <sub>10</sub>	1
6	Ambala	Moderate	193	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	191	PM <sub>2.5</sub>	1
8	Ankleshwar	Satisfactory	98	PM <sub>10</sub>	1
9	Asansol	Satisfactory	100	PM <sub>2.5</sub>	1
10	Bagalkot	Satisfactory	52	PM <sub>10</sub>	1
11	Baghpat	Poor	246	PM <sub>10</sub>	1
12	Bahadurgarh	Poor	263	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Ajmer, Aurangabad, Notes: Bathinda, Bidar, Coimbatore, Davanagere, Dewas, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Moradabad, Muzaffarnagar, Mysuru, Naharlagun, Panchkula, Ramanagara, Satna, Shillong, Siliguri, Singrauli, Solapur, Thane, Thoothukudi, Tirupati, Udupi, Vapi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	149	PM <sub>2.5</sub>	1
14	Bengaluru	Satisfactory	54	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	8
15	Bhiwadi	Very Poor	338	PM <sub>10</sub>	1
16	Bhiwani	Poor	280	PM <sub>10</sub>	1
17	Bhopal	Moderate	103	03	1
18	Brajrajnagar	Satisfactory	65	PM <sub>10</sub>	1
19	Bulandshahr	Moderate	145	PM <sub>10</sub>	1
20	Chamarajanagar	Satisfactory	59	PM <sub>10</sub>	1
21	Chandigarh	Moderate	114	PM <sub>2.5</sub>	1
22	Chandrapur	Satisfactory	58	PM <sub>10</sub>	2
23	Charkhi Dadri	Poor	242	PM <sub>10</sub>	1
24	Chennai	Good	46	O <sub>3</sub> , PM <sub>10</sub> , CO	8

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Ajmer, Aurangabad, Notes: Bathinda, Bidar, Coimbatore, Davanagere, Dewas, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Moradabad, Muzaffarnagar, Mysuru, Naharlagun, Panchkula, Ramanagara, Satna, Shillong, Siliguri, Singrauli, Solapur, Thane, Thoothukudi, Tirupati, Udupi, Vapi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	34	co	1
26	Chikkamagaluru	Satisfactory	76	O <sub>3</sub>	1
27	Damoh	Good	38	PM <sub>2.5</sub>	1
28	Delhi	Poor	245	PM <sub>10</sub>	27
29	Dharuhera	Very Poor	308	PM <sub>10</sub>	1
30	Eloor	Good	47	со	1
31	Ernakulam	Good	42	со	1
32	Faridabad	Poor	248	PM <sub>2.5</sub> , PM <sub>10</sub>	2
33	Fatehabad	Very Poor	313	PM <sub>10</sub>	1
34	Gandhinagar	Satisfactory	59	03	1
35	Gaya	Moderate	136	PM <sub>2.5</sub> , O <sub>3</sub>	2
36	Ghaziabad	Poor	266	PM <sub>10</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Ajmer, Aurangabad, Notes: Bathinda, Bidar, Coimbatore, Davanagere, Dewas, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Moradabad, Muzaffarnagar, Mysuru, Naharlagun, Panchkula, Ramanagara, Satna, Shillong, Siliguri, Singrauli, Solapur, Thane, Thoothukudi, Tirupati, Udupi, Vapi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Poor	212	PM <sub>10</sub>	2
38	Gurugram	Poor	248	PM <sub>10</sub> , PM <sub>2.5</sub>	3
39	Guwahati	Satisfactory	70	PM <sub>10</sub>	2
40	Gwalior	Satisfactory	87	03	1
41	Hajipur	Moderate	126	PM <sub>10</sub>	1
42	Haldia	Satisfactory	75	PM <sub>10</sub>	1
43	Hapur	Satisfactory	99	O <sub>3</sub>	1
44	Hassan	Satisfactory	73	PM <sub>10</sub>	1
45	Hisar	Very Poor	312	PM <sub>10</sub>	1
46	Howrah	Satisfactory	69	PM <sub>10</sub> , O <sub>3</sub>	3
47	Hubballi	Satisfactory	62	03	1
48	Hyderabad	Satisfactory	69	PM <sub>10</sub> , PM <sub>2.5</sub>	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Ajmer, Aurangabad, Notes: Bathinda, Bidar, Coimbatore, Davanagere, Dewas, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Moradabad, Muzaffarnagar, Mysuru, Naharlagun, Panchkula, Ramanagara, Satna, Shillong, Siliguri, Singrauli, Solapur, Thane, Thoothukudi, Tirupati, Udupi, Vapi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Satisfactory	61	O <sub>3</sub>	1
50	Jabalpur	Satisfactory	81	PM <sub>10</sub>	1
51	Jaipur	Satisfactory	96	PM <sub>2.5</sub> , PM <sub>10</sub>	3
52	Jalandhar	Poor	231	PM <sub>2.5</sub>	1
53	Jind	Very Poor	308	PM <sub>2.5</sub>	1
54	Jodhpur	Moderate	147	PM <sub>2.5</sub>	1
55	Kaithal	Poor	211	PM <sub>10</sub>	1
56	Kalyan	Satisfactory	81	PM <sub>2.5</sub>	1
57	Kannur	Moderate	102	PM <sub>10</sub>	1
58	Kanpur	Satisfactory	61	PM <sub>2.5</sub>	2
59	Karnal	Good	48	PM <sub>2.5</sub>	1
60	Katni	Moderate	118	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Ajmer, Aurangabad, Notes: Bathinda, Bidar, Coimbatore, Davanagere, Dewas, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Moradabad, Muzaffarnagar, Mysuru, Naharlagun, Panchkula, Ramanagara, Satna, Shillong, Siliguri, Singrauli, Solapur, Thane, Thoothukudi, Tirupati, Udupi, Vapi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Moderate	173	PM <sub>2.5</sub>	1
62	Kochi	Satisfactory	51	со	1
63	Kohima	Satisfactory	89	PM <sub>10</sub>	1
64	Kolar	Satisfactory	55	со	1
65	Kolkata	Moderate	110	O <sub>3</sub> , PM <sub>10</sub>	5
66	Kollam	Satisfactory	79	PM <sub>10</sub>	1
67	Koppal	Satisfactory	66	СО	1
68	Kota	Satisfactory	71	PM <sub>10</sub>	1
69	Kozhikode	Satisfactory	75	со	1
70	Kurukshetra	Moderate	175	PM <sub>10</sub>	1
71	Lucknow	Moderate	138	PM <sub>2.5</sub> , PM <sub>10</sub>	3
72	Ludhiana	Poor	222	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Ajmer, Aurangabad, Notes: Bathinda, Bidar, Coimbatore, Davanagere, Dewas, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Moradabad, Muzaffarnagar, Mysuru, Naharlagun, Panchkula, Ramanagara, Satna, Shillong, Siliguri, Singrauli, Solapur, Thane, Thoothukudi, Tirupati, Udupi, Vapi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Poor	244	PM <sub>2.5</sub>	1
74	Mandideep	Good	28	PM <sub>2.5</sub>	1
75	Mandikhera	Moderate	163	PM <sub>10</sub>	1
76	Manesar	Poor	273	PM <sub>2.5</sub>	1
77	Manglore	Satisfactory	52	PM <sub>2.5</sub>	1
78	Medikeri	Good	32	PM <sub>2.5</sub>	1
79	Meerut	Poor	202	PM <sub>10</sub>	3
80	Mumbai	Moderate	105	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	19
81	Muzaffarpur	Satisfactory	92	CO, PM <sub>2.5</sub>	2
82	Nagpur	Good	46	PM <sub>2.5</sub>	1
83	Nandesari	Moderate	106	со	1
84	Narnaul	Poor	214	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Ajmer, Aurangabad, Notes: Bathinda, Bidar, Coimbatore, Davanagere, Dewas, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Moradabad, Muzaffarnagar, Mysuru, Naharlagun, Panchkula, Ramanagara, Satna, Shillong, Siliguri, Singrauli, Solapur, Thane, Thoothukudi, Tirupati, Udupi, Vapi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	100	O <sub>3</sub>	1
86	Navi Mumbai	Moderate	106	PM <sub>10</sub>	2
87	Noida	Poor	237	PM <sub>10</sub>	3
88	Pali	Moderate	114	PM <sub>10</sub>	1
89	Palwal	Poor	222	PM <sub>10</sub>	1
90	Panipat	Poor	241	PM <sub>10</sub>	1
91	Patiala	Moderate	176	PM <sub>2.5</sub>	1
92	Patna	Moderate	110	O <sub>3</sub> , PM <sub>10</sub>	5
93	Pithampur	Satisfactory	85	O <sub>3</sub>	1
94	Puducherry	Good	18	03	1
95	Pune	Satisfactory	72	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	5
96	Raichur	Satisfactory	71	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Ajmer, Aurangabad, Notes: Bathinda, Bidar, Coimbatore, Davanagere, Dewas, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Moradabad, Muzaffarnagar, Mysuru, Naharlagun, Panchkula, Ramanagara, Satna, Shillong, Siliguri, Singrauli, Solapur, Thane, Thoothukudi, Tirupati, Udupi, Vapi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Good	48	PM <sub>10</sub>	1
98	Ratlam	Satisfactory	58	PM <sub>10</sub>	1
99	Rohtak	Poor	222	PM <sub>2.5</sub>	1
100	Rupnagar	Satisfactory	69	PM <sub>10</sub>	1
101	Sagar	Satisfactory	62	PM <sub>2.5</sub>	1
102	Shivamogga	Satisfactory	51	03	1
103	Sirsa	Very Poor	329	PM <sub>10</sub>	1
104	Sonipat	Poor	265	PM <sub>10</sub>	1
105	Srinagar	Satisfactory	91	PM <sub>10</sub>	1
106	Talcher	Moderate	106	со	1
107	Thiruvananthapuram	Satisfactory	52	PM <sub>10</sub>	2
108	Thrissur	Satisfactory	80	SO <sub>2</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Ajmer, Aurangabad, Notes: Bathinda, Bidar, Coimbatore, Davanagere, Dewas, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Moradabad, Muzaffarnagar, Mysuru, Naharlagun, Panchkula, Ramanagara, Satna, Shillong, Siliguri, Singrauli, Solapur, Thane, Thoothukudi, Tirupati, Udupi, Vapi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Udaipur	Satisfactory	63	PM <sub>10</sub>	1
110	Ujjain	Moderate	109	O <sub>3</sub>	1
111	Varanasi	Moderate	145	PM <sub>10</sub>	1
112	Vatva	Moderate	110	PM <sub>10</sub>	1
113	Visakhapatnam	Satisfactory	53	PM <sub>10</sub>	1
114	Yadgir	Satisfactory	54	O <sub>3</sub>	1
115	Yamunanagar	Moderate	165	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Ajmer, Aurangabad, Notes: Bathinda, Bidar, Coimbatore, Davanagere, Dewas, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Maihar, Moradabad, Muzaffarnagar, Mysuru, Naharlagun, Panchkula, Ramanagara, Satna, Shillong, Siliguri, Singrauli, Solapur, Thane, Thoothukudi, Tirupati, Udupi, Vapi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.