

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	154	PM _{2.5}	1
2	Agra	Moderate	193	O ₃ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	95	PM _{2.5} , PM ₁₀ , CO	9
4	Aizawl	Good	21	PM ₁₀	1
5	Ajmer	Satisfactory	59	NO ₂	1
6	Alwar	Moderate	128	PM _{2.5}	1
7	Amaravati	Good	27	СО	1
8	Ambala	Poor	225	PM _{2.5}	1
9	Amritsar	Moderate	187	PM _{2.5}	1
10	Ankleshwar	Poor	296	PM _{2.5}	1
11	Asansol	Poor	278	O ₃	1
12	Aurangabad	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Gummidipoondi, Jorapokhar, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Puducherry, Raichur, Ratlam, Shivamogga, Siliguri, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	26	PM _{2.5}	1
14	Baghpat	Poor	293	PM _{2.5}	1
15	Bahadurgarh	Very Poor	336	PM _{2.5}	1
16	Ballabgarh	Poor	264	PM ₁₀	1
17	Bathinda	Poor	202	PM ₁₀	1
18	Bengaluru	Satisfactory	71	NO ₂ , PM ₁₀ , O ₃	8
19	Bhiwadi	Very Poor	342	PM _{2.5}	1
20	Bhiwani	Poor	257	PM _{2.5}	1
21	Bhopal	Poor	259	PM _{2.5}	1
22	Bilaspur	Satisfactory	74	со	1
23	Bulandshahr	Poor	298	PM ₁₀	1
24	Chamarajanagar	Good	35	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Gummidipoondi, Jorapokhar, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Puducherry, Raichur, Ratlam, Shivamogga, Siliguri, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	138	O ₃ , PM ₁₀	2
26	Chandrapur	Good	36	O ₃ , SO ₂	2
27	Charkhi Dadri	Very Poor	355	PM _{2.5}	1
28	Chennai	Good	45	CO, O ₃ , PM _{2.5}	7
29	Chikkaballapur	Good	36	PM _{2.5}	1
30	Chikkamagaluru	Good	35	NO ₂	1
31	Coimbatore	Satisfactory	67	NO ₂	1
32	Damoh	Poor	248	PM _{2.5}	1
33	Darbhanga	Very Poor	390	PM _{2.5}	1
34	Davanagere	Good	30	со	1
35	Delhi	Very Poor	349	PM _{2.5} , PM ₁₀	36
36	Dewas	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Gummidipoondi, Jorapokhar, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Puducherry, Raichur, Ratlam, Shivamogga, Siliguri, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dharuhera	Poor	290	PM _{2.5}	1
38	Durgapur	Very Poor	336	PM _{2.5}	1
39	Eloor	Good	49	со	1
40	Ernakulam	Good	48	со	1
41	Faridabad	Very Poor	377	PM ₁₀ , PM _{2.5}	3
42	Fatehabad	Poor	288	PM _{2.5}	1
43	Firozabad	Poor	246	PM _{2.5}	1
44	Gadag	Good	43	PM _{2.5}	1
45	Gandhinagar	Satisfactory	71	PM _{2.5}	3
46	Gaya	Poor	201	PM _{2.5}	2
47	Ghaziabad	Very Poor	319	PM _{2.5}	4
48	Gorakhpur	Moderate	162	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Gummidipoondi, Jorapokhar, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Puducherry, Raichur, Ratlam, Shivamogga, Siliguri, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Poor	298	PM _{2.5}	2
50	Gurugram	Very Poor	364	PM _{2.5}	4
51	Guwahati	Moderate	180	PM ₁₀ , PM _{2.5}	2
52	Gwalior	Moderate	114	PM _{2.5} , PM ₁₀	2
53	Hajipur	Poor	282	PM _{2.5}	1
54	Haldia	Moderate	184	PM _{2.5}	1
55	Hapur	Poor	266	PM _{2.5}	1
56	Hassan	Good	49	PM ₁₀	1
57	Hisar	Very Poor	372	PM _{2.5}	1
58	Howrah	Poor	233	PM _{2.5}	3
59	Hubballi	Good	40	со	1
60	Hyderabad	Good	38	NO ₂ , PM ₁₀ , CO	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Gummidipoondi, Jorapokhar, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Puducherry, Raichur, Ratlam, Shivamogga, Siliguri, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Indore	Poor	239	PM _{2.5}	1
62	Jabalpur	Poor	243	PM _{2.5}	1
63	Jaipur	Moderate	163	PM _{2.5}	2
64	Jalandhar	Poor	221	PM _{2.5}	1
65	Jind	Very Poor	348	PM _{2.5}	1
66	Jodhpur	Satisfactory	91	PM _{2.5}	1
67	Kaithal	Poor	259	PM ₁₀	1
68	Kalaburgi	Good	31	O ₃	1
69	Kalyan	Satisfactory	64	PM ₁₀	1
70	Kannur	Good	44	PM ₁₀	1
71	Kanpur	Poor	290	PM _{2.5}	3
72	Karnal	Moderate	180	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Gummidipoondi, Jorapokhar, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Puducherry, Raichur, Ratlam, Shivamogga, Siliguri, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katni	Poor	270	PM _{2.5}	1
74	Khanna	Moderate	171	PM _{2.5}	1
75	Kochi	Satisfactory	58	PM _{2.5}	1
76	Kohima	Satisfactory	70	PM ₁₀	1
77	Kolkata	Poor	214	PM _{2.5} , PM ₁₀	6
78	Kollam	Satisfactory	72	PM ₁₀	1
79	Koppal	Satisfactory	61	O ₃	1
80	Kota	Moderate	136	PM _{2.5}	1
81	Kozhikode	Good	47	PM ₁₀	1
82	Kurukshetra	Poor	270	PM _{2.5}	1
83	Lucknow	Poor	228	PM _{2.5}	6
84	Ludhiana	Moderate	195	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Gummidipoondi, Jorapokhar, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Puducherry, Raichur, Ratlam, Shivamogga, Siliguri, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandi Gobindgarh	Poor	263	PM ₁₀	1
86	Mandideep	Moderate	114	PM ₁₀	1
87	Mandikhera	Satisfactory	91	PM _{2.5}	1
88	Manesar	Very Poor	310	PM _{2.5}	1
89	Manglore	Satisfactory	58	PM ₁₀	1
90	Medikeri	Good	28	PM ₁₀	1
91	Meerut	Very Poor	303	PM _{2.5}	3
92	Moradabad	Poor	294	PM _{2.5}	2
93	Motihari	Severe	428	PM _{2.5}	1
94	Mumbai	Satisfactory	84	PM _{2.5} , PM ₁₀ , CO	19
95	Munger	Very Poor	363	PM _{2.5}	1
96	Muzaffarnagar	Poor	267	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Gummidipoondi, Jorapokhar, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Puducherry, Raichur, Ratlam, Shivamogga, Siliguri, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Muzaffarpur	Very Poor	361	PM ₁₀ , PM _{2.5}	3
98	Nandesari	Satisfactory	79	со	1
99	Narnaul	Poor	288	PM _{2.5}	1
100	Nashik	Satisfactory	60	PM _{2.5}	1
101	Navi Mumbai	Satisfactory	63	CO, PM ₁₀ , PM _{2.5}	3
102	Noida	Very Poor	322	PM ₁₀ , PM _{2.5}	3
103	Pali	Satisfactory	66	PM _{2.5}	1
104	Palwal	Poor	224	PM ₁₀	1
105	Panchkula	Satisfactory	89	PM _{2.5}	1
106	Panipat	Poor	270	PM _{2.5}	1
107	Patiala	Poor	204	PM _{2.5}	1
108	Patna	Very Poor	308	PM _{2.5} , PM ₁₀	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Gummidipoondi, Jorapokhar, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Puducherry, Raichur, Ratlam, Shivamogga, Siliguri, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pithampur	Poor	226	PM _{2.5}	1
110	Prayagraj	Poor	224	PM _{2.5}	3
111	Pune	Satisfactory	70	CO, PM _{2.5}	2
112	Rajamahendravaram	Good	39	03	1
113	Ramanagara	Satisfactory	67	PM _{2.5}	1
114	Rohtak	Poor	300	PM _{2.5}	1
115	Rupnagar	Moderate	148	PM ₁₀	1
116	Sagar	Satisfactory	89	PM _{2.5}	1
117	Sasaram	Poor	268	PM _{2.5}	1
118	Satna	Satisfactory	63	PM ₁₀	1
119	Shillong	Good	33	PM _{2.5}	1
120	Singrauli	Very Poor	305	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Gummidipoondi, Jorapokhar, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Puducherry, Raichur, Ratlam, Shivamogga, Siliguri, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Solapur	Good	42	NO ₂	1
122	Sonipat	Poor	271	PM _{2.5}	1
123	Srinagar	Good	43	PM ₁₀	1
124	Talcher	Satisfactory	82	PM ₁₀	1
125	Thane	Satisfactory	99	PM ₁₀	1
126	Thiruvananthapuram	Good	42	PM ₁₀ , NO ₂	2
127	Thoothukudi	Satisfactory	54	СО	1
128	Thrissur	Satisfactory	51	PM ₁₀	1
129	Tirupati	Good	42	СО	1
130	Udaipur	Satisfactory	100	PM _{2.5}	1
131	Ujjain	Moderate	140	PM ₁₀	1
132	Vapi	Moderate	132	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Gummidipoondi, Jorapokhar, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Puducherry, Raichur, Ratlam, Shivamogga, Siliguri, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Varanasi	Moderate	189	PM _{2.5}	4
134	Vatva	Moderate	116	PM _{2.5}	1
135	Vijayapura	Satisfactory	51	PM ₁₀	1
136	Visakhapatnam	Good	48	PM ₁₀	1
137	Vrindavan	Poor	207	PM _{2.5}	1
138	Yadgir	Good	29	SO ₂	1
139	Yamunanagar	Poor	229	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Gummidipoondi, Jorapokhar, Kolar, Maihar, Mysuru, Nagpur, Naharlagun, Puducherry, Raichur, Ratlam, Shivamogga, Siliguri, Sirsa, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.