

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	25	PM ₁₀	1
2	Agra	Good	43	PM ₁₀ , CO, PM _{2.5}	5
3	Ahmedabad	Satisfactory	65	PM ₁₀	8
4	Ajmer	Satisfactory	85	PM ₁₀	1
5	Alwar	Good	49	PM ₁₀	1
6	Amaravati	Good	26	PM ₁₀	1
7	Ambala	Moderate	161	PM _{2.5}	1
8	Amritsar	Good	44	PM ₁₀	1
9	Ankleshwar	Satisfactory	75	PM _{2.5}	1
10	Asansol	Good	44	PM ₁₀	1
11	Aurangabad	Satisfactory	52	со	1
12	Bagalkot	Good	25	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bihar Sharif,
 Chikkaballapur, Coimbatore, Darbhanga, Durgapur, Fatehabad, Gummidipoondi,
 Jorapokhar, Manglore, Moradabad, Naharlagun, Udupi as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	68	PM ₁₀	1
14	Bahadurgarh	Satisfactory	56	O ₃	1
15	Ballabgarh	Satisfactory	70	со	1
16	Bathinda	Good	31	со	1
17	Bengaluru	Satisfactory	60	CO, PM ₁₀ , NO ₂	7
18	Bettiah	Satisfactory	60	PM ₁₀	1
19	Bhiwadi	Satisfactory	97	PM ₁₀	1
20	Bhiwani	Good	44	PM ₁₀	1
21	Bhopal	Good	46	PM ₁₀	1
22	Bidar	Good	34	PM ₁₀	1
23	Brajrajnagar	Good	44	со	1
24	Bulandshahr	Good	47	O ₃	1

Possible Health Impacts

pacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aizawl, Bihar Sharif, Chikkaballapur, Coimbatore, Darbhanga, Durgapur, Fatehabad, Gummidipoondi, Jorapokhar, Manglore, Moradabad, Naharlagun, Udupi as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chamarajanagar	Good	42	PM ₁₀	1
26	Chandigarh	Good	44	PM ₁₀	1
27	Chandrapur	Good	34	PM ₁₀	2
28	Charkhi Dadri	Good	45	PM _{2.5}	1
29	Chennai	Satisfactory	53	PM ₁₀ , CO	7
30	Chikkamagaluru	Good	27	03	1
31	Damoh	Good	18	NO ₂	1
32	Davanagere	Good	18	O ₃	1
33	Delhi	Satisfactory	69	NO ₂ , PM ₁₀ , PM _{2.5}	36
34	Dewas	Good	49	PM ₁₀	1
35	Dharuhera	Good	32	O ₃	1
36	Eloor	Satisfactory	78	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bihar Sharif,
 Chikkaballapur, Coimbatore, Darbhanga, Durgapur, Fatehabad, Gummidipoondi,
 Jorapokhar, Manglore, Moradabad, Naharlagun, Udupi as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	38	PM ₁₀	1
38	Faridabad	Satisfactory	63	PM ₁₀ , O ₃	4
39	Firozabad	Good	18	со	1
40	Gadag	Good	16	со	1
41	Gandhinagar	Satisfactory	51	PM _{2.5} , CO	2
42	Gaya	Good	45	PM _{2.5} , O ₃	2
43	Ghaziabad	Satisfactory	63	PM ₁₀	4
44	Gorakhpur	Good	21	PM ₁₀	1
45	Greater Noida	Satisfactory	66	PM ₁₀ , O ₃	2
46	Gurugram	Satisfactory	53	PM ₁₀ , PM _{2.5}	3
47	Guwahati	Satisfactory	52	SO ₂ , PM ₁₀	2
48	Gwalior	Good	22	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bihar Sharif,
 Chikkaballapur, Coimbatore, Darbhanga, Durgapur, Fatehabad, Gummidipoondi,
 Jorapokhar, Manglore, Moradabad, Naharlagun, Udupi as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Satisfactory	73	PM ₁₀	1
50	Haldia	Satisfactory	59	PM ₁₀	1
51	Hapur	Satisfactory	58	СО	1
52	Hassan	Good	38	PM ₁₀	1
53	Hisar	Good	44	PM _{2.5}	1
54	Howrah	Satisfactory	81	PM ₁₀ , PM _{2.5}	3
55	Hubballi	Good	33	PM ₁₀	1
56	Hyderabad	Good	44	NO ₂ , PM ₁₀ , PM _{2.5}	6
57	Indore	Satisfactory	59	PM ₁₀	1
58	Jabalpur	Satisfactory	64	PM ₁₀	1
59	Jaipur	Satisfactory	69	PM ₁₀	3
60	Jalandhar	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bihar Sharif, Chikkaballapur, Coimbatore, Darbhanga, Durgapur, Fatehabad, Gummidipoondi, Jorapokhar, Manglore, Moradabad, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Good	47	NO ₂	1
62	Jodhpur	Moderate	108	PM ₁₀	1
63	Kaithal	Satisfactory	90	O ₃	1
64	Kalaburgi	Good	23	SO ₂	1
65	Kalyan	Good	36	со	1
66	Kannur	Good	38	NO ₂	1
67	Kanpur	Good	48	PM ₁₀ , O ₃ , NO ₂	3
68	Karnal	Satisfactory	66	SO ₂	1
69	Katni	Satisfactory	74	PM ₁₀	1
70	Khanna	Good	44	PM ₁₀	1
71	Kochi	Satisfactory	51	PM ₁₀	1
72	Kohima	Good	35	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bihar Sharif,
 Chikkaballapur, Coimbatore, Darbhanga, Durgapur, Fatehabad, Gummidipoondi,
 Jorapokhar, Manglore, Moradabad, Naharlagun, Udupi as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolar	Good	47	SO ₂	1
74	Kolkata	Satisfactory	95	PM _{2.5} , PM ₁₀	7
75	Kollam	Satisfactory	100	со	1
76	Koppal	Good	31	со	1
77	Kota	Good	50	PM _{2.5}	1
78	Kozhikode	Satisfactory	56	со	1
79	Kurukshetra	Good	42	PM ₁₀	1
80	Lucknow	Good	47	PM ₁₀ , CO, O ₃	5
81	Ludhiana	Satisfactory	66	PM ₁₀	1
82	Maihar	Good	27	PM _{2.5}	1
83	Mandi Gobindgarh	Good	46	PM ₁₀	1
84	Mandideep	Good	45	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bihar Sharif,
 Chikkaballapur, Coimbatore, Darbhanga, Durgapur, Fatehabad, Gummidipoondi,
 Jorapokhar, Manglore, Moradabad, Naharlagun, Udupi as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandikhera	Good	33	PM _{2.5}	1
86	Manesar	Satisfactory	86	PM ₁₀	1
87	Medikeri	Good	22	SO ₂	1
88	Meerut	Good	44	O ₃ , PM ₁₀	3
89	Motihari	Good	42	03	1
90	Mumbai	Satisfactory	53	PM ₁₀ , CO	20
91	Muzaffarnagar	Satisfactory	78	СО	1
92	Muzaffarpur	Satisfactory	58	O ₃ , PM _{2.5}	2
93	Mysuru	Good	31	PM ₁₀	1
94	Nagpur	Satisfactory	72	со	1
95	Nandesari	Satisfactory	92	PM _{2.5}	1
96	Narnaul	Poor	222	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bihar Sharif,
 Chikkaballapur, Coimbatore, Darbhanga, Durgapur, Fatehabad, Gummidipoondi,
 Jorapokhar, Manglore, Moradabad, Naharlagun, Udupi as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nashik	Good	42	PM _{2.5}	1
98	Navi Mumbai	Good	32	PM ₁₀ , PM _{2.5}	3
99	Noida	Satisfactory	60	SO ₂ , CO, O ₃	4
100	Pali	Satisfactory	56	PM ₁₀	1
101	Palwal	Satisfactory	70	PM ₁₀	1
102	Panchkula	Satisfactory	52	со	1
103	Panipat	Satisfactory	58	PM ₁₀	1
104	Patiala	Good	39	PM _{2.5}	1
105	Patna	Satisfactory	60	PM ₁₀ , PM _{2.5} , CO	4
106	Pithampur	Satisfactory	59	PM ₁₀	1
107	Prayagraj	Good	48	PM ₁₀	3
108	Puducherry	Good	41	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bihar Sharif, Chikkaballapur, Coimbatore, Darbhanga, Durgapur, Fatehabad, Gummidipoondi, Jorapokhar, Manglore, Moradabad, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pune	Satisfactory	57	CO, PM _{2.5}	6
110	Raichur	Good	32	PM ₁₀	1
111	Rajamahendravaram	Satisfactory	65	PM ₁₀	1
112	Ramanagara	Good	29	03	1
113	Ratlam	Good	34	PM ₁₀	1
114	Rohtak	Satisfactory	71	PM _{2.5}	1
115	Rupnagar	Satisfactory	83	PM ₁₀	1
116	Sagar	Good	24	NO ₂	1
117	Satna	Satisfactory	60	PM ₁₀	1
118	Shillong	Good	13	SO ₂	1
119	Shivamogga	Poor	202	O ₃	1
120	Siliguri	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bihar Sharif,
 Chikkaballapur, Coimbatore, Darbhanga, Durgapur, Fatehabad, Gummidipoondi,
 Jorapokhar, Manglore, Moradabad, Naharlagun, Udupi as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Singrauli	Satisfactory	57	PM ₁₀	1
122	Sirsa	Moderate	102	O ₃	1
123	Solapur	Good	39	PM ₁₀	1
124	Sonipat	Satisfactory	68	PM ₁₀	1
125	Srinagar	Satisfactory	72	PM ₁₀	1
126	Talcher	Moderate	103	со	1
127	Thane	Satisfactory	78	PM ₁₀	1
128	Thiruvananthapuram	Good	36	O ₃ , CO	2
129	Thoothukudi	Good	42	PM ₁₀	1
130	Thrissur	Satisfactory	63	SO ₂	1
131	Tirupati	Good	36	со	1
132	Udaipur	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bihar Sharif,
 Chikkaballapur, Coimbatore, Darbhanga, Durgapur, Fatehabad, Gummidipoondi,
 Jorapokhar, Manglore, Moradabad, Naharlagun, Udupi as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ujjain	Satisfactory	77	PM ₁₀	1
134	Vapi	Satisfactory	61	PM ₁₀	1
135	Varanasi	Satisfactory	57	PM ₁₀ , NO ₂	4
136	Vatva	Moderate	105	PM ₁₀	1
137	Vijayapura	Good	50	СО	1
138	Visakhapatnam	Satisfactory	96	PM ₁₀	1
139	Vrindavan	Good	21	PM ₁₀	1
140	Yadgir	Good	20	O ₃	1
141	Yamunanagar	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bihar Sharif,
 Chikkaballapur, Coimbatore, Darbhanga, Durgapur, Fatehabad, Gummidipoondi,
 Jorapokhar, Manglore, Moradabad, Naharlagun, Udupi as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.