

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	82	PM _{2.5}	1
2	Agra	Satisfactory	76	PM ₁₀	6
3	Ahmedabad	Satisfactory	66	PM ₁₀	7
4	Ajmer	Satisfactory	80	PM ₁₀	1
5	Akola	Satisfactory	67	PM ₁₀	1
6	Alwar	Satisfactory	66	PM ₁₀	1
7	Amaravati	Satisfactory	61	PM ₁₀	1
8	Ambala	Satisfactory	97	СО	1
9	Amravati	Satisfactory	58	PM ₁₀	2
10	Anantapur	Satisfactory	68	PM ₁₀	1
11	Ankleshwar	Satisfactory	76	NO ₂	1
12	Araria	Satisfactory	62	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

-Dehradun, Dindigul, Ernakulam, Haldia, Hassan, Hisar, Imphal, Jalna

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	112	PM ₁₀	1
14	Asansol	Satisfactory	72	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Satisfactory	51	PM ₁₀	3
16	Baddi	Moderate	120	PM ₁₀	1
17	Badlapur	Good	40	PM ₁₀	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Moderate	116	PM ₁₀	1
20	Bahadurgarh	Moderate	124	PM ₁₀	1
21	Ballabgarh	Satisfactory	71	PM ₁₀	1
22	Banswara	Satisfactory	89	PM ₁₀	1
23	Baran	Satisfactory	85	PM ₁₀	1
24	Bareilly	Good	42	PM ₁₀	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

Denfadun, Dindigui, Ernakulam, Haidia, Hassan, Hisar, Imphai, Jaina

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	55	PM ₁₀	1
26	Barmer	Satisfactory	85	PM ₁₀	1
27	Bathinda	Satisfactory	90	PM ₁₀	1
28	Belapur	Satisfactory	54	PM ₁₀	1
29	Belgaum	Good	48	СО	1
30	Bengaluru	Good	50	PM ₁₀	7
31	Bettiah	Satisfactory	76	PM ₁₀	1
32	Bhagalpur	Satisfactory	94	PM ₁₀	2
33	Bharatpur	Moderate	101	PM ₁₀	1
34	Bhilai	Good	50	PM ₁₀	3
35	Bhilwara	Moderate	123	PM _{2.5}	1
36	Bhiwadi	Moderate	123	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

— Denradun, Dindigul, Ernakulam, Haldia, Hassan, Hisar, Imphal, Jaina

 Good
 Minimal Impact

 Satisfactory
 Minor breathing discomfort to sensitive people

 Moderate
 Breathing discomfort to the people with lungs, asthma and heart diseases

 Poor
 Breathing discomfort to most people on prolonged exposure

 Very Poor
 Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Satisfactory	53	PM ₁₀	1
38	Bhopal	Satisfactory	60	PM ₁₀	3
39	Bihar Sharif	Satisfactory	90	со	1
40	Bikaner	Moderate	142	PM ₁₀	1
41	Bilaspur	Good	29	PM _{2.5}	1
42	Bileipada	Moderate	109	PM ₁₀	1
43	Bulandshahr	Satisfactory	67	PM ₁₀	1
44	Bundi	Moderate	131	PM ₁₀	1
45	Byrnihat	Moderate	155	PM _{2.5}	1
46	Chamarajanagar	Good	46	PM ₁₀	1
47	Chandigarh	Satisfactory	86	PM ₁₀	3
48	Chandrapur	Satisfactory	72	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

Denfadun, Dindigul, Efhakulam, Haidia, Hassan, Hisaf, Imphal, Jaina

Notes:

Kunjemura, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode,
Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, MiraBhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur,
Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat,
Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore
as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Satisfactory	59	PM ₁₀	1
50	Chennai	Satisfactory	54	СО	6
51	Chhal	Satisfactory	54	PM ₁₀	1
52	Chikkaballapur	Good	25	PM _{2.5}	1
53	Chikkamagaluru	Good	42	O ₃	1
54	Chittoor	Good	43	O ₃	1
55	Chittorgarh	Satisfactory	79	PM ₁₀	1
56	Churu	Good	43	PM ₁₀	1
57	Cuddalore	Good	34	PM _{2.5}	1
58	Damoh	Good	49	PM ₁₀	1
59	Dausa	Moderate	104	PM ₁₀	1
60	Davanagere	Good	42	PM ₁₀	1

Notes:

— Denradun, Dindigul, Ernakulam, Haldia, Hassan, Hisar, Imphal, Jaina

Good Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Moderate	114	PM ₁₀	33
62	Dewas	Good	46	PM ₁₀	1
63	Dhanbad	Moderate	106	NO ₂	1
64	Dharuhera	Satisfactory	91	PM ₁₀	1
65	Dharwad	Satisfactory	92	PM _{2.5}	1
66	Dholpur	Satisfactory	64	PM ₁₀	1
67	Dhule	Satisfactory	73	PM ₁₀	1
68	Durgapur	Satisfactory	94	PM _{2.5}	1
69	Eloor	Satisfactory	68	PM ₁₀	1
70	Faridabad	Moderate	109	PM _{2.5} , PM ₁₀	3
71	Fatehabad	Moderate	119	O ₃	1
72	Firozabad	Satisfactory	72	PM ₁₀	2

Notes:

Denradun, Dindigui, Ernakulam, Haidia, Hassan, Hisar, Imphai, Jaina

Good Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Respiratory illness on prolonged exposure

Possible Health Impacts

Very Poor

Severe

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gadag	Good	47	SO ₂	1
74	Gandhinagar	Satisfactory	64	PM ₁₀	1
75	Gangtok	Satisfactory	56	SO ₂	1
76	Gaya	Satisfactory	66	PM ₁₀ , PM _{2.5}	3
77	Ghaziabad	Moderate	118	PM ₁₀	4
78	Gorakhpur	Satisfactory	61	PM ₁₀	1
79	Greater Noida	Moderate	120	PM ₁₀	2
80	Gummidipoondi	Satisfactory	77	PM ₁₀	1
81	Gurugram	Moderate	101	PM ₁₀ , PM _{2.5}	3
82	Guwahati	Satisfactory	67	CO, SO ₂	3
83	Gwalior	Satisfactory	51	PM ₁₀ , CO	4
84	Hajipur	Satisfactory	77	PM ₁₀	1

Notes:

- Denradun, Dindigul, Ernakulam, Haldia, Hassan, Hisar, Imphal, Jaina

Good Minimal Impact Srinagar as data was described Breathing discomfort to sensitive people # Some states and the sense of simple with lungs, as the sense of simple with lungs and the sense of simple with lungs and se

Affects healthy people and seriously impacts those with existing diseases

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Satisfactory	86	PM ₁₀	1
86	Hapur	Satisfactory	76	NO ₂	1
87	Haveri	Good	38	со	1
88	Hosur	Satisfactory	55	PM ₁₀	1
89	Howrah	Satisfactory	63	PM ₁₀	3
90	Hubballi	Satisfactory	81	PM ₁₀	1
91	Hyderabad	Satisfactory	91	03	8
92	Indore	Satisfactory	72	PM ₁₀	1
93	Jabalpur	Satisfactory	63	PM ₁₀	3
94	Jaipur	Satisfactory	87	PM ₁₀	5
95	Jaisalmer	Moderate	117	PM ₁₀	1
96	Jalandhar	Satisfactory	82	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

— Denfadun, Dindigul, Efnakulam, Haldia, Hassan, Hisar, Imphal, Jaina,

Good Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Satisfactory	61	PM ₁₀	1
98	Jhalawar	Satisfactory	51	PM ₁₀	1
99	Jhansi	Satisfactory	78	PM ₁₀	1
100	Jhunjhunu	Satisfactory	89	PM ₁₀	1
101	Jind	Moderate	122	со	1
102	Jodhpur	Moderate	114	PM ₁₀	4
103	Kaithal	Moderate	104	PM _{2.5}	1
104	Kalyan	Satisfactory	61	со	1
105	Kannur	Satisfactory	70	PM ₁₀	1
106	Kanpur	Satisfactory	58	CO, PM ₁₀	4
107	Karauli	Satisfactory	54	03	1
108	Karnal	Satisfactory	82	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

Denfadun, Dindigul, Efhakulam, Haidia, Hassan, Hisaf, Imphal, Jaina

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kashipur	Satisfactory	52	PM ₁₀	1
110	Katihar	Satisfactory	94	со	1
111	Katni	Satisfactory	81	PM ₁₀	1
112	Khanna	Satisfactory	68	PM ₁₀	1
113	Khurja	Satisfactory	98	PM _{2.5}	1
114	Kishanganj	Satisfactory	53	PM ₁₀	1
115	Kochi	Satisfactory	85	СО	1
116	Kohima	Good	50	SO ₂	1
117	Kolar	Satisfactory	60	PM ₁₀	1
118	Kolhapur	Good	42	PM ₁₀	1
119	Kolkata	Satisfactory	64	PM ₁₀	6
120	Koppal	Good	31	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

— Denfadun, Dindigul, Efhakulam, Haldia, Hassan, Hisaf, Imphal, Jaina,

Notes:

Kunjemura, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode,
Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, MiraBhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur,
Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat,
Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore
as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Korba	Good	30	PM ₁₀	2
122	Kota	Satisfactory	76	PM ₁₀	3
123	Latur	Good	39	со	1
124	Lucknow	Satisfactory	74	PM ₁₀	6
125	Ludhiana	Satisfactory	70	PM ₁₀	1
126	Madikeri	Good	37	PM ₁₀	1
127	Mahad	Good	28	PM ₁₀	1
128	Maihar	Good	36	PM ₁₀	1
129	Mandi Gobindgarh	Satisfactory	84	PM ₁₀	1
130	Mandideep	Good	47	PM ₁₀	1
131	Mandikhera	Satisfactory	94	PM ₁₀	1
132	Manesar	Satisfactory	75	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

- Denradun, Dindigul, Ernakulam, Haldia, Hassan, Hisar, Imphal, Jaina

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Meerut	Satisfactory	94	PM ₁₀	3
134	Moradabad	Satisfactory	88	PM ₁₀	6
135	Mumbai	Satisfactory	67	PM ₁₀	17
136	Munger	Moderate	142	PM ₁₀	1
137	Muzaffarnagar	Moderate	108	PM ₁₀	1
138	Muzaffarpur	Satisfactory	63	PM ₁₀ , O ₃	3
139	Mysuru	Satisfactory	59	PM ₁₀	1
140	Nagaur	Moderate	105	PM ₁₀	1
141	Nagpur	Satisfactory	66	PM ₁₀	4
142	Nalbari	Satisfactory	56	PM _{2.5}	1
143	Nanded	Good	43	со	1
144	Narnaul	Satisfactory	76	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

- Denradun, Dindigul, Ernakulam, Haldia, Hassan, Hisar, Imphal, Jaina

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nashik	Good	41	PM ₁₀	3
146	Navi Mumbai	Satisfactory	51	PM ₁₀	6
147	Nayagarh	Satisfactory	57	PM ₁₀	1
148	Noida	Moderate	106	PM ₁₀ , CO	4
149	Pali	Moderate	129	PM ₁₀	1
150	Palwal	Good	50	PM _{2.5}	1
151	Panchkula	Satisfactory	73	СО	1
152	Panipat	Moderate	107	PM ₁₀	1
153	Patiala	Satisfactory	57	O ₃	1
154	Patna	Satisfactory	94	PM ₁₀ , CO	5
155	Pimpri Chinchwad	Good	48	PM ₁₀	2
156	Pithampur	Satisfactory	72	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

Denradun, Dindigul, Ernakulam, Haldia, Hassan, Hisar, Imphal, Jaina

Good Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pratapgarh	Satisfactory	87	PM ₁₀	1
158	Prayagraj	Satisfactory	74	PM _{2.5}	3
159	Puducherry	Satisfactory	58	PM ₁₀	1
160	Pune	Satisfactory	83	NO ₂ , PM _{2.5}	7
161	Purnia	Satisfactory	56	со	1
162	Raipur	Good	36	PM ₁₀	2
163	Rajamahendravaram	Satisfactory	54	PM ₁₀	1
164	Rajgir	Moderate	105	PM ₁₀	1
165	Rajsamand	Moderate	101	PM ₁₀	1
166	Ramanagara	Good	47	PM ₁₀	1
167	Ratlam	Satisfactory	52	PM ₁₀	1
168	Rishikesh	Good	39	со	1

Notes:

- Denradun, Dindigul, Ernakulam, Haldia, Hassan, Hisar, Imphal, Jaina

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rohtak	Good	47	PM _{2.5}	1
170	Rourkela	Satisfactory	73	PM ₁₀ , PM _{2.5}	2
171	Rupnagar	Satisfactory	79	PM ₁₀	1
172	Sagar	Good	47	PM ₁₀	1
173	Samastipur	Satisfactory	84	PM ₁₀	1
174	Sangli	Good	33	PM ₁₀	1
175	Sasaram	Moderate	112	со	1
176	Satna	Satisfactory	59	PM ₁₀	1
177	Sawai Madhopur	Satisfactory	53	со	1
178	Shillong	Good	22	PM _{2.5}	2
179	Shivamogga	Satisfactory	63	PM ₁₀	1
180	Sikar	Satisfactory	99	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

— Denradun, Dindigul, Ernakulam, Haldia, Hassan, Hisar, Imphal, Jaina

Good Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Silchar	Good	42	со	1
182	Siliguri	Satisfactory	53	PM ₁₀	1
183	Singrauli	Moderate	106	NO ₂	1
184	Sirohi	Satisfactory	61	PM ₁₀	1
185	Sirsa	Satisfactory	56	PM ₁₀	1
186	Sivasagar	Good	21	PM ₁₀	1
187	Siwan	Moderate	103	PM ₁₀	1
188	Solapur	Satisfactory	61	PM _{2.5} , O ₃	3
189	Sri Ganganagar	Moderate	145	PM ₁₀	1
190	Suakati	Satisfactory	80	PM ₁₀	1
191	Surat	Satisfactory	98	PM ₁₀	1
192	Talcher	Good	50	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

— Denradun, Dindigul, Ernakulam, Haldia, Hassan, Hisar, Imphal, Jaina

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thane	Satisfactory	57	PM ₁₀	1
194	Thiruvananthapuram	Good	36	CO, PM ₁₀	2
195	Thoothukudi	Satisfactory	59	PM ₁₀	1
196	Thrissur	Satisfactory	58	PM ₁₀	1
197	Tirupati	Satisfactory	56	PM ₁₀	2
198	Tonk	Moderate	121	PM ₁₀	1
199	Tumakuru	Good	44	СО	1
200	Tumidih	Satisfactory	83	PM ₁₀	1
201	Udaipur	Satisfactory	82	PM ₁₀	1
202	Ujjain	Satisfactory	77	PM ₁₀	1
203	Ulhasnagar	Satisfactory	59	PM ₁₀	1
204	Vapi	Satisfactory	58	PM _{2.5}	1

Notes:

- Denradun, Dindigul, Ernakulam, Haldia, Hassan, Hisar, Imphal, Jaina

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Varanasi	Satisfactory	57	PM ₁₀	4
206	Vatva	Satisfactory	69	PM ₁₀	1
207	Vijayapura	Good	46	PM ₁₀	1
208	Vijayawada	Satisfactory	57	PM ₁₀	1
209	Vrindavan	Good	41	PM ₁₀	1
210	Yadgir	Good	35	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Coimbatore, Darbhanga,

Dehradun, Dindigul, Ernakulam, Haldia, Hassan, Hisar, Imphal, Jalnu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Keonjhar, Kollam, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Raichur, Rairangpur, Ramanathapuram, Saharsa, Salem, Sonipat, Srinagar, Tensa, Tirupur, Udupi, Virar, Visakhapatnam, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.