

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	56	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	72	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	88	CO, PM <sub>10</sub>	7
4	Aizawl	Good	14	PM <sub>10</sub>	1
5	Ajmer	Moderate	127	PM <sub>10</sub>	1
6	Akola	Satisfactory	53	PM <sub>10</sub>	1
7	Alwar	Satisfactory	58	PM <sub>10</sub>	1
8	Amaravati	Good	32	03	1
9	Ambala	Satisfactory	97	со	1
10	Amravati	Good	50	PM <sub>10</sub>	2
11	Amritsar	Satisfactory	56	O <sub>3</sub>	1
12	Anantapur	Good	40	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

### Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindigu

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Satisfactory	66	O <sub>3</sub>	1
14	Araria	Good	50	со	1
15	Arrah	Poor	242	PM <sub>2.5</sub>	1
16	Aurangabad (Bihar)	Good	36	PM <sub>10</sub>	1
17	Aurangabad (Maharashtra)	Good	50	со	2
18	Baddi	Satisfactory	89	PM <sub>10</sub>	1
19	Bagalkot	Good	46	PM <sub>10</sub>	1
20	Baghpat	Satisfactory	83	PM <sub>10</sub>	1
21	Bahadurgarh	Satisfactory	63	PM <sub>10</sub>	1
22	Ballabgarh	Moderate	122	PM <sub>2.5</sub>	1
23	Banswara	Satisfactory	98	PM <sub>10</sub>	1
24	Baran	Moderate	160	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

### Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindig

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	44	PM <sub>2.5</sub> , CO	2
26	Baripada	Satisfactory	61	PM <sub>10</sub>	1
27	Barmer	Satisfactory	100	PM <sub>10</sub>	1
28	Bathinda	Satisfactory	62	PM <sub>10</sub>	1
29	Belapur	Good	33	PM <sub>10</sub>	1
30	Belgaum	Good	46	со	1
31	Bengaluru	Good	50	PM <sub>10</sub>	10
32	Bettiah	Satisfactory	97	PM <sub>10</sub>	1
33	Bhagalpur	Satisfactory	75	PM <sub>10</sub>	2
34	Bharatpur	Satisfactory	76	PM <sub>10</sub>	1
35	Bhilai	Good	31	PM <sub>10</sub>	2
36	Bhiwadi	Satisfactory	98	PM <sub>10</sub>	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

### — <del>Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindig</del>u

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar,

Notes:

Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri,
Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun,
Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur,
Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain,
Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Good	42	NO <sub>2</sub>	1
38	Bhiwani	Good	50	со	1
39	Bhopal	Satisfactory	95	PM <sub>2.5</sub> , PM <sub>10</sub>	3
40	Bikaner	Moderate	163	PM <sub>10</sub>	1
41	Bilaspur	Moderate	108	PM <sub>10</sub>	1
42	Bileipada	Moderate	103	PM <sub>10</sub>	1
43	Brajrajnagar	Good	33	SO <sub>2</sub>	1
44	Bulandshahr	Satisfactory	80	PM <sub>10</sub>	1
45	Bundi	Moderate	166	PM <sub>10</sub>	1
46	Byrnihat	Moderate	175	PM <sub>2.5</sub>	1
47	Chamarajanagar	Good	40	PM <sub>10</sub>	1
48	Chandigarh	Satisfactory	66	PM <sub>10</sub>	3

\* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

## Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindig

Notes:

Notes:

Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri,
Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun,
Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur,
Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain,
Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Satisfactory	56	PM <sub>10</sub>	1
50	Charkhi Dadri	Satisfactory	61	PM <sub>10</sub>	1
51	Chennai	Satisfactory	77	NO <sub>2</sub> , CO	8
52	Chhal	Good	37	PM <sub>10</sub>	1
53	Chhapra	Satisfactory	78	со	1
54	Chikkaballapur	Good	30	O <sub>3</sub>	1
55	Chittoor	Good	34	O <sub>3</sub>	1
56	Chittorgarh	Satisfactory	63	PM <sub>10</sub>	1
57	Churu	Satisfactory	94	PM <sub>10</sub>	1
58	Coimbatore	Satisfactory	68	PM <sub>10</sub>	1
59	Cuddalore	Moderate	181	NO <sub>2</sub>	2
60	Damoh	Good	21	СО	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

### -Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindig

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dausa	Moderate	145	PM <sub>10</sub>	1
62	Davanagere	Good	17	PM <sub>2.5</sub>	1
63	Delhi	Satisfactory	100	PM <sub>10</sub>	11
64	Dewas	Good	43	PM <sub>10</sub>	1
65	Dhanbad	Moderate	184	со	1
66	Dharwad	Good	37	PM <sub>10</sub>	1
67	Dholpur	Moderate	146	PM <sub>10</sub>	1
68	Dhule	Good	32	PM <sub>10</sub>	1
69	Faridabad	Moderate	158	PM <sub>10</sub> , PM <sub>2.5</sub>	3
70	Fatehabad	Moderate	137	03	1
71	Firozabad	Satisfactory	63	PM <sub>10</sub>	2
72	Gandhinagar	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	3

\* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

### Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindig

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar,

Notes:

Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri,
Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun,
Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur,
Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain,
Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gangtok	Satisfactory	54	SO <sub>2</sub>	1
74	Gaya	Satisfactory	58	O <sub>3</sub>	3
75	Ghaziabad	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	3
76	Gorakhpur	Good	50	PM <sub>2.5</sub>	1
77	Greater Noida	Moderate	104	PM <sub>10</sub>	2
78	Gurugram	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	4
79	Guwahati	Satisfactory	54	CO, SO <sub>2</sub>	4
80	Gwalior	Satisfactory	57	PM <sub>10</sub> , PM <sub>2.5</sub>	4
81	Hajipur	Good	29	PM <sub>10</sub>	1
82	Haldia	Good	38	O <sub>3</sub>	1
83	Hanumangarh	Moderate	132	PM <sub>10</sub>	1
84	Hapur	Satisfactory	75	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

### Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindigu

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hassan	Good	43	PM <sub>10</sub>	1
86	Haveri	Good	34	со	1
87	Hisar	Satisfactory	71	03	1
88	Hosur	Good	38	PM <sub>10</sub>	1
89	Howrah	Good	44	NO <sub>2</sub> , PM <sub>10</sub>	3
90	Hubballi	Good	39	PM <sub>10</sub>	1
91	Hyderabad	Satisfactory	56	PM <sub>10</sub>	13
92	Indore	Satisfactory	76	PM <sub>10</sub>	1
93	Jabalpur	Satisfactory	57	O <sub>3</sub> , PM <sub>10</sub>	3
94	Jaipur	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	5
95	Jaisalmer	Moderate	127	PM <sub>10</sub>	1
96	Jalandhar	Satisfactory	90	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

## Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindig

Notes:

Notes:

Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri,
Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun,
Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur,
Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain,
Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Satisfactory	52	PM <sub>10</sub>	1
98	Jalna	Satisfactory	77	PM <sub>10</sub>	1
99	Jhalawar	Satisfactory	62	PM <sub>10</sub>	1
100	Jhansi	Satisfactory	52	PM <sub>2.5</sub>	1
101	Jhunjhunu	Satisfactory	77	PM <sub>10</sub>	1
102	Jind	Satisfactory	68	со	1
103	Jodhpur	Moderate	142	PM <sub>10</sub>	5
104	Kadapa	Good	28	NO <sub>2</sub>	1
105	Kaithal	Moderate	128	PM <sub>2.5</sub>	1
106	Kalyan	Satisfactory	69	со	1
107	Kannur	Satisfactory	70	PM <sub>10</sub>	1
108	Kanpur	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub>	3

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

#### Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindigu

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Satisfactory	59	PM <sub>10</sub>	1
110	Karnal	Satisfactory	64	PM <sub>2.5</sub>	1
111	Kashipur	Good	40	PM <sub>10</sub>	1
112	Katihar	Satisfactory	90	PM <sub>10</sub>	1
113	Katni	Satisfactory	57	PM <sub>10</sub>	1
114	Keonjhar	Good	47	PM <sub>10</sub>	1
115	Khanna	Satisfactory	55	PM <sub>10</sub>	1
116	Kochi	Satisfactory	75	СО	1
117	Kohima	Satisfactory	56	SO <sub>2</sub>	1
118	Kolhapur	Good	32	PM <sub>10</sub>	2
119	Kolkata	Good	44	PM <sub>10</sub> , O <sub>3</sub>	7
120	Kollam	Satisfactory	66	PM <sub>10</sub>	1

# Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindigu

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Koppal	Good	23	SO <sub>2</sub>	1
122	Korba	Moderate	104	PM <sub>10</sub>	2
123	Kota	Moderate	108	PM <sub>10</sub>	3
124	Kunjemura	Satisfactory	58	PM <sub>10</sub>	1
125	Kurukshetra	Satisfactory	52	03	1
126	Latur	Good	40	PM <sub>10</sub>	1
127	Lucknow	Good	46	PM <sub>10</sub>	6
128	Ludhiana	Satisfactory	99	PM <sub>10</sub>	1
129	Mahad	Good	26	PM <sub>10</sub>	1
130	Maihar	Good	23	со	1
131	Mandi Gobindgarh	Satisfactory	56	PM <sub>2.5</sub>	1
132	Mandideep	Satisfactory	90	03	1

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

## Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindig

Notes:

Notes:

Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri,
Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun,
Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur,
Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain,
Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandikhera	Good	49	PM <sub>10</sub>	1
134	Manesar	Satisfactory	83	PM <sub>10</sub>	1
135	Mangalore	Satisfactory	57	PM <sub>10</sub>	1
136	Meerut	Satisfactory	65	CO, PM <sub>10</sub>	3
137	Moradabad	Satisfactory	74	PM <sub>10</sub>	6
138	Motihari	Satisfactory	65	СО	1
139	Mumbai	Satisfactory	82	PM <sub>2.5</sub> , CO	20
140	Munger	Satisfactory	87	PM <sub>10</sub>	1
141	Muzaffarpur	Satisfactory	70	O <sub>3</sub>	3
142	Mysuru	Satisfactory	59	O <sub>3</sub>	1
143	Nagaon	Good	39	O <sub>3</sub>	1
144	Nagaur	Moderate	114	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

### Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindigu

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagpur	Satisfactory	56	PM <sub>10</sub>	4
146	Nalbari	Good	31	PM <sub>10</sub>	1
147	Narnaul	Satisfactory	59	PM <sub>10</sub>	1
148	Nashik	Good	31	PM <sub>10</sub>	4
149	Navi Mumbai	Satisfactory	52	со	5
150	Nayagarh	Good	44	PM <sub>10</sub>	1
151	Noida	Satisfactory	95	PM <sub>10</sub>	4
152	Ooty	Good	50	SO <sub>2</sub>	1
153	Pali	Poor	220	PM <sub>10</sub>	1
154	Palkalaiperur	Satisfactory	65	SO <sub>2</sub>	1
155	Palwal	Moderate	180	O <sub>3</sub>	1
156	Panchkula	Satisfactory	66	PM <sub>2.5</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

## Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindigu

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panipat	Satisfactory	99	PM <sub>10</sub>	1
158	Parbhani	Satisfactory	51	O <sub>3</sub>	1
159	Patiala	Good	49	PM <sub>10</sub>	1
160	Patna	Satisfactory	82	O <sub>3</sub> , PM <sub>10</sub>	6
161	Pimpri Chinchwad	Good	35	PM <sub>10</sub>	3
162	Pratapgarh	Moderate	114	PM <sub>10</sub>	1
163	Prayagraj	Satisfactory	55	PM <sub>10</sub>	3
164	Puducherry	Good	45	СО	1
165	Pune	Moderate	104	NO <sub>2</sub> , CO	5
166	Purnia	Satisfactory	94	PM <sub>10</sub>	1
167	Raichur	Satisfactory	76	O <sub>3</sub>	1
168	Raipur	Good	41	CO, PM <sub>10</sub>	3

## Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

\* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

<del>Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindigu</del>

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rairangpur	Satisfactory	61	PM <sub>2.5</sub>	1
170	Rajamahendravaram	Good	30	PM <sub>10</sub>	1
171	Rajgir	Moderate	112	PM <sub>10</sub>	1
172	Ramanagara	Good	36	PM <sub>10</sub>	1
173	Ramanathapuram	Good	37	PM <sub>10</sub>	1
174	Ratlam	Moderate	120	PM <sub>2.5</sub>	1
175	Rohtak	Satisfactory	92	PM <sub>2.5</sub>	1
176	Rourkela	Satisfactory	62	PM <sub>10</sub>	2
177	Rupnagar	Moderate	116	PM <sub>10</sub>	1
178	Sagar	Satisfactory	57	со	1
179	Saharsa	Satisfactory	56	со	1
180	Sangli	Good	21	PM <sub>10</sub>	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

### — Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindigu

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Satna	Satisfactory	69	PM <sub>10</sub>	1
182	Sawai Madhopur	Moderate	120	PM <sub>10</sub>	1
183	Shillong	Good	20	SO <sub>2</sub>	1
184	Sikar	Satisfactory	91	PM <sub>10</sub>	1
185	Silchar	Good	40	со	1
186	Siliguri	Good	39	PM <sub>10</sub>	1
187	Singrauli	Satisfactory	96	NO <sub>2</sub>	1
188	Sirohi	Satisfactory	70	PM <sub>10</sub>	1
189	Sirsa	Satisfactory	63	PM <sub>2.5</sub>	1
190	Sivasagar	Good	27	SO <sub>2</sub>	1
191	Siwan	Good	43	СО	1
192	Solapur	Satisfactory	64	PM <sub>10</sub>	3

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

### — <del>Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindig</del>u

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sri Ganganagar	Moderate	168	PM <sub>10</sub>	1
194	Srinagar	Good	50	PM <sub>10</sub>	1
195	Suakati	Satisfactory	52	PM <sub>10</sub>	1
196	Talcher	Good	39	NO <sub>2</sub>	1
197	Thane	Good	43	PM <sub>10</sub>	2
198	Thiruvananthapuram	Good	37	со	1
199	Thoothukudi	Satisfactory	56	PM <sub>10</sub>	1
200	Thrissur	Good	49	PM <sub>10</sub>	1
201	Tirupati	Good	40	NO <sub>2</sub>	1
202	Tirupur	Good	41	PM <sub>10</sub>	1
203	Tonk	Satisfactory	96	PM <sub>10</sub>	1
204	Tumakuru	Satisfactory	93	со	1

Notes:

### \* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

### Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindig

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Udaipur	Satisfactory	85	PM <sub>10</sub>	1
206	Vapi	Satisfactory	69	СО	1
207	Varanasi	Good	30	SO <sub>2</sub> , PM <sub>10</sub>	4
208	Vatva	Satisfactory	89	PM <sub>10</sub>	1
209	Vijayapura	Good	46	PM <sub>10</sub>	1
210	Visakhapatnam	Moderate	104	PM <sub>10</sub>	1
211	Vrindavan	Good	35	PM <sub>10</sub>	1
212	Yadgir	Good	25	PM <sub>10</sub>	1
213	Yamunanagar	Satisfactory	84	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

\* AQI is not calculated for today's bulletin for Ahmednagar, Ariyalur, Asansol, Badlapur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Boisar, Buxar,

<del>Chengalpattu, Chikkamagaluru, Darbhanga, Dehradun, Dharuhera, Dindigu</del>l

Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Khurja, Kishanganj, Kolar, Kozhikode, Madikeri, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nanded, Nandesari, Pithampur, Rajsamand, Rishikesh, Salem, Samastipur, Sasaram, Shivamogga, Sonipat, Surat, Tensa, Tumidih, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.