

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	50	PM _{2.5}	1
2	Agra	Satisfactory	61	PM _{2.5}	1
3	Ahmedabad	Satisfactory	87	03	1
4	Aizawl	Good	22	PM ₁₀	1
5	Ajmer	Satisfactory	62	03	1
6	Alwar	Good	43	03	1
7	Amaravati	Good	32	O ₃	1
8	Ambala	Satisfactory	79	PM ₁₀	1
9	Amritsar	Satisfactory	92	PM ₁₀	1
10	Ankleshwar	Moderate	126	03	1
11	Asansol	Satisfactory	67	PM ₁₀	1
12	Baghpat	Moderate	140	PM ₁₀	1

Possible Health Impacts

Very Poor

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Respiratory illness on prolonged exposure

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot,
 Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Kalyan, Kolar,
 Maihar, Mandikhera, Manglore, Naharlagun, Nandesari, Rupnagar, Shillong,
 Thoothukudi, Varanasi, Vijayapura, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	94	03	1
14	Bathinda	Moderate	137	PM ₁₀	1
15	Bengaluru	Satisfactory	52	CO, O ₃ , PM ₁₀	8
16	Bhiwadi	Poor	201	PM _{2.5}	1
17	Bhiwani	Moderate	107	PM ₁₀	1
18	Bhopal	Satisfactory	95	03	1
19	Brajrajnagar	Satisfactory	58	со	1
20	Bulandshahr	Moderate	195	03	1
21	Chamarajanagar	Good	40	PM ₁₀	1
22	Chandigarh	Satisfactory	58	PM ₁₀	1
23	Chandrapur	Satisfactory	52	PM ₁₀	2
24	Charkhi Dadri	Moderate	120	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot,
 Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Kalyan, Kolar,
 Maihar, Mandikhera, Manglore, Naharlagun, Nandesari, Rupnagar, Shillong,
 Thoothukudi, Varanasi, Vijayapura, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	56	PM ₁₀ , CO	4
26	Chikkaballapur	Good	34	NO ₂	1
27	Chikkamagaluru	Good	27	03	1
28	Damoh	Good	25	PM _{2.5}	1
29	Davanagere	Good	29	со	1
30	Delhi	Moderate	159	O ₃ , PM _{2.5}	30
31	Dewas	Satisfactory	55	O ₃	1
32	Dharuhera	Moderate	135	PM ₁₀	1
33	Eloor	Satisfactory	75	со	1
34	Ernakulam	Good	34	со	1
35	Faridabad	Moderate	131	O ₃ , PM _{2.5} , PM ₁₀	4
36	Fatehabad	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot,
 Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Kalyan, Kolar,
 Maihar, Mandikhera, Manglore, Naharlagun, Nandesari, Rupnagar, Shillong,
 Thoothukudi, Varanasi, Vijayapura, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	79	PM _{2.5}	2
38	Ghaziabad	Moderate	199	O ₃ , PM _{2.5}	4
39	Greater Noida	Moderate	126	PM ₁₀	2
40	Gummidipoondi	Satisfactory	92	PM ₁₀	1
41	Gurugram	Satisfactory	97	PM ₁₀ , O ₃	3
42	Guwahati	Satisfactory	66	PM ₁₀	1
43	Gwalior	Satisfactory	86	O ₃	1
44	Hajipur	Poor	206	PM ₁₀	1
45	Haldia	Good	27	СО	1
46	Hapur	Satisfactory	77	03	1
47	Hassan	Good	38	PM ₁₀	1
48	Hisar	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot,
 Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Kalyan, Kolar,
 Maihar, Mandikhera, Manglore, Naharlagun, Nandesari, Rupnagar, Shillong,
 Thoothukudi, Varanasi, Vijayapura, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Good	44	PM ₁₀ , O ₃	3
50	Hubballi	Good	30	O ₃	1
51	Hyderabad	Good	48	NO ₂ , PM ₁₀ , PM _{2.5}	5
52	Indore	Satisfactory	69	O ₃	1
53	Jabalpur	Satisfactory	83	O ₃	1
54	Jaipur	Satisfactory	88	O ₃	3
55	Jalandhar	Satisfactory	71	PM ₁₀	1
56	Jind	Satisfactory	92	PM ₁₀	1
57	Jodhpur	Satisfactory	88	PM ₁₀	1
58	Jorapokhar	Moderate	101	PM ₁₀	1
59	Kaithal	Satisfactory	100	PM ₁₀	1
60	Kalaburgi	Good	47	O ₃	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot,
Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Kalyan, Kolar,
Maihar, Mandikhera, Manglore, Naharlagun, Nandesari, Rupnagar, Shillong,
Thoothukudi, Varanasi, Vijayapura, Yadgir as data was not available.
Some stations have data available at 3PM

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	59	PM ₁₀	1
62	Kanpur	Satisfactory	76	PM _{2.5}	2
63	Karnal	Satisfactory	83	PM ₁₀	1
64	Katni	Satisfactory	82	03	1
65	Khanna	Satisfactory	74	PM ₁₀	1
66	Kochi	Good	45	со	1
67	Kohima	Good	49	PM ₁₀	1
68	Kolkata	Good	49	PM ₁₀ , O ₃	5
69	Kollam	Satisfactory	61	PM ₁₀	1
70	Koppal	Satisfactory	85	со	1
71	Kota	Satisfactory	69	PM ₁₀	1
72	Kozhikode	Good	49	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot,
 Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Kalyan, Kolar,
 Maihar, Mandikhera, Manglore, Naharlagun, Nandesari, Rupnagar, Shillong,
 Thoothukudi, Varanasi, Vijayapura, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Satisfactory	82	PM ₁₀	1
74	Lucknow	Satisfactory	99	PM _{2.5} , PM ₁₀ , O ₃	5
75	Ludhiana	Satisfactory	69	PM ₁₀	1
76	Mandi Gobindgarh	Satisfactory	55	PM ₁₀	1
77	Mandideep	Good	36	PM _{2.5}	1
78	Manesar	Satisfactory	97	PM ₁₀	1
79	Medikeri	Good	42	SO ₂	1
80	Meerut	Moderate	120	PM ₁₀	2
81	Moradabad	Moderate	152	PM _{2.5}	1
82	Mumbai	Satisfactory	53	O ₃ , CO, PM ₁₀	15
83	Muzaffarnagar	Moderate	104	PM ₁₀	1
84	Muzaffarpur	Satisfactory	99	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot,
 Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Kalyan, Kolar,
 Maihar, Mandikhera, Manglore, Naharlagun, Nandesari, Rupnagar, Shillong,
 Thoothukudi, Varanasi, Vijayapura, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Good	31	СО	1
86	Nagpur	Satisfactory	55	PM ₁₀	1
87	Narnaul	Moderate	131	PM ₁₀	1
88	Nashik	Satisfactory	76	O ₃	1
89	Navi Mumbai	Satisfactory	70	со	2
90	Noida	Moderate	122	PM ₁₀	3
91	Pali	Satisfactory	86	PM _{2.5}	1
92	Palwal	Satisfactory	94	PM ₁₀	1
93	Panchkula	Good	46	PM _{2.5}	1
94	Panipat	Moderate	122	PM ₁₀	1
95	Patiala	Satisfactory	87	PM ₁₀	1
96	Patna	Moderate	103	PM ₁₀ , PM _{2.5}	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot,
 Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Kalyan, Kolar,
 Maihar, Mandikhera, Manglore, Naharlagun, Nandesari, Rupnagar, Shillong,
 Thoothukudi, Varanasi, Vijayapura, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Satisfactory	78	O ₃	1
98	Prayagraj	Moderate	169	PM ₁₀	1
99	Puducherry	Satisfactory	52	O ₃	1
100	Pune	Satisfactory	65	CO, NO ₂ , PM _{2.5}	6
101	Raichur	Good	34	PM ₁₀	1
102	Rajamahendravaram	Good	48	PM ₁₀	1
103	Ramanagara	Good	35	03	1
104	Ratlam	Satisfactory	59	PM ₁₀	1
105	Rohtak	Satisfactory	54	NO ₂	1
106	Sagar	Good	32	PM _{2.5}	1
107	Satna	Satisfactory	81	PM ₁₀	1
108	Shivamogga	Good	31	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot,
 Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Kalyan, Kolar,
 Maihar, Mandikhera, Manglore, Naharlagun, Nandesari, Rupnagar, Shillong,
 Thoothukudi, Varanasi, Vijayapura, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Good	49	PM ₁₀	1
110	Singrauli	Moderate	118	PM ₁₀	1
111	Sirsa	Satisfactory	91	PM ₁₀	1
112	Solapur	Good	32	O ₃	1
113	Sonipat	Moderate	154	PM ₁₀	1
114	Srinagar	Satisfactory	100	PM ₁₀	1
115	Talcher	Moderate	112	СО	1
116	Thane	Moderate	181	NO ₂	1
117	Thiruvananthapuram	Good	44	СО	2
118	Thrissur	Satisfactory	55	O ₃	1
119	Tirupati	Good	45	PM ₁₀	1
120	Udaipur	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot,
 Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Kalyan, Kolar,
 Maihar, Mandikhera, Manglore, Naharlagun, Nandesari, Rupnagar, Shillong,
 Thoothukudi, Varanasi, Vijayapura, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udupi	Satisfactory	79	СО	1
122	Ujjain	Moderate	109	O ₃	1
123	Vapi	Good	48	PM ₁₀	1
124	Vatva	Satisfactory	99	PM _{2.5}	1
125	Visakhapatnam	Satisfactory	56	PM ₁₀	1
126	Yamunanagar	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot,
 Ballabgarh, Bidar, Coimbatore, Durgapur, Gadag, Gandhinagar, Kalyan, Kolar,
 Maihar, Mandikhera, Manglore, Naharlagun, Nandesari, Rupnagar, Shillong,
 Thoothukudi, Varanasi, Vijayapura, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.