Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	261	$PM_{2.5}$	1
2	Agra	Moderate	130	$PM_{2.5}$, PM_{10}	6
3	Ahmedabad	Moderate	154	$PM_{2.5}$, NO_2, PM_{10}	8
4	Ajmer	Satisfactory	96	PM_{10}	1
5	Alwar	Satisfactory	98	PM_{10}	1
6	Amaravati	Moderate	106	$PM_{2.5}$	1
7	Ambala	Moderate	128	$PM_{2.5}$	1
8	Amritsar	Moderate	133	PM_{10}	1
9	Ankleshwar	Moderate	177	$PM_{2.5}$	1
10	Araria	Poor	274	$PM_{2.5}$	1
11	Arrah	Moderate	177	$PM_{2.5}$	1
12	Aurangabad	Satisfactory	93	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	$PM_{2.5}$	1
14	Bahadurgarh	Poor	218	$PM_{2.5}$	1
15	Ballabgarh	Poor	231	$PM_{2.5}$	1
16	Bathinda	Moderate	104	PM_{10}	1
17	Bengaluru	Moderate	109	$PM_{2.5}$, PM_{10}, CO	8
18	Bettiah	Poor	284	$PM_{2.5}$	1
19	Bhagalpur	Poor	266	$PM_{2.5}$	2
20	Bhiwadi	Poor	296	$PM_{2.5}$	1
21	Bhiwani	Poor	262	$PM_{2.5}$	1
22	Bhopal	Satisfactory	99	PM_{10}	1
23	Bidar	Satisfactory	92	PM_{10}	1
24	Bihar Sharif	Moderate	164	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Good	47	PM_{10}	1
26	Brajrajnagar	Satisfactory	84	PM_{10}	1
27	Bulandshahr	Poor	281	$PM_{2.5}$	1
28	Buxar	Very Poor	316	PM_{10}	1
29	Chamarajanagar	Good	33	PM_{10}	1
30	Chandigarh	Moderate	150	$PM_{2.5}$, PM_{10}	3
31	Chandrapur	Moderate	124	O_3, $PM_{2.5}$	2
32	Charkhi Dadri	Poor	224	$PM_{2.5}$	1
33	Chennai	Satisfactory	100	O_3, PM_{10}	4
34	Chhapra	Very Poor	307	$PM_{2.5}$	1
35	Chikkaballapur	Moderate	103	$PM_{2.5}$	1
36	Coimbatore	Moderate	106	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Satisfactory	62	$PM_{2.5}$	1
38	Darbhanga	Poor	244	$PM_{2.5}$	1
39	Davanagere	Satisfactory	85	PM_{10}	1
40	Delhi	Poor	241	PM_{10}, $PM_{2.5}$	37
41	Dewas	Satisfactory	76	PM_{10}	1
42	Dharuhera	Poor	254	$PM_{2.5}$	1
43	Durgapur	Poor	271	PM_{10}	1
44	Eloor	Satisfactory	75	PM_{10}	1
45	Ernakulam	Satisfactory	54	$PM_{2.5}$	1
46	Faridabad	Poor	258	$PM_{2.5}$	2
47	Fatehabad	Moderate	149	$PM_{2.5}$	1
48	Firozabad	Moderate	158	$PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Satisfactory	80	$PM_{2.5}$	1
50	Gandhinagar	Moderate	125	$PM_{2.5}$, PM_{10}	3
51	Gaya	Moderate	200	$PM_{2.5}$	2
52	Ghaziabad	Poor	262	$PM_{2.5}$, PM_{10}	4
53	Gorakhpur	Satisfactory	97	PM_{10}	1
54	Greater Noida	Poor	210	$PM_{2.5}$	2
55	Gummidipoondi	Good	48	PM_{10}	1
56	Gurugram	Poor	287	$PM_{2.5}$	3
57	Guwahati	Poor	212	PM_{10}, $PM_{2.5}$	2
58	Gwalior	Moderate	124	PM_{10}	1
59	Haldia	Moderate	138	$PM_{2.5}$	1
60	Hapur	Poor	239	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Moderate	110	$PM_{2.5}$	1
62	Hisar	Poor	272	$PM_{2.5}$	1
63	Howrah	Poor	272	$PM_{2.5}$	2
64	Hubballi	Satisfactory	85	PM_{10}	1
65	Hyderabad	Moderate	104	$PM_{2.5}$, PM_{10}, O_3	5
66	Indore	Satisfactory	84	PM_{10}	1
67	Jabalpur	Moderate	131	PM_{10}	1
68	Jaipur	Moderate	110	PM_{10}	3
69	Jalandhar	Moderate	111	PM_{10}	1
70	Jhansi	Moderate	152	PM_{10}	1
71	Jind	Poor	203	$PM_{2.5}$	1
72	Jodhpur	Moderate	168	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	142	$PM_{2.5}$	1
74	Kalaburgi	Moderate	110	PM_{10}	1
75	Kalyan	Moderate	157	$PM_{2.5}$	1
76	Kannur	Satisfactory	75	$PM_{2.5}$	1
77	Kanpur	Moderate	138	PM_{10}	3
78	Karnal	Moderate	116	$PM_{2.5}$	1
79	Katihar	Poor	291	$PM_{2.5}$	1
80	Katni	Moderate	187	$PM_{2.5}$	1
81	Khanna	Moderate	104	PM_{10}	1
82	Kishanganj	Very Poor	306	$PM_{2.5}$	1
83	Kochi	Satisfactory	61	$PM_{2.5}$	1
84	Kohima	Satisfactory	85	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Poor	220	$PM_{2.5}$	7
86	Kollam	Satisfactory	88	PM_{10}	1
87	Koppal	Moderate	116	O_3	1
88	Kota	Moderate	149	$PM_{2.5}$	1
89	Kozhikode	Satisfactory	60	PM_{10}	1
90	Kurukshetra	Moderate	196	$PM_{2.5}$	1
91	Lucknow	Moderate	144	PM_{10}, $PM_{2.5}$	6
92	Ludhiana	Satisfactory	90	PM_{10}	1
93	Madikeri	Satisfactory	89	$PM_{2.5}$	1
94	Maihar	Good	28	PM_{10}	1
95	Mandi Gobindgarh	Moderate	153	PM_{10}	1
96	Mandideep	Satisfactory	94	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Moderate	107	PM_{10}	1
98	Manesar	Poor	269	$PM_{2.5}$	1
99	Manglore	Satisfactory	51	CO	1
100	Meerut	Poor	262	PM_{10}, $PM_{2.5}$	2
101	Moradabad	Moderate	181	$PM_{2.5}$	4
102	Motihari	Poor	243	$PM_{2.5}$	1
103	Mumbai	Satisfactory	88	PM_{10}, CO	18
104	Munger	Very Poor	342	$PM_{2.5}$	1
105	Muzaffarnagar	Poor	284	$PM_{2.5}$	1
106	Muzaffarpur	Poor	275	$PM_{2.5}$	1
107	Mysuru	Satisfactory	71	O_3	1
108	Nagpur	Satisfactory	92	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nandesari	Satisfactory	90	CO	1
110	Narnaul	Moderate	121	$PM_{2.5}$	1
111	Nashik	Satisfactory	56	PM_{10}	1
112	Navi Mumbai	Moderate	128	PM_{10}, CO	3
113	Noida	Poor	208	$PM_{2.5}$, PM_{10}	4
114	Pali	Moderate	110	$PM_{2.5}$	1
115	Palwal	Moderate	118	PM_{10}	1
116	Panchkula	Moderate	108	$PM_{2.5}$	1
117	Patiala	Moderate	111	$PM_{2.5}$	1
118	Patna	Poor	264	$PM_{2.5}$	6
119	Pithampur	Satisfactory	88	PM_{10}	1
120	Prayagraj	Moderate	103	PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Satisfactory	65	PM_{10}	1
122	Pune	Satisfactory	79	CO, $PM_{2.5}$, PM_{10}	6
123	Purnia	Poor	267	$PM_{2.5}$	1
124	Raichur	Moderate	126	PM_{10}	1
125	Rajamahendravaram	Moderate	136	$PM_{2.5}$	1
126	Rajgir	Poor	209	$PM_{2.5}$	1
127	Ratlam	Satisfactory	75	PM_{10}	1
128	Rohtak	Poor	202	$PM_{2.5}$	1
129	Rupnagar	Moderate	158	$PM_{2.5}$	1
130	Sagar	Satisfactory	72	PM_{10}	1
131	Saharsa	Poor	287	$PM_{2.5}$	1
132	Sasaram	Poor	220	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Satisfactory	58	PM_{10}	1
134	Shivamogga	Satisfactory	66	NO_2	1
135	Siliguri	Poor	204	$PM_{2.5}$	1
136	Singrauli	Poor	210	$PM_{2.5}$	1
137	Sirsa	Moderate	121	PM_{10}	1
138	Siwan	Poor	261	$PM_{2.5}$	1
139	Sonipat	Moderate	165	PM_{10}	1
140	Srinagar	Moderate	105	PM_{10}	1
141	Talcher	Satisfactory	96	$PM_{2.5}$	1
142	Thane	Moderate	158	O_3	1
143	Thiruvananthapuram	Satisfactory	51	$PM_{2.5}$	1
144	Thoothukudi	Satisfactory	51	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Moderate	105	$PM_{2.5}$	1
146	Tirupati	Satisfactory	75	$PM_{2.5}$	1
147	Udaipur	Moderate	142	PM_{10}	1
148	Ujjain	Moderate	125	$PM_{2.5}$	1
149	Vapi	Moderate	125	PM_{10}	1
150	Varanasi	Moderate	105	PM_{10}, $PM_{2.5}$	4
151	Vatva	Moderate	140	PM_{10}	1
152	Vijayapura	Good	46	PM_{10}	1
153	Visakhapatnam	Moderate	191	$PM_{2.5}$	1
154	Vrindavan	Moderate	125	$PM_{2.5}$	1
155	Yadgir	Satisfactory	78	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Baghpat, Bhilai, Chikkamagaluru, Hajipur, Jorapokhar, Kolar, Manguraha, Naharlagun, Panipat, Ramanagara, Shillong, Solapur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.