

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	67	PM _{2.5}	2
2	Agra	Good	50	PM ₁₀	5
3	Ahmedabad	Satisfactory	86	PM ₁₀ , NO ₂	7
4	Aizawl	Satisfactory	63	PM ₁₀	1
5	Ajmer	Satisfactory	69	03	1
6	Alwar	Satisfactory	55	NO ₂	1
7	Amaravati	Satisfactory	58	со	1
8	Ambala	Good	40	PM _{2.5}	1
9	Amritsar	Satisfactory	91	PM _{2.5}	1
10	Anantapur	Good	43	PM ₁₀	1
11	Ankleshwar	Satisfactory	62	PM ₁₀	1
12	Araria	Moderate	131	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Asansal Rehadurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	61	NO ₂	1
14	Arrah	Poor	204	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	112	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	89	PM ₁₀	1
17	Baddi	Satisfactory	91	PM ₁₀	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Satisfactory	78	O ₃	1
20	Ballabgarh	Good	47	PM ₁₀	1
21	Banswara	Moderate	103	PM ₁₀	1
22	Baripada	Satisfactory	66	PM ₁₀	1
23	Barmer	Satisfactory	82	O ₃	1
24	Bathinda	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Assassal Robodurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	287	PM _{2.5}	1
26	Belgaum	Satisfactory	53	PM ₁₀	1
27	Bengaluru	Satisfactory	68	PM ₁₀	9
28	Bettiah	Poor	242	PM _{2.5}	1
29	Bhagalpur	Moderate	160	PM _{2.5}	2
30	Bharatpur	Satisfactory	72	03	1
31	Bhilai	Good	42	PM ₁₀	2
32	Bhiwadi	Moderate	103	PM ₁₀	1
33	Bhiwani	Satisfactory	84	PM ₁₀	1
34	Bhopal	Moderate	102	PM ₁₀	3
35	Bidar	Moderate	106	со	1
36	Bihar Sharif	Poor	244	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Asansal Rehadurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Satisfactory	57	PM ₁₀	1
38	Bilaspur	Satisfactory	61	со	1
39	Bileipada	Satisfactory	89	PM ₁₀	1
40	Brajrajnagar	Satisfactory	85	со	1
41	Bulandshahr	Satisfactory	62	03	1
42	Chamarajanagar	Good	46	PM ₁₀	1
43	Chandigarh	Satisfactory	67	PM _{2.5}	3
44	Chandrapur	Moderate	111	PM _{2.5}	1
45	Charkhi Dadri	Good	42	PM _{2.5}	1
46	Chengalpattu	Satisfactory	92	PM ₁₀	1
47	Chennai	Satisfactory	63	СО	7
48	Chhal	Good	49	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Asansal Rehadurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Poor	291	PM ₁₀	1
50	Chikkaballapur	Good	47	PM ₁₀	1
51	Chikkamagaluru	Good	49	PM ₁₀	1
52	Chittorgarh	Satisfactory	72	03	1
53	Churu	Satisfactory	91	PM ₁₀	1
54	Coimbatore	Moderate	129	PM _{2.5}	1
55	Cuddalore	Good	27	PM _{2.5}	2
56	Damoh	Good	26	со	1
57	Dausa	Satisfactory	89	со	1
58	Davanagere	Satisfactory	56	PM ₁₀	1
59	Dehradun	Good	50	03	1
60	Delhi	Satisfactory	73	O ₃ , CO	37

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Assassal Robodurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dewas	Moderate	109	PM ₁₀	1
62	Dharwad	Satisfactory	82	PM ₁₀	1
63	Dholpur	Satisfactory	77	PM ₁₀	1
64	Dindigul	Satisfactory	52	PM ₁₀	1
65	Durgapur	Satisfactory	97	PM ₁₀	1
66	Eloor	Satisfactory	72	PM ₁₀	1
67	Faridabad	Moderate	116	PM ₁₀	4
68	Firozabad	Satisfactory	53	PM ₁₀	2
69	Gandhinagar	Satisfactory	75	PM _{2.5} , PM ₁₀	3
70	Gangtok	Good	45	PM ₁₀	1
71	Gaya	Moderate	117	PM ₁₀ , PM _{2.5}	3
72	Ghaziabad	Satisfactory	75	CO, O ₃	4

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQL is not coloulated for today's bulletin for Asansal, Rehadurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Moderate	102	PM _{2.5}	1
74	Greater Noida	Moderate	130	NO ₂	1
75	Gurugram	Satisfactory	66	PM ₁₀	2
76	Guwahati	Moderate	105	PM ₁₀ , PM _{2.5}	4
77	Gwalior	Moderate	134	03	2
78	Hajipur	Moderate	144	PM ₁₀	1
79	Haldia	Good	40	PM ₁₀	1
80	Hanumangarh	Satisfactory	86	PM _{2.5}	1
81	Hassan	Satisfactory	88	PM ₁₀	1
82	Haveri	Good	48	PM ₁₀	1
83	Hosur	Moderate	122	со	1
84	Howrah	Satisfactory	69	PM ₁₀ , CO	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Assassal Robodurgerh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Satisfactory	90	PM ₁₀	2
86	Hyderabad	Satisfactory	85	PM ₁₀	14
87	Imphal	Moderate	111	PM ₁₀	2
88	Indore	Moderate	106	PM ₁₀	2
89	Jabalpur	Satisfactory	98	PM ₁₀	1
90	Jaipur	Satisfactory	59	PM _{2.5}	5
91	Jalandhar	Good	38	PM ₁₀	1
92	Jhansi	Satisfactory	67	PM ₁₀	1
93	Jhunjhunu	Moderate	111	03	1
94	Jind	Satisfactory	83	со	1
95	Jodhpur	Satisfactory	88	PM ₁₀	2
96	Jorapokhar	Moderate	114	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Asansal Rehadurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Satisfactory	55	PM ₁₀	1
98	Kalaburgi	Satisfactory	86	PM _{2.5} , PM ₁₀	2
99	Kannur	Satisfactory	77	PM ₁₀	1
100	Kanpur	Moderate	121	NO ₂	3
101	Karauli	Good	46	03	1
102	Karnal	Good	38	PM ₁₀	1
103	Katihar	Moderate	148	PM _{2.5}	1
104	Katni	Satisfactory	93	PM ₁₀	1
105	Keonjhar	Satisfactory	68	PM ₁₀	1
106	Khanna	Satisfactory	74	PM ₁₀	1
107	Khurja	Satisfactory	67	SO ₂	1
108	Kishanganj	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Assassal Robodurgerh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kochi	Satisfactory	64	PM ₁₀	1
110	Kohima	Satisfactory	95	PM ₁₀	1
111	Kolar	Satisfactory	56	PM ₁₀	1
112	Kolkata	Satisfactory	54	PM ₁₀	7
113	Kollam	Satisfactory	78	PM ₁₀	1
114	Koppal	Satisfactory	54	03	1
115	Korba	Satisfactory	76	PM ₁₀	2
116	Kota	Satisfactory	70	O ₃ , PM _{2.5}	3
117	Kurukshetra	Good	48	PM ₁₀	1
118	Lucknow	Moderate	112	PM _{2.5}	6
119	Ludhiana	Satisfactory	89	PM ₁₀	1
120	Madikeri	Good	30	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Asansal Rehadurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Maihar	Good	46	PM _{2.5}	1
122	Mandi Gobindgarh	Satisfactory	89	PM _{2.5}	1
123	Mandideep	Moderate	124	PM ₁₀	1
124	Manesar	Good	47	PM ₁₀	1
125	Mangalore	Satisfactory	87	PM ₁₀	1
126	Meerut	Satisfactory	60	NO ₂	3
127	Milupara	Good	32	PM ₁₀	1
128	Moradabad	Good	50	SO ₂ , CO	5
129	Motihari	Moderate	118	PM ₁₀	1
130	Mumbai	Satisfactory	82	PM _{2.5} , PM ₁₀	18
131	Munger	Poor	286	PM _{2.5}	1
132	Muzaffarpur	Moderate	195	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Bahadurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mysuru	Good	45	PM ₁₀	1
134	Nagpur	Moderate	105	PM ₁₀	1
135	Naharlagun	Good	26	PM _{2.5}	1
136	Nalbari	Moderate	104	PM ₁₀	1
137	Nandesari	Good	38	со	1
138	Nashik	Satisfactory	63	PM ₁₀	1
139	Navi Mumbai	Satisfactory	96	PM ₁₀	2
140	Noida	Satisfactory	82	NO ₂ , CO	4
141	Pali	Satisfactory	65	PM ₁₀	1
142	Palkalaiperur	Satisfactory	51	SO ₂	1
143	Palwal	Good	44	PM _{2.5}	1
144	Panchkula	Satisfactory	52	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Bahadurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Panipat	Satisfactory	58	со	1
146	Patiala	Good	38	PM ₁₀	1
147	Patna	Moderate	199	PM _{2.5} , PM ₁₀	6
148	Pithampur	Moderate	123	PM ₁₀	1
149	Pratapgarh	Satisfactory	67	PM ₁₀	1
150	Prayagraj	Satisfactory	65	PM ₁₀	3
151	Puducherry	Good	34	PM ₁₀	1
152	Pune	Satisfactory	96	NO ₂ , CO	3
153	Purnia	Moderate	107	PM ₁₀	1
154	Raichur	Satisfactory	65	SO ₂	1
155	Raipur	Satisfactory	51	NO ₂	4
156	Rairangpur	Moderate	145	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Bahadurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajamahendravaram	Good	27	PM ₁₀	1
158	Rajgir	Moderate	130	PM ₁₀	1
159	Rajsamand	Good	44	PM ₁₀	1
160	Ramanagara	Satisfactory	52	PM ₁₀	1
161	Ramanathapuram	Satisfactory	57	PM ₁₀	1
162	Ratlam	Satisfactory	91	PM ₁₀	1
163	Rishikesh	Good	47	PM ₁₀	1
164	Rohtak	Good	37	03	1
165	Rourkela	Moderate	122	PM ₁₀	2
166	Rupnagar	Satisfactory	60	со	1
167	Sagar	Satisfactory	84	03	1
168	Saharsa	Poor	247	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Bahadurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Samastipur	Poor	229	PM _{2.5}	1
170	Satna	Moderate	120	PM ₁₀	1
171	Sawai Madhopur	Satisfactory	60	03	1
172	Shivamogga	Good	50	PM ₁₀	1
173	Sikar	Satisfactory	61	03	1
174	Silchar	Good	28	PM ₁₀	1
175	Siliguri	Satisfactory	69	PM ₁₀	1
176	Singrauli	Moderate	138	PM ₁₀	1
177	Sirsa	Good	48	03	1
178	Sivasagar	Good	39	PM _{2.5}	1
179	Siwan	Poor	294	PM _{2.5}	1
180	Solapur	Moderate	123	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Asansal Rehadurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sri Ganganagar	Satisfactory	68	PM ₁₀	1
182	Srinagar	Satisfactory	55	PM ₁₀	1
183	Suakati	Satisfactory	81	PM _{2.5}	1
184	Surat	Satisfactory	78	со	1
185	Talcher	Satisfactory	65	со	1
186	Thiruvananthapuram	Satisfactory	54	PM ₁₀	2
187	Thoothukudi	Satisfactory	68	PM ₁₀	1
188	Thrissur	Satisfactory	81	PM ₁₀	1
189	Tirupati	Satisfactory	92	PM _{2.5}	2
190	Tirupur	Satisfactory	55	PM ₁₀	1
191	Tonk	Satisfactory	67	PM ₁₀	1
192	Tumidih	Satisfactory	69	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Bahadurgarh

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udaipur	Satisfactory	69	PM ₁₀	1
194	Udupi	Satisfactory	73	O ₃	1
195	Ujjain	Satisfactory	99	PM ₁₀	1
196	Vapi	Satisfactory	85	PM _{2.5}	1
197	Varanasi	Satisfactory	56	PM ₁₀ , PM _{2.5}	3
198	Vatva	Moderate	115	PM ₁₀	1
199	Vijayapura	Good	42	PM ₁₀	1
200	Vijayawada	Satisfactory	62	O ₃	1
201	Visakhapatnam	Satisfactory	80	PM ₁₀	1
202	Vrindavan	Moderate	118	PM ₁₀	1
203	Yadgir	Satisfactory	70	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Bahadurgarh,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.