

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	96	PM ₁₀	1
2	Agra	Poor	213	PM _{2.5}	5
3	Ahmedabad	Satisfactory	91	PM _{2.5} , PM ₁₀ , CO	8
4	Aizawl	Good	14	со	1
5	Ajmer	Satisfactory	56	03	1
6	Alwar	Satisfactory	81	PM ₁₀	1
7	Amaravati	Satisfactory	85	PM _{2.5}	1
8	Ambala	Very Poor	323	PM _{2.5}	1
9	Amritsar	Moderate	149	PM ₁₀	1
10	Ankleshwar	Poor	276	PM _{2.5}	1
11	Asansol	Moderate	147	PM _{2.5}	1
12	Aurangabad	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	42	PM _{2.5}	1
14	Baghpat	Poor	274	PM _{2.5}	1
15	Bahadurgarh	Very Poor	317	PM _{2.5}	1
16	Ballabgarh	Poor	294	PM _{2.5}	1
17	Bathinda	Moderate	129	PM ₁₀	1
18	Bengaluru	Satisfactory	95	PM _{2.5} , PM ₁₀	8
19	Bettiah	Moderate	137	PM ₁₀	1
20	Bhagalpur	Poor	275	PM _{2.5}	2
21	Bhilai	Satisfactory	60	PM ₁₀	1
22	Bhiwadi	Poor	292	PM _{2.5}	1
23	Bhiwani	Moderate	151	PM ₁₀	1
24	Bhopal	Poor	286	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Moderate	138	PM ₁₀	1
26	Bihar Sharif	Very Poor	380	PM ₁₀	1
27	Bilaspur	Satisfactory	99	PM ₁₀	1
28	Brajrajnagar	Satisfactory	96	03	1
29	Bulandshahr	Very Poor	316	PM _{2.5}	1
30	Buxar	Very Poor	393	PM ₁₀	1
31	Chamarajanagar	Good	34	PM ₁₀	1
32	Chandigarh	Satisfactory	92	NO ₂ , PM ₁₀	2
33	Chandrapur	Poor	210	PM _{2.5}	2
34	Charkhi Dadri	Poor	270	PM _{2.5}	1
35	Chennai	Satisfactory	90	PM ₁₀ , PM _{2.5}	7
36	Chhapra	Very Poor	397	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	83	PM _{2.5}	1
38	Chikkamagaluru	Good	31	SO ₂	1
39	Coimbatore	Good	50	PM _{2.5}	1
40	Damoh	Poor	272	PM _{2.5}	1
41	Darbhanga	Very Poor	351	PM _{2.5}	1
42	Davanagere	Good	34	PM ₁₀	1
43	Delhi	Very Poor	362	PM ₁₀ , PM _{2.5}	37
44	Dewas	Satisfactory	100	PM ₁₀	1
45	Dharuhera	Very Poor	325	PM _{2.5}	1
46	Eloor	Satisfactory	61	PM ₁₀	1
47	Ernakulam	Good	50	со	1
48	Faridabad	Very Poor	356	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Poor	290	PM _{2.5}	1
50	Firozabad	Very Poor	360	PM _{2.5}	1
51	Gadag	Good	38	PM _{2.5}	1
52	Gandhinagar	Satisfactory	66	PM _{2.5} , PM ₁₀	3
53	Gaya	Poor	225	PM _{2.5} , PM ₁₀	3
54	Ghaziabad	Very Poor	327	PM _{2.5}	4
55	Gorakhpur	Moderate	103	PM _{2.5}	1
56	Greater Noida	Very Poor	335	PM _{2.5}	2
57	Gurugram	Very Poor	334	PM _{2.5}	3
58	Guwahati	Moderate	155	PM _{2.5}	2
59	Gwalior	Poor	247	PM _{2.5}	1
60	Hajipur	Poor	264	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Moderate	145	PM _{2.5}	1
62	Hapur	Very Poor	321	PM _{2.5}	1
63	Hisar	Very Poor	355	PM _{2.5}	1
64	Howrah	Poor	268	PM _{2.5}	2
65	Hubballi	Good	48	PM ₁₀	1
66	Hyderabad	Moderate	162	PM _{2.5}	6
67	Indore	Poor	273	PM _{2.5}	1
68	Jabalpur	Very Poor	328	PM _{2.5}	1
69	Jaipur	Moderate	126	PM _{2.5} , PM ₁₀	2
70	Jalandhar	Moderate	166	PM _{2.5}	1
71	Jind	Very Poor	344	PM _{2.5}	1
72	Jodhpur	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Poor	276	PM _{2.5}	1
74	Kalyan	Satisfactory	94	PM _{2.5}	1
75	Kanpur	Moderate	199	NO ₂ , PM _{2.5}	3
76	Karnal	Poor	246	PM ₁₀	1
77	Katihar	Severe	429	PM ₁₀	1
78	Katni	Poor	271	PM _{2.5}	1
79	Khanna	Moderate	111	PM ₁₀	1
80	Kishanganj	Poor	229	PM _{2.5}	1
81	Kochi	Moderate	104	PM _{2.5}	1
82	Kohima	Satisfactory	78	PM ₁₀	1
83	Kolar	Satisfactory	98	PM ₁₀	1
84	Kolkata	Moderate	177	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	91	PM ₁₀	1
86	Koppal	Satisfactory	57	03	1
87	Kota	Moderate	122	PM _{2.5}	1
88	Kozhikode	Satisfactory	59	PM ₁₀	1
89	Kurukshetra	Poor	263	PM _{2.5}	1
90	Lucknow	Poor	205	PM _{2.5} , PM ₁₀	6
91	Ludhiana	Moderate	140	PM _{2.5}	1
92	Maihar	Moderate	175	PM _{2.5}	1
93	Mandideep	Moderate	102	PM ₁₀	1
94	Mandikhera	Satisfactory	92	PM _{2.5}	1
95	Manesar	Very Poor	340	PM _{2.5}	1
96	Manglore	Satisfactory	78	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Medikeri	Good	28	O ₃	1
98	Meerut	Poor	262	PM _{2.5}	3
99	Moradabad	Poor	219	PM _{2.5}	2
100	Motihari	Poor	225	PM _{2.5}	1
101	Mumbai	Moderate	116	PM ₁₀ , PM _{2.5}	20
102	Muzaffarnagar	Poor	262	PM _{2.5}	1
103	Muzaffarpur	Very Poor	326	PM _{2.5}	3
104	Mysuru	Good	41	СО	1
105	Nagpur	Moderate	200	PM _{2.5}	1
106	Naharlagun	Moderate	123	O ₃	1
107	Narnaul	Moderate	178	PM _{2.5}	1
108	Nashik	Moderate	125	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	148	PM _{2.5} , PM ₁₀	3
110	Noida	Very Poor	355	PM ₁₀ , PM _{2.5}	4
111	Pali	Satisfactory	72	PM ₁₀	1
112	Palwal	Moderate	183	PM ₁₀	1
113	Panchkula	Satisfactory	97	PM _{2.5}	1
114	Panipat	Poor	204	PM ₁₀	1
115	Patiala	Moderate	143	PM _{2.5}	1
116	Patna	Very Poor	333	PM _{2.5} , PM ₁₀	6
117	Pithampur	Poor	272	PM _{2.5}	1
118	Prayagraj	Poor	232	PM _{2.5}	3
119	Puducherry	Satisfactory	88	PM ₁₀	1
120	Pune	Good	46	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Very Poor	323	PM _{2.5}	1
122	Raichur	Moderate	178	PM _{2.5}	1
123	Rajamahendravaram	Satisfactory	96	PM ₁₀	1
124	Rajgir	Poor	295	PM _{2.5}	1
125	Ramanagara	Good	50	PM _{2.5}	1
126	Ratlam	Moderate	115	PM ₁₀	1
127	Rohtak	Poor	268	PM _{2.5}	1
128	Rupnagar	Moderate	143	PM ₁₀	1
129	Saharsa	Very Poor	326	PM ₁₀	1
130	Satna	Satisfactory	65	PM ₁₀	1
131	Shillong	Good	24	SO ₂	1
132	Shivamogga	Good	49	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Satisfactory	98	PM ₁₀	1
134	Sirsa	Poor	260	PM _{2.5}	1
135	Siwan	Very Poor	313	PM _{2.5}	1
136	Sonipat	Moderate	184	PM ₁₀	1
137	Talcher	Satisfactory	77	PM _{2.5}	1
138	Thane	Moderate	187	03	1
139	Thiruvananthapuram	Satisfactory	52	PM ₁₀ , CO	2
140	Thrissur	Good	41	PM ₁₀	1
141	Tirupati	Satisfactory	84	PM _{2.5}	1
142	Udaipur	Moderate	135	PM _{2.5}	1
143	Ujjain	Moderate	136	PM ₁₀	1
144	Vapi	Poor	202	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Poor	218	PM _{2.5}	4
146	Vatva	Moderate	115	PM ₁₀	1
147	Vijayapura	Good	46	PM ₁₀	1
148	Visakhapatnam	Satisfactory	56	PM _{2.5}	1
149	Vrindavan	Poor	225	PM _{2.5}	1
150	Yadgir	Moderate	157	PM _{2.5}	1
151	Yamunanagar	Poor	236	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kannur, Mandi Gobindgarh, Manguraha, Munger Nandesari, Sagar, Sasaram, Singrauli, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.