



Air Quality Index on Aug 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	90	CO	1
2	Ahmedabad	Good	48	PM ₁₀	1
3	Ajmer	Good	40	CO	1
4	Alwar	Satisfactory	55	PM _{2.5}	1
5	Amaravati	Good	44	O ₃	1
6	Ambala	Satisfactory	51	O ₃	1
7	Amritsar	Good	36	O ₃	1
8	Ankleshwar	Good	47	CO	1
9	Aurangabad	Good	45	PM ₁₀	1
10	Bagalkot	Good	34	PM ₁₀	1
11	Baghpat	Satisfactory	57	O ₃	1
12	Bahadurgarh	Good	42	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Ernakulam, Faridabad, Fatehabad, Kollam, Kozhikode, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Palwal, Ratlam, Satna, Shillong, Solapur, Talcher, Vapi, Yagpur as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	81	PM ₁₀	1
14	Bathinda	Good	34	CO	1
15	Bengaluru	Satisfactory	61	PM _{2.5} , CO, PM ₁₀	8
16	Bhiwadi	Good	35	PM ₁₀	1
17	Bhiwani	Good	32	O ₃	1
18	Bhopal	Good	36	O ₃	1
19	Brajrajnagar	Satisfactory	83	PM _{2.5}	1
20	Bulandshahr	Good	35	O ₃	1
21	Chandigarh	Good	27	O ₃	1
22	Chandrapur	Good	34	O ₃ , PM ₁₀	2
23	Charkhi Dadri	Good	38	O ₃	1
24	Chennai	Satisfactory	58	CO, O ₃ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Ernakulam, Faridabad, Fatehabad, Kollam, Kozhikode, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Palwal, Ratlam, Satna, Shillong, Solapur, Talcher, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	43	PM ₁₀	1
26	Chikkamagaluru	Good	42	PM ₁₀	1
27	Coimbatore	Good	42	NO ₂	1
28	Damoh	Good	19	NO ₂	1
29	Delhi	Good	41	CO, NO ₂ , PM ₁₀	32
30	Dewas	Good	36	O ₃	1
31	Dharuhera	Good	32	O ₃	1
32	Eloor	Good	47	PM ₁₀	1
33	Gandhinagar	Good	23	O ₃	1
34	Gaya	Good	42	O ₃	1
35	Ghaziabad	Good	41	PM ₁₀ , CO	3
36	Greater Noida	Satisfactory	54	CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Ernakulam, Faridabad, Fatehabad, Kollam, Kozhikode, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Palwal, Ratlam, Satna, Shillong, Solapur, Talcher, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Good	35	PM ₁₀ , PM _{2.5} , CO	3
38	Guwahati	Good	44	PM ₁₀	1
39	Gwalior	Good	24	O ₃	1
40	Hajipur	Satisfactory	81	PM ₁₀	1
41	Hapur	Good	50	CO	1
42	Hisar	Good	48	PM ₁₀	1
43	Howrah	Satisfactory	74	PM ₁₀ , PM _{2.5}	2
44	Hubballi	Good	21	PM ₁₀	1
45	Hyderabad	Good	38	PM ₁₀ , NO ₂ , O ₃	6
46	Indore	Good	37	O ₃	1
47	Jabalpur	Good	34	PM ₁₀	1
48	Jaipur	Good	36	CO, O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Ernakulam, Faridabad, Fatehabad, Kollam, Kozhikode, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Palwal, Ratlam, Satna, Shillong, Solapur, Talcher, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jalandhar	Good	37	O ₃	1
50	Jind	Good	38	CO	1
51	Jodhpur	Satisfactory	52	PM _{2.5}	1
52	Jorapokhar	Satisfactory	57	O ₃	1
53	Kaithal	Good	36	PM ₁₀	1
54	Kalaburgi	Good	8	PM ₁₀	1
55	Kalyan	Good	28	PM ₁₀	1
56	Kannur	Good	25	PM ₁₀	1
57	Kanpur	Satisfactory	56	O ₃	1
58	Karnal	Good	34	PM ₁₀	1
59	Katni	Satisfactory	66	PM ₁₀	1
60	Khanna	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Ernakulam, Faridabad, Fatehabad, Kollam, Kozhikode, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Palwal, Ratlam, Satna, Shillong, Solapur, Talcher, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kochi	Satisfactory	79	CO	1
62	Kolkata	Satisfactory	60	PM _{2.5} , O ₃ , PM ₁₀	5
63	Kota	Good	33	O ₃	1
64	Kurukshetra	Good	25	O ₃	1
65	Lucknow	Satisfactory	70	PM ₁₀ , PM _{2.5} , O ₃	4
66	Ludhiana	Good	29	PM ₁₀	1
67	Maihar	Good	27	PM ₁₀	1
68	Mandideep	Good	47	O ₃	1
69	Mandikhera	Good	34	CO	1
70	Manesar	Good	32	PM ₁₀	1
71	Meerut	Good	33	PM ₁₀	1
72	Moradabad	Good	28	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Ernakulam, Faridabad, Fatehabad, Kollam, Kozhikode, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Palwal, Ratlam, Satna, Shillong, Solapur, Talcher, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mumbai	Good	30	CO, PM ₁₀	10
74	Muzaffarnagar	Good	42	CO	1
75	Muzaffarpur	Satisfactory	68	PM ₁₀ , O ₃	2
76	Nandesari	Poor	265	PM _{2.5}	1
77	Nashik	Good	27	NO ₂	1
78	Navi Mumbai	Good	50	CO	1
79	Noida	Good	44	CO	2
80	Pali	Good	44	PM ₁₀	1
81	Panchkula	Good	48	CO	1
82	Panipat	Good	44	PM ₁₀	1
83	Patiala	Good	44	CO	1
84	Patna	Satisfactory	70	PM ₁₀ , PM _{2.5} , O ₃	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Ernakulam, Faridabad, Fatehabad, Kollam, Kozhikode, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Palwal, Ratlam, Satna, Shillong, Solapur, Talcher, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pithampur	Good	23	PM ₁₀	1
86	Pune	Satisfactory	59	CO	1
87	Rajamahendravaram	Satisfactory	57	PM ₁₀	1
88	Ramanagara	Good	29	SO ₂	1
89	Rohtak	Good	44	PM _{2.5}	1
90	Rupnagar	Good	47	PM ₁₀	1
91	Sagar	Good	24	CO	1
92	Siliguri	Good	46	PM _{2.5}	1
93	Singrauli	Satisfactory	65	PM ₁₀	1
94	Sirsa	Good	41	O ₃	1
95	Sonipat	Good	48	PM ₁₀	1
96	Thane	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Ernakulam, Faridabad, Fatehabad, Kollam, Kozhikode, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Palwal, Ratlam, Satna, Shillong, Solapur, Talcher, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Aug 31, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thiruvananthapuram	Satisfactory	56	PM _{2.5} , PM ₁₀	2
98	Tirupati	Good	33	CO	1
99	Udaipur	Good	44	CO	1
100	Ujjain	Good	42	PM ₁₀	1
101	Varanasi	Moderate	158	PM ₁₀	1
102	Vatva	Satisfactory	61	PM _{2.5}	1
103	Vijayapura	Good	47	O ₃	1
104	Visakhapatnam	Moderate	112	PM ₁₀	1
105	Yamunanagar	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aizawl, Asansol, Ernakulam, Faridabad, Fatehabad, Kollam, Kozhikode, Mandi Gobindgarh, Mysuru, Nagpur, Narnaul, Palwal, Ratlam, Satna, Shillong, Solapur, Talcher, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.