



## Air Quality Index on Feb 12, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	292	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	183	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	104	PM <sub>10</sub>	1
4	Alwar	Moderate	107	PM <sub>2.5</sub>	1
5	Amaravati	Satisfactory	94	PM <sub>2.5</sub>	1
6	Ambala	Moderate	199	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	129	PM <sub>10</sub>	1
8	Ankleshwar	Moderate	157	PM <sub>2.5</sub>	1
9	Asanol	Moderate	161	PM <sub>2.5</sub>	1
10	Bagalkot	Satisfactory	72	PM <sub>10</sub>	1
11	Bahadurgarh	Moderate	130	PM <sub>10</sub>	1
12	Ballabgarh	Very Poor	362	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Damoh, Haldia, Hubballi, Moradabad, Muzaffarnagar, Mysuru, Rajamahendravaram, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 12, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	104	PM <sub>2.5</sub>	1
14	Bengaluru	Satisfactory	73	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	9
15	Bhiwadi	Very Poor	320	PM <sub>2.5</sub>	1
16	Bhiwani	Poor	276	PM <sub>2.5</sub>	1
17	Bhopal	Moderate	112	PM <sub>10</sub>	1
18	Brajrajnagar	Moderate	176	PM <sub>2.5</sub>	1
19	Bulandshahr	Very Poor	345	PM <sub>2.5</sub>	1
20	Chandigarh	Moderate	108	PM <sub>10</sub>	1
21	Chandrapur	Satisfactory	72	PM <sub>10</sub>	1
22	Chennai	Satisfactory	70	PM <sub>10</sub> , NO <sub>2</sub> , O <sub>3</sub>	4
23	Chikkamagaluru	Satisfactory	68	O <sub>3</sub>	1
24	Coimbatore	Satisfactory	59	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Damoh, Haldia, Hubballi, Moradabad, Muzaffarnagar, Mysuru, Rajamahendravaram, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 12, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Very Poor	320	PM <sub>2.5</sub>	34
26	Dewas	Satisfactory	93	PM <sub>10</sub>	1
27	Dharuhera	Poor	242	PM <sub>2.5</sub>	1
28	Eloor	Moderate	146	PM <sub>2.5</sub>	1
29	Ernakulam	Satisfactory	85	PM <sub>2.5</sub>	1
30	Faridabad	Poor	257	PM <sub>2.5</sub>	1
31	Fatehabad	Moderate	145	PM <sub>10</sub>	1
32	GandhiNagar	Moderate	116	PM <sub>2.5</sub>	1
33	Gaya	Poor	237	PM <sub>2.5</sub>	1
34	Ghaziabad	Very Poor	342	PM <sub>2.5</sub>	4
35	Greater_Noida	Very Poor	344	PM <sub>10</sub> , PM <sub>2.5</sub>	2
36	Gurugram	Poor	272	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Damoh, Haldia, Hubballi, Moradabad, Muzaffarnagar, Mysuru, Rajamahendravaram, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 12, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Poor	231	PM <sub>2.5</sub>	1
38	Gwalior	Poor	255	PM <sub>2.5</sub> , O <sub>3</sub>	2
39	Hapur	Moderate	128	PM <sub>10</sub>	1
40	Hisar	Poor	252	PM <sub>2.5</sub>	1
41	Howrah	Poor	224	PM <sub>10</sub> , PM <sub>2.5</sub>	3
42	Hyderabad	Satisfactory	96	PM <sub>2.5</sub> , PM <sub>10</sub>	5
43	Indore	Moderate	115	PM <sub>10</sub>	1
44	Jabalpur	Moderate	169	PM <sub>2.5</sub>	1
45	Jaipur	Moderate	151	PM <sub>2.5</sub> , PM <sub>10</sub>	3
46	Jalandhar	Moderate	128	PM <sub>2.5</sub>	1
47	Jind	Poor	288	PM <sub>2.5</sub>	1
48	Jodhpur	Moderate	174	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Damoh, Haldia, Hubballi, Moradabad, Muzaffarnagar, Mysuru, Rajamahendravaram, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 12, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Moderate	192	PM <sub>2.5</sub>	1
50	Kaithal	Moderate	133	PM <sub>10</sub>	1
51	Kalaburgi	Satisfactory	81	PM <sub>10</sub>	1
52	Kalyan	Moderate	192	PM <sub>10</sub>	1
53	Kannur	Satisfactory	99	PM <sub>2.5</sub>	1
54	Kanpur	Very Poor	337	PM <sub>2.5</sub>	1
55	Karnal	Poor	230	PM <sub>2.5</sub>	1
56	Katni	Poor	214	PM <sub>2.5</sub>	1
57	Khanna	Satisfactory	97	PM <sub>10</sub>	1
58	Kochi	Moderate	131	PM <sub>10</sub>	1
59	Kolkata	Poor	228	PM <sub>2.5</sub> , O <sub>3</sub>	6
60	Kota	Moderate	111	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Damoh, Haldia, Hubballi, Moradabad, Muzaffarnagar, Mysuru, Rajamahendravaram, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 12, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kozhikode	Satisfactory	80	PM <sub>10</sub>	1
62	Kurukshetra	Poor	203	PM <sub>2.5</sub>	1
63	Lucknow	Poor	240	PM <sub>2.5</sub>	4
64	Ludhiana	Satisfactory	96	PM <sub>10</sub>	1
65	Maihar	Satisfactory	67	PM <sub>10</sub>	1
66	Mandi Gobindgarh	Poor	267	PM <sub>2.5</sub>	1
67	Mandideep	Satisfactory	97	PM <sub>10</sub>	1
68	Mandikhera	Moderate	184	PM <sub>2.5</sub>	1
69	Manesar	Poor	233	PM <sub>2.5</sub>	1
70	Meerut	Poor	291	PM <sub>2.5</sub>	3
71	Mumbai	Moderate	133	PM <sub>10</sub> , PM <sub>2.5</sub>	9
72	Muzaffarpur	Poor	298	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Damoh, Haldia, Hubballi, Moradabad, Muzaffarnagar, Mysuru, Rajamahendravaram, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 12, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nagpur	Moderate	104	PM <sub>2.5</sub>	1
74	Narnaul	Poor	232	PM <sub>2.5</sub>	1
75	Nashik	Satisfactory	83	PM <sub>2.5</sub>	1
76	Navi Mumbai	Moderate	152	PM <sub>2.5</sub> , CO	3
77	Noida	Very Poor	322	PM <sub>2.5</sub> , PM <sub>10</sub>	4
78	Pali	Moderate	101	O <sub>3</sub>	1
79	Palwal	Poor	276	PM <sub>2.5</sub>	1
80	Panchkula	Satisfactory	99	PM <sub>2.5</sub>	1
81	Panipat	Poor	261	PM <sub>10</sub>	1
82	Patiala	Moderate	109	PM <sub>10</sub>	1
83	Patna	Moderate	197	PM <sub>2.5</sub>	3
84	Pithampur	Moderate	141	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Damoh, Haldia, Hubballi, Moradabad, Muzaffarnagar, Mysuru, Rajamahendravaram, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 12, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pune	Moderate	104	PM <sub>2.5</sub>	1
86	Ramanagara	Satisfactory	58	PM <sub>10</sub>	1
87	Ratlam	Moderate	112	PM <sub>10</sub>	1
88	Rohtak	Poor	248	PM <sub>2.5</sub>	1
89	Rupnagar	Satisfactory	99	PM <sub>2.5</sub>	1
90	Sagar	Satisfactory	58	PM <sub>10</sub>	1
91	Satna	Moderate	109	PM <sub>10</sub>	1
92	Shillong	Satisfactory	77	PM <sub>2.5</sub>	1
93	Siliguri	Poor	234	PM <sub>2.5</sub>	1
94	Singrauli	Poor	237	PM <sub>10</sub>	1
95	Sirsa	Moderate	124	PM <sub>10</sub>	1
96	Solapur	Moderate	104	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Damoh, Haldia, Hubballi, Moradabad, Muzaffarnagar, Mysuru, Rajamahendravaram, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.





## Air Quality Index on Feb 12, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sonipat	Moderate	153	PM <sub>10</sub>	1
98	Talcher	Poor	265	PM <sub>2.5</sub>	1
99	Thane	Moderate	101	PM <sub>10</sub>	1
100	Thiruvananthapuram	Satisfactory	69	PM <sub>2.5</sub>	1
101	Tirupati	Good	48	PM <sub>10</sub>	1
102	Udaipur	Moderate	150	PM <sub>2.5</sub>	1
103	Ujjain	Satisfactory	97	PM <sub>10</sub>	1
104	Vapi	Poor	218	PM <sub>2.5</sub>	1
105	Varanasi	Poor	257	PM <sub>2.5</sub>	1
106	Vatva	Moderate	171	PM <sub>2.5</sub>	1
107	Vijayapura	Satisfactory	61	PM <sub>2.5</sub>	1
108	Visakhapatnam	Moderate	103	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Damoh, Haldia, Hubballi, Moradabad, Muzaffarnagar, Mysuru, Rajamahendravaram, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 12, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Yamunanagar	Poor	222	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Damoh, Haldia, Hubballi, Moradabad, Muzaffarnagar, Mysuru, Rajamahendravaram, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.