

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	65	PM ₁₀	1
2	Agra	Moderate	120	PM _{2.5}	5
3	Ahmedabad	Satisfactory	97	PM ₁₀	9
4	Ajmer	Moderate	102	PM ₁₀	1
5	Akola	Satisfactory	70	PM ₁₀	1
6	Alwar	Satisfactory	97	PM ₁₀	1
7	Amaravati	Good	31	03	1
8	Ambala	Satisfactory	90	со	1
9	Amravati	Satisfactory	80	PM ₁₀	2
10	Amritsar	Satisfactory	86	PM _{2.5}	1
11	Ankleshwar	Moderate	178	PM _{2.5}	1
12	Araria	Good	43	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Notes: 1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar, Buxar,
Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur,
Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kalyan,
Kanchipuram, Kishanganj, Kolhapur, Kollam, Kozhikode, Malegaon, Manguraha,
Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Nandesari, Pali, Panipat,
Saharsa, Samastipur, Siwan, Sonipat, Srinagar, Thrissur, Udupi, Virar,
Yadgir, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	32	PM ₁₀	1
14	Asansol	Good	28	03	1
15	Aurangabad (Bihar)	Satisfactory	81	со	1
16	Aurangabad (Maharashtra)	Satisfactory	88	PM ₁₀	3
17	Baddi	Moderate	116	PM ₁₀	1
18	Badlapur	Satisfactory	70	PM ₁₀	1
19	Bagalkot	Good	39	PM ₁₀	1
20	Baghpat	Moderate	140	PM ₁₀	1
21	Bahadurgarh	Moderate	114	PM ₁₀	1
22	Ballabgarh	Moderate	141	PM _{2.5}	1
23	Banswara	Moderate	171	PM ₁₀	1
24	Baran	Moderate	188	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, -Anantapur, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar, Buxa

Notes

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Satisfactory	56	PM ₁₀	1
26	Baripada	Good	41	PM ₁₀	1
27	Barmer	Moderate	139	PM ₁₀	1
28	Bathinda	Moderate	104	PM ₁₀	1
29	Belapur	Satisfactory	52	PM ₁₀	1
30	Bengaluru	Good	39	со	11
31	Bettiah	Satisfactory	57	со	1
32	Bhagalpur	Good	42	03	1
33	Bharatpur	Moderate	163	PM ₁₀	1
34	Bhilai	Good	46	PM ₁₀	2
35	Bhilwara	Moderate	119	PM ₁₀	1
36	Bhiwadi	Moderate	195	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar, Buxar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Satisfactory	79	PM ₁₀	1
38	Bhiwani	Moderate	112	PM ₁₀	1
39	Bhopal	Moderate	123	PM ₁₀	3
40	Bidar	Good	48	со	1
41	Bihar Sharif	Good	27	со	1
42	Bikaner	Moderate	173	PM ₁₀	1
43	Bilaspur	Satisfactory	62	PM ₁₀	1
44	Bileipada	Satisfactory	82	PM ₁₀	1
45	Bulandshahr	Moderate	171	PM ₁₀	1
46	Bundi	Moderate	141	PM ₁₀	1
47	Byrnihat	Poor	253	PM ₁₀	1
48	Chamarajanagar	Good	35	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, apur, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar, B

Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kalyan, Notes: Kanchipuram, Kishanganj, Kolhapur, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Nandesari, Pali, Panipat, Saharsa, Samastipur, Siwan, Sonipat, Srinagar, Thrissur, Udupi, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Moderate	102	PM ₁₀	3
50	Chandrapur	Satisfactory	84	PM _{2.5}	1
51	Charkhi Dadri	Satisfactory	71	PM ₁₀	1
52	Chennai	Satisfactory	57	NO ₂	5
53	Chhapra	Poor	229	NO ₂	1
54	Chikkaballapur	Good	25	PM ₁₀	1
55	Chikkamagaluru	Good	32	03	1
56	Chittoor	Good	24	03	1
57	Chittorgarh	Moderate	136	PM ₁₀	1
58	Churu	Satisfactory	100	PM ₁₀	1
59	Cuddalore	Satisfactory	52	NO ₂	1
60	Damoh	Good	41	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, ur, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dausa	Moderate	146	PM ₁₀	1
62	Davanagere	Good	30	PM ₁₀	1
63	Dehradun	Moderate	114	со	1
64	Delhi	Moderate	147	PM ₁₀ , PM _{2.5}	35
65	Dewas	Moderate	112	PM _{2.5}	1
66	Dhanbad	Satisfactory	80	PM _{2.5}	1
67	Dharwad	Good	45	PM ₁₀	1
68	Dholpur	Poor	206	PM _{2.5}	1
69	Dhule	Moderate	113	PM _{2.5}	1
70	Durgapur	Good	32	PM ₁₀	1
71	Faridabad	Moderate	144	PM _{2.5}	4
72	Fatehabad	Moderate	157	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, ur, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar,

Notes:

Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kalyan,

Kanchipuram, Kishanganj, Kolhapur, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Nandesari, Pali, Panipat, Saharsa, Samastipur, Siwan, Sonipat, Srinagar, Thrissur, Udupi, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Moderate	119	PM ₁₀	1
74	Gadag	Good	32	со	1
75	Gandhinagar	Moderate	116	PM _{2.5} , PM ₁₀	2
76	Gangtok	Satisfactory	59	SO ₂	1
77	Gaya	Satisfactory	52	03	3
78	Ghaziabad	Moderate	157	PM ₁₀	4
79	Gorakhpur	Good	39	SO ₂	1
80	Greater Noida	Poor	263	PM ₁₀ , O ₃	2
81	Gummidipoondi	Satisfactory	74	PM ₁₀	1
82	Gurugram	Moderate	174	PM _{2.5}	4
83	Guwahati	Satisfactory	100	со	1
84	Gwalior	Moderate	184	PM _{2.5}	2

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, apur, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar, Bi

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Notes: Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kolhapur, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Nandesari, Pali, Panipat, Saharsa, Samastipur, Siwan, Sonipat, Srinagar, Thrissur, Udupi, Virar,

> Yadgir, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hajipur	Satisfactory	63	O ₃	1
86	Haldia	Good	35	03	1
87	Hanumangarh	Moderate	177	PM ₁₀	1
88	Hapur	Moderate	146	PM _{2.5}	1
89	Haveri	Good	43	со	1
90	Hisar	Moderate	121	PM ₁₀	1
91	Howrah	Satisfactory	57	PM ₁₀	3
92	Hubballi	Satisfactory	55	O ₃	1
93	Hyderabad	Satisfactory	57	PM ₁₀ , NO ₂	8
94	Imphal	Satisfactory	70	SO ₂	1
95	Indore	Moderate	190	PM _{2.5}	1
96	Jabalpur	Moderate	103	PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Possible Health Impacts

Severe

Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaipur	Moderate	126	O ₃ , PM ₁₀	5
98	Jaisalmer	Moderate	151	PM ₁₀	1
99	Jalandhar	Satisfactory	87	PM ₁₀	1
100	Jalgaon	Moderate	160	PM ₁₀	1
101	Jalna	Satisfactory	74	PM ₁₀	1
102	Jhalawar	Moderate	131	PM ₁₀	1
103	Jhansi	Moderate	127	PM ₁₀	1
104	Jhunjhunu	Moderate	200	03	1
105	Jind	Moderate	146	со	1
106	Jodhpur	Moderate	141	PM ₁₀	5
107	Kadapa	Good	35	PM _{2.5}	1
108	Kaithal	Moderate	189	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Notes: Eld

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kannur	Satisfactory	69	PM ₁₀	1
110	Kanpur	Moderate	141	PM ₁₀	4
111	Karauli	Satisfactory	65	PM ₁₀	1
112	Karnal	Moderate	106	PM ₁₀	1
113	Kashipur	Satisfactory	86	PM ₁₀	1
114	Katihar	Moderate	102	СО	1
115	Katni	Satisfactory	83	PM ₁₀	1
116	Keonjhar	Good	43	PM ₁₀	1
117	Khanna	Satisfactory	94	PM _{2.5}	1
118	Khurja	Satisfactory	60	PM ₁₀	1
119	Kochi	Good	45	со	1
120	Kohima	Satisfactory	55	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolar	Satisfactory	52	СО	1
122	Kolkata	Good	31	03	5
123	Koppal	Satisfactory	54	SO ₂	1
124	Korba	Good	25	PM ₁₀ , O ₃	2
125	Kota	Moderate	156	O ₃ , PM _{2.5}	3
126	Kunjemura	Satisfactory	64	PM ₁₀	1
127	Kurukshetra	Moderate	138	PM _{2.5}	1
128	Latur	Satisfactory	60	PM ₁₀	1
129	Lucknow	Satisfactory	72	O ₃ , PM ₁₀	6
130	Ludhiana	Moderate	110	PM ₁₀	1
131	Madikeri	Good	34	PM _{2.5}	1
132	Mahad	Good	41	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Notes:

ır, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kolhapur, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Nandesari, Pali, Panipat, Saharsa, Samastipur, Siwan, Sonipat, Srinagar, Thrissur, Udupi, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Maihar	Good	50	PM ₁₀	1
134	Mandi Gobindgarh	Moderate	106	PM ₁₀	1
135	Mandideep	Poor	201	PM ₁₀	1
136	Mandikhera	Good	40	PM ₁₀	1
137	Manesar	Moderate	152	PM _{2.5}	1
138	Mangalore	Good	44	PM ₁₀	1
139	Meerut	Moderate	150	PM ₁₀	3
140	Milupara	Good	29	PM ₁₀	1
141	Moradabad	Satisfactory	99	PM ₁₀	6
142	Mumbai	Satisfactory	87	O ₃ , CO	21
143	Munger	Good	28	PM ₁₀	1
144	Muzaffarpur	Good	34	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, apur, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar, Bi

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Notes: Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kolhapur, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Nandesari, Pali, Panipat, Saharsa, Samastipur, Siwan, Sonipat, Srinagar, Thrissur, Udupi, Virar,

> Yadgir, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Mysuru	Good	29	PM ₁₀	1
146	Nagaur	Moderate	144	PM ₁₀	1
147	Nagpur	Moderate	110	PM _{2.5}	4
148	Naharlagun	Good	30	PM ₁₀	1
149	Nalbari	Good	36	PM ₁₀	1
150	Nanded	Satisfactory	91	PM ₁₀	1
151	Narnaul	Poor	204	PM ₁₀	1
152	Nashik	Satisfactory	94	PM _{2.5} , PM ₁₀	4
153	Navi Mumbai	Satisfactory	74	PM _{2.5} , PM ₁₀	7
154	Nayagarh	Good	30	PM _{2.5}	1
155	Noida	Moderate	150	PM ₁₀	3
156	Ooty	Good	18	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

ur, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Palkalaiperur	Good	25	SO ₂	1
158	Palwal	Good	40	PM ₁₀	1
159	Panchkula	Satisfactory	80	PM _{2.5}	1
160	Parbhani	Satisfactory	72	PM ₁₀	1
161	Patiala	Moderate	117	PM ₁₀	1
162	Patna	Good	44	PM ₁₀ , PM _{2.5}	6
163	Pimpri Chinchwad	Satisfactory	56	PM ₁₀	1
164	Pithampur	Moderate	176	PM ₁₀	1
165	Pratapgarh	Moderate	165	03	1
166	Prayagraj	Satisfactory	56	PM _{2.5} , PM ₁₀	3
167	Puducherry	Good	46	PM ₁₀	1
168	Pune	Satisfactory	94	NO ₂ , PM _{2.5}	6

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

ur, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar, B

Notes:

Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kolhapur, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Nandesari, Pali, Panipat, Saharsa, Samastipur, Siwan, Sonipat, Srinagar, Thrissur, Udupi, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Purnia	Satisfactory	68	co	1
170	Raichur	Satisfactory	68	со	1
171	Raipur	Satisfactory	51	PM ₁₀ , CO	4
172	Rairangpur	Good	41	PM ₁₀	1
173	Rajamahendravaram	Good	32	03	1
174	Rajgir	Good	31	PM _{2.5}	1
175	Rajsamand	Satisfactory	100	PM ₁₀	1
176	Ramanagara	Good	32	03	1
177	Ramanathapuram	Good	22	PM ₁₀	1
178	Ratlam	Moderate	132	PM ₁₀	1
179	Rishikesh	Good	46	PM ₁₀	1
180	Rohtak	Moderate	105	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rourkela	Good	48	PM ₁₀	2
182	Rupnagar	Satisfactory	91	PM ₁₀	1
183	Sagar	Satisfactory	52	со	1
184	Salem	Good	26	SO ₂	1
185	Sangli	Good	34	03	1
186	Sasaram	Good	32	со	1
187	Satna	Moderate	141	PM ₁₀	1
188	Sawai Madhopur	Satisfactory	85	PM ₁₀	1
189	Shillong	Good	26	PM ₁₀ , SO ₂	2
190	Shivamogga	Good	42	03	1
191	Sikar	Satisfactory	100	PM ₁₀	1
192	Silchar	Good	33	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

ur, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar, B

Notes:

Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kolhapur, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Nandesari, Pali, Panipat, Saharsa, Samastipur, Siwan, Sonipat, Srinagar, Thrissur, Udupi, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siliguri	Good	35	NO ₂	1
194	Singrauli	Satisfactory	63	SO ₂	1
195	Sirohi	Moderate	111	PM ₁₀	1
196	Sirsa	Moderate	118	PM ₁₀	1
197	Sivasagar	Good	23	PM ₁₀	1
198	Solapur	Good	45	PM ₁₀	3
199	Sri Ganganagar	Moderate	192	PM ₁₀	1
200	Suakati	Good	49	СО	1
201	Surat	Moderate	171	PM ₁₀	1
202	Talcher	Good	41	NO ₂	1
203	Tensa	Good	35	NO ₂	1
204	Thane	Satisfactory	81	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thiruvananthapuram	Good	15	PM ₁₀	1
206	Thoothukudi	Good	30	PM ₁₀	1
207	Tirupati	Satisfactory	63	PM _{2.5} , NO ₂	2
208	Tirupur	Good	24	SO ₂	1
209	Tonk	Moderate	155	PM ₁₀	1
210	Tumakuru	Good	23	PM ₁₀	1
211	Tumidih	Good	29	PM ₁₀	1
212	Udaipur	Moderate	122	PM ₁₀	1
213	Ujjain	Moderate	195	PM ₁₀	1
214	Ulhasnagar	Satisfactory	73	со	1
215	Vapi	Moderate	149	PM _{2.5}	1
216	Varanasi	Good	18	NO ₂	3

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, ır, Arrah, Begusarai, Belgaum, Boisar, Brajrajnagar,

Notes:

Chengalpattu, Chhal, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Eloor, Ernakulam, Hassan, Hosur, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Kishanganj, Kolhapur, Kollam, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Motihari, Muzaffarnagar, Nagaon, Nandesari, Pali, Panipat, Saharsa, Samastipur, Siwan, Sonipat, Srinagar, Thrissur, Udupi, Virar, Yadgir, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vatva	Moderate	138	PM ₁₀	1
218	Vijayapura	Good	39	PM ₁₀	1
219	Vijayawada	Good	47	O ₃	1
220	Visakhapatnam	Moderate	114	PM ₁₀	1
221	Vrindavan	Satisfactory	71	PM ₁₀	1
222	Yamunanagar	Moderate	128	PM _{2.5}	1

Possible Health Impacts No.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Anantapur, Arrah, Begusarai, Belgaum, Beisar, Brajrajnagar, Buxar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,