Air Quality Index on Jan 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	248	$PM_{2.5}$	1
2	Agra	Moderate	168	$PM_{2.5}$, PM_{10}	5
3	Ahmedabad	Moderate	108	PM_{10}, $PM_{2.5}$	7
4	Aizawl	Good	30	PM_{10}	1
5	Alwar	Satisfactory	88	PM_{10}	1
6	Amaravati	Satisfactory	68	O_3	1
7	Ambala	Poor	216	$PM_{2.5}$	1
8	Amritsar	Moderate	144	PM_{10}	1
9	Ankleshwar	Poor	201	$PM_{2.5}$	1
10	Araria	Poor	211	$PM_{2.5}$	1
11	Asansol	Moderate	157	$PM_{2.5}$	1
12	Aurangabad	Satisfactory	100	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Arrah, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Charkhi Dadri, Davanagere, Ernakulam, Gummidipoondi, Hajipur, Jorapokhar, Kolar, Madikeri, Manguraha, Motihari, Naharlagun, Palwal, Purnia, Siliguri, Siwan, Solapur, Srinagar, Thrissur, Udaipur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	$PM_{2.5}$	1
14	Baghpat	Poor	293	$PM_{2.5}$	1
15	Bahadurgarh	Poor	255	$PM_{2.5}$	1
16	Ballabgarh	Moderate	146	$PM_{2.5}$	1
17	Bengaluru	Satisfactory	52	PM_{10}, CO, $PM_{2.5}$	9
18	Bhagalpur	Very Poor	310	$PM_{2.5}$	2
19	Bhiwadi	Poor	257	$PM_{2.5}$	1
20	Bhiwani	Moderate	183	$PM_{2.5}$	1
21	Bhopal	Moderate	187	$PM_{2.5}$	1
22	Bulandshahr	Poor	275	$PM_{2.5}$	1
23	Buxar	Very Poor	347	PM_{10}	1
24	Chamarajanagar	Good	43	NO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Arrah, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Charkhi Dadri, Davanagere, Ernakulam, Gummidipoondi, Hajipur, Jorapokhar, Kolar, Madikeri, Manguraha, Motihari, Naharlagun, Palwal, Purnia, Siliguri, Siwan, Solapur, Srinagar, Thrissur, Udaipur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Very Poor	308	$PM_{2.5}$	1
26	Chandrapur	Satisfactory	85	$PM_{2.5}$, PM_{10}	2
27	Chennai	Good	49	CO, PM_{10}	8
28	Chhapra	Very Poor	334	$PM_{2.5}$	1
29	Chikkaballapur	Good	41	O_3	1
30	Chikkamagaluru	Good	38	PM_{10}	1
31	Coimbatore	Good	37	$PM_{2.5}$	1
32	Damoh	Moderate	133	$PM_{2.5}$	1
33	Darbhanga	Poor	273	$PM_{2.5}$	1
34	Delhi	Very Poor	327	$PM_{2.5}$	32
35	Dewas	Moderate	105	$PM_{2.5}$	1
36	Dharuhera	Poor	221	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Arrah, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Charkhi Dadri, Davanagere, Ernakulam, Gummidipoondi, Hajipur, Jorapokhar, Kolar, Madikeri, Manguraha, Motihari, Naharlagun, Palwal, Purnia, Siliguri, Siwan, Solapur, Srinagar, Thrissur, Udaipur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Moderate	164	PM_{10}	1
38	Eloor	Satisfactory	70	PM_{10}	1
39	Faridabad	Very Poor	332	$PM_{2.5}$	3
40	Fatehabad	Moderate	147	$PM_{2.5}$	1
41	Firozabad	Poor	210	$PM_{2.5}$	1
42	Gadag	Good	36	$PM_{2.5}$	1
43	Gandhinagar	Moderate	110	$PM_{2.5}$, SO_2	3
44	Gaya	Very Poor	341	$PM_{2.5}$	1
45	Ghaziabad	Very Poor	356	$PM_{2.5}$	4
46	Gorakhpur	Moderate	116	$PM_{2.5}$	1
47	Greater Noida	Very Poor	309	$PM_{2.5}$	1
48	Gurugram	Poor	219	PM_{10}, $PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Arrah, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Charkhi Dadri, Davanagere, Ernakulam, Gummidipoondi, Hajipur, Jorapokhar, Kolar, Madikeri, Manguraha, Motihari, Naharlagun, Palwal, Purnia, Siliguri, Siwan, Solapur, Srinagar, Thrissur, Udaipur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Poor	253	$PM_{2.5}$	2
50	Gwalior	Poor	271	$PM_{2.5}$	1
51	Haldia	Moderate	121	PM_{10}	1
52	Hapur	Poor	276	$PM_{2.5}$	1
53	Hassan	Good	47	PM_{10}	1
54	Hisar	Poor	290	$PM_{2.5}$	1
55	Howrah	Poor	233	$PM_{2.5}$	2
56	Hubballi	Satisfactory	71	PM_{10}	1
57	Hyderabad	Satisfactory	75	$PM_{2.5}$	4
58	Indore	Moderate	124	$PM_{2.5}$	1
59	Jabalpur	Moderate	150	$PM_{2.5}$	1
60	Jaipur	Satisfactory	87	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Arrah, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Charkhi Dadri, Davanagere, Ernakulam, Gummidipoondi, Hajipur, Jorapokhar, Kolar, Madikeri, Manguraha, Motihari, Naharlagun, Palwal, Purnia, Siliguri, Siwan, Solapur, Srinagar, Thrissur, Udaipur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Moderate	127	PM_{10}	1
62	Jind	Poor	230	$PM_{2.5}$	1
63	Jodhpur	Moderate	137	PM_{10}	1
64	Kaithal	Moderate	149	$PM_{2.5}$	1
65	Kalaburgi	Satisfactory	73	PM_{10}	1
66	Kalyan	Moderate	178	$PM_{2.5}$	1
67	Kannur	Satisfactory	54	$PM_{2.5}$	1
68	Kanpur	Moderate	165	$PM_{2.5}$	3
69	Karnal	Moderate	147	$PM_{2.5}$	1
70	Katihar	Very Poor	316	$PM_{2.5}$	1
71	Katni	Moderate	175	$PM_{2.5}$	1
72	Khanna	Poor	218	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Arrah, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Charkhi Dadri, Davanagere, Ernakulam, Gummidipoondi, Hajipur, Jorapokhar, Kolar, Madikeri, Manguraha, Motihari, Naharlagun, Palwal, Purnia, Siliguri, Siwan, Solapur, Srinagar, Thrissur, Udaipur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kishanganj	Moderate	169	PM_{10}	1
74	Kochi	Moderate	103	$PM_{2.5}$	1
75	Kohima	Satisfactory	71	$PM_{2.5}$	1
76	Kolkata	Moderate	180	$PM_{2.5}$	6
77	Kollam	Satisfactory	84	PM_{10}	1
78	Koppal	Satisfactory	70	O_3	1
79	Kota	Poor	268	$PM_{2.5}$	1
80	Kozhikode	Satisfactory	53	CO	1
81	Kurukshetra	Moderate	195	$PM_{2.5}$	1
82	Lucknow	Moderate	148	$PM_{2.5}$, PM_{10}	6
83	Ludhiana	Moderate	191	$PM_{2.5}$	1
84	Maihar	Satisfactory	53	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Arrah, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Charkhi Dadri, Davanagere, Ernakulam, Gummidipoondi, Hajipur, Jorapokhar, Kolar, Madikeri, Manguraha, Motihari, Naharlagun, Palwal, Purnia, Siliguri, Siwan, Solapur, Srinagar, Thrissur, Udaipur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandi Gobindgarh	Moderate	142	$PM_{2.5}$	1
86	Mandideep	Satisfactory	88	PM_{10}	1
87	Mandikhera	Satisfactory	60	PM_{10}	1
88	Manesar	Poor	269	$PM_{2.5}$	1
89	Manglore	Good	42	CO	1
90	Meerut	Very Poor	344	$PM_{2.5}$	3
91	Moradabad	Moderate	104	$PM_{2.5}$	3
92	Mumbai	Moderate	147	$PM_{2.5}$, CO, PM_{10}	14
93	Munger	Very Poor	364	$PM_{2.5}$	1
94	Muzaffarnagar	Very Poor	338	$PM_{2.5}$	1
95	Muzaffarpur	Poor	280	$PM_{2.5}$	2
96	Mysuru	Good	41	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Arrah, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Charkhi Dadri, Davanagere, Ernakulam, Gummidipoondi, Hajipur, Jorapokhar, Kolar, Madikeri, Manguraha, Motihari, Naharlagun, Palwal, Purnia, Siliguri, Siwan, Solapur, Srinagar, Thrissur, Udaipur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nagpur	Satisfactory	85	CO	1
98	Nandesari	Satisfactory	100	CO	1
99	Narnaul	Satisfactory	88	$PM_{2.5}$	1
100	Nashik	Moderate	113	$PM_{2.5}$	1
101	Navi Mumbai	Moderate	151	$PM_{2.5}$, PM_{10}	3
102	Noida	Very Poor	327	$PM_{2.5}$	4
103	Pali	Moderate	155	$PM_{2.5}$	1
104	Panchkula	Poor	288	$PM_{2.5}$	1
105	Panipat	Moderate	189	PM_{10}	1
106	Patiala	Moderate	124	$PM_{2.5}$	1
107	Patna	Poor	253	$PM_{2.5}$, PM_{10}	6
108	Pithampur	Moderate	131	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Arrah, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Charkhi Dadri, Davanagere, Ernakulam, Gummidipoondi, Hajipur, Jorapokhar, Kolar, Madikeri, Manguraha, Motihari, Naharlagun, Palwal, Purnia, Siliguri, Siwan, Solapur, Srinagar, Thrissur, Udaipur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Prayagraj	Moderate	125	$PM_{2.5}$	3
110	Puducherry	Good	33	CO	1
111	Pune	Moderate	131	$PM_{2.5}$	2
112	Raichur	Satisfactory	68	PM_{10}	1
113	Rajamahendravaram	Satisfactory	85	O_3	1
114	Rajgir	Very Poor	327	$PM_{2.5}$	1
115	Ramanagara	Good	38	PM_{10}	1
116	Ratlam	Satisfactory	86	$PM_{2.5}$	1
117	Rohtak	Poor	241	$PM_{2.5}$	1
118	Rupnagar	Moderate	129	$PM_{2.5}$	1
119	Sagar	Good	36	$PM_{2.5}$	1
120	Saharsa	Poor	246	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Arrah, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Charkhi Dadri, Davanagere, Ernakulam, Gummidipoondi, Hajipur, Jorapokhar, Kolar, Madikeri, Manguraha, Motihari, Naharlagun, Palwal, Purnia, Siliguri, Siwan, Solapur, Srinagar, Thrissur, Udaipur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sasaram	Very Poor	346	$PM_{2.5}$	1
122	Satna	Satisfactory	55	PM_{10}	1
123	Shillong	Good	27	$PM_{2.5}$	1
124	Shivamogga	Satisfactory	54	PM_{10}	1
125	Singrauli	Very Poor	305	$PM_{2.5}$	1
126	Sirsa	Moderate	139	$PM_{2.5}$	1
127	Sonipat	Poor	208	PM_{10}	1
128	Talcher	Moderate	119	NO_2	1
129	Thane	Moderate	120	PM_{10}	1
130	Thiruvananthapuram	Satisfactory	66	PM_{10}, $PM_{2.5}$	2
131	Thoothukudi	Good	22	PM_{10}	1
132	Tirupati	Good	38	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Arrah, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Charkhi Dadri, Davanagere, Ernakulam, Gummidipoondi, Hajipur, Jorapokhar, Kolar, Madikeri, Manguraha, Motihari, Naharlagun, Palwal, Purnia, Siliguri, Siwan, Solapur, Srinagar, Thrissur, Udaipur, Udupi, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 17, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ujjain	Moderate	117	PM_{10}	1
134	Vapi	Poor	263	$PM_{2.5}$	1
135	Varanasi	Moderate	176	$PM_{2.5}$	4
136	Vatva	Moderate	118	PM_{10}	1
137	Vijayapura	Satisfactory	51	PM_{10}	1
138	Visakhapatnam	Satisfactory	89	$PM_{2.5}$	1
139	Vrindavan	Moderate	157	$PM_{2.5}$	1
140	Yadgir	Satisfactory	54	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Arrah, Bathinda, Bettiah, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Charkhi Dadri, Davanagere, Ernakulam, Gummidipoondi, Hajipur, Jorapokhar, Kolar, Madikeri, Manguraha, Motihari, Naharlagun, Palwal, Purnia, Siliguri, Siwan, Solapur, Srinagar, Thrissur, Udaipur, Udupi, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.