

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|---------------------|--|
| 1 | Agra | Moderate | 142 | PM _{2.5} | 1 |
| 2 | Ahmedabad | Moderate | 152 | PM _{2.5} | 1 |
| 3 | Alwar | Satisfactory | 69 | PM ₁₀ | 1 |
| 4 | Amaravati | Moderate | 155 | PM _{2.5} | 1 |
| 5 | Ambala | Satisfactory | 96 | PM ₁₀ | 1 |
| 6 | Amritsar | Satisfactory | 78 | PM _{2.5} | 1 |
| 7 | Ankleshwar | Satisfactory | 94 | PM ₁₀ | 1 |
| 8 | Asanol | Poor | 279 | PM _{2.5} | 1 |
| 9 | Aurangabad | Satisfactory | 78 | OZONE | 1 |
| 10 | Baghpat | Poor | 228 | PM _{2.5} | 1 |
| 11 | Bahadurgarh | Satisfactory | 100 | PM _{2.5} | 1 |
| 12 | Ballabgarh | Satisfactory | 72 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|--------------|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor | Respiratory illness on prolonged exposure | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Ajmer, Chikkaballapur, Durgapur, Faridabad, Hubballi, Jorapokhar, Ludhiana as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------|--------------|-------------|---------------------------|--|
| 13 | Bathinda | Satisfactory | 82 | PM ₁₀ | 1 |
| 14 | Bengaluru | Moderate | 152 | OZONE, PM ₁₀ | 10 |
| 15 | Bhiwadi | Moderate | 115 | PM ₁₀ | 1 |
| 16 | Bhiwani | Satisfactory | 92 | PM ₁₀ | 1 |
| 17 | Brajrajnagar | Poor | 234 | PM _{2.5} | 1 |
| 18 | Bulandshahr | Moderate | 181 | PM _{2.5} | 1 |
| 19 | Chandrapur | Moderate | 113 | OZONE, PM _{2.5} | 2 |
| 20 | Chennai | Moderate | 115 | PM _{2.5} , OZONE | 3 |
| 21 | Damoh | Moderate | 122 | PM _{2.5} | 1 |
| 22 | Delhi | Moderate | 176 | PM _{2.5} | 35 |
| 23 | Dewas | Moderate | 139 | PM ₁₀ | 1 |
| 24 | Dharuhera | Moderate | 144 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Ajmer, Chikkaballapur, Durgapur, Faridabad, Hubballi, Jorapokhar, Ludhiana as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|--------------------------------------|--|
| 25 | Fatehabad | Moderate | 178 | PM _{2.5} | 1 |
| 26 | GandhiNagar | Satisfactory | 82 | PM ₁₀ | 1 |
| 27 | Gaya | Poor | 292 | PM _{2.5} | 1 |
| 28 | Ghaziabad | Moderate | 188 | PM _{2.5} | 1 |
| 29 | Greater_Noida | Poor | 202 | PM _{2.5} | 1 |
| 30 | Gurugram | Moderate | 133 | PM _{2.5} | 1 |
| 31 | Haldia | Moderate | 121 | PM ₁₀ | 1 |
| 32 | Hapur | Moderate | 192 | PM _{2.5} | 1 |
| 33 | Hisar | Moderate | 187 | PM _{2.5} | 1 |
| 34 | Howrah | Very Poor | 326 | PM _{2.5} | 2 |
| 35 | Hyderabad | Moderate | 118 | PM _{2.5} , PM ₁₀ | 6 |
| 36 | Jaipur | Moderate | 127 | PM _{2.5} , PM ₁₀ | 3 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Ajmer, Chikkaballapur, Durgapur, Faridabad, Hubballi, Jorapokhar, Ludhiana as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|---------------------|--|
| 37 | Jalandhar | Moderate | 152 | PM ₁₀ | 1 |
| 38 | Jind | Poor | 215 | PM _{2.5} | 1 |
| 39 | Jodhpur | Moderate | 138 | PM ₁₀ | 1 |
| 40 | Kalaburgi | Moderate | 102 | PM _{2.5} | 1 |
| 41 | Kanpur | Moderate | 179 | PM _{2.5} | 1 |
| 42 | Karnal | Moderate | 194 | PM _{2.5} | 1 |
| 43 | Khanna | Satisfactory | 77 | PM ₁₀ | 1 |
| 44 | Kolkata | Very Poor | 332 | PM _{2.5} | 2 |
| 45 | Kota | Moderate | 124 | PM ₁₀ | 1 |
| 46 | Kurushketra | Moderate | 200 | PM _{2.5} | 1 |
| 47 | Lucknow | Poor | 202 | PM _{2.5} | 3 |
| 48 | Mandi Gobindgarh | Satisfactory | 79 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact | |
|--------------|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people | |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases | |
| Poor | Breathing discomfort to most people on prolonged exposure | |
| Very Poor | Respiratory illness on prolonged exposure | |
| Severe | Affects healthy people and seriously impacts those with existing diseases | |

- * AQI is not calculated for today's bulletin for Ajmer, Chikkaballapur, Durgapur, Faridabad, Hubballi, Jorapokhar, Ludhiana as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|--------------------------------------|--|
| 49 | Mandideep | Poor | 207 | PM ₁₀ | 1 |
| 50 | Mandikhera | Moderate | 132 | PM _{2.5} | 1 |
| 51 | Manesar | Moderate | 124 | PM _{2.5} | 1 |
| 52 | Moradabad | Satisfactory | 94 | PM ₁₀ | 1 |
| 53 | Mumbai | Satisfactory | 90 | PM ₁₀ | 1 |
| 54 | Muzaffarnagar | Poor | 204 | PM _{2.5} | 1 |
| 55 | Muzaffarpur | Very Poor | 387 | PM _{2.5} | 1 |
| 56 | Nagpur | Moderate | 115 | PM _{2.5} | 1 |
| 57 | Narnaul | Moderate | 180 | PM _{2.5} | 1 |
| 58 | Nashik | Moderate | 124 | PM ₁₀ | 1 |
| 59 | Navi Mumbai | Moderate | 119 | СО | 1 |
| 60 | Noida | Moderate | 159 | PM _{2.5} , PM ₁₀ | 2 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Ajmer, Chikkaballapur, Durgapur, Faridabad, Hubballi, Jorapokhar, Ludhiana as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------------|--------------|-------------|---------------------|--|
| 61 | Pali | Moderate | 117 | PM ₁₀ | 1 |
| 62 | Palwal | Moderate | 110 | PM _{2.5} | 1 |
| 63 | Panchkula | Satisfactory | 86 | OZONE | 1 |
| 64 | Panipat | Moderate | 200 | PM _{2.5} | 1 |
| 65 | Patiala | Moderate | 142 | PM ₁₀ | 1 |
| 66 | Patna | Very Poor | 374 | PM _{2.5} | 1 |
| 67 | Pithampur | Moderate | 139 | PM ₁₀ | 1 |
| 68 | Pune | Satisfactory | 82 | PM ₁₀ | 1 |
| 69 | Rajamahendravaram | Moderate | 153 | PM _{2.5} | 1 |
| 70 | Ratlam | Moderate | 149 | PM ₁₀ | 1 |
| 71 | Rohtak | Moderate | 170 | PM _{2.5} | 1 |
| 72 | Rupnagar | Satisfactory | 53 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Ajmer, Chikkaballapur, Durgapur, Faridabad, Hubballi, Jorapokhar, Ludhiana as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 73 | Satna | Moderate | 104 | со | 1 |
| 74 | Siliguri | Very Poor | 317 | PM _{2.5} | 1 |
| 75 | Singrauli | Poor | 261 | PM _{2.5} | 1 |
| 76 | Sirsa | Poor | 254 | PM _{2.5} | 1 |
| 77 | Solapur | Moderate | 156 | OZONE | 1 |
| 78 | Sonipat | Poor | 262 | PM _{2.5} | 1 |
| 79 | Talcher | Very Poor | 343 | PM ₁₀ | 1 |
| 80 | Thane | Moderate | 136 | PM ₁₀ | 1 |
| 81 | Thiruvananthapuram | Satisfactory | 82 | OZONE | 1 |
| 82 | Tirupati | Satisfactory | 94 | OZONE | 1 |
| 83 | Udaipur | Moderate | 115 | PM ₁₀ | 1 |
| 84 | Ujjain | Moderate | 134 | PM ₁₀ | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

Notes

* AQI is not calculated for today's bulletin for Ajmer, Chikkaballapur, Durgapur, Faridabad, Hubballi, Jorapokhar, Ludhiana as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 85 | Varanasi | Very Poor | 302 | PM _{2.5} | 1 |
| 86 | Vatva | Moderate | 185 | PM ₁₀ | 1 |
| 87 | Vijayawada | Satisfactory | 77 | PM ₁₀ | 1 |
| 88 | Visakhapatnam | Poor | 247 | PM _{2.5} | 1 |
| 89 | Yamunanagar | Moderate | 131 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Ajmer, Chikkaballapur, Durgapur, Faridabad, Hubballi, Jorapokhar, Ludhiana as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.