

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	45	PM <sub>10</sub>	1
2	Agra	Good	23	PM <sub>2.5</sub> , SO <sub>2</sub> , CO	5
3	Ahmedabad	Satisfactory	99	SO <sub>2</sub> , O <sub>3</sub>	2
4	Aizawl	Good	28	PM <sub>10</sub>	1
5	Alwar	Good	43	PM <sub>10</sub>	1
6	Amaravati	Good	26	03	1
7	Ambala	Satisfactory	94	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	76	PM <sub>10</sub>	1
9	Anantapur	Satisfactory	73	PM <sub>10</sub>	1
10	Araria	Poor	271	03	1
11	Arrah	Satisfactory	81	03	1
12	Asansol	Good	41	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	84	PM <sub>10</sub>	1
14	Baddi	Moderate	113	PM <sub>2.5</sub>	1
15	Bagalkot	Good	37	СО	1
16	Bahadurgarh	Good	33	со	1
17	Ballabgarh	Good	33	PM <sub>10</sub>	1
18	Bareilly	Good	18	со	1
19	Bathinda	Satisfactory	90	PM <sub>10</sub>	1
20	Begusarai	Poor	270	PM <sub>10</sub>	1
21	Belgaum	Good	46	СО	1
22	Bengaluru	Satisfactory	69	PM <sub>10</sub>	3
23	Bettiah	Good	49	PM <sub>10</sub>	1
24	Bhagalpur	Good	45	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Satisfactory	80	NO <sub>2</sub>	1
26	Bhiwani	Good	40	03	1
27	Bhopal	Moderate	101	PM <sub>2.5</sub> , O <sub>3</sub>	2
28	Bilaspur	Satisfactory	77	со	1
29	Bulandshahr	Good	18	03	1
30	Buxar	Satisfactory	97	со	1
31	Chamarajanagar	Good	36	PM <sub>10</sub>	1
32	Chandigarh	Satisfactory	97	PM <sub>2.5</sub> , PM <sub>10</sub>	3
33	Chandrapur	Good	44	PM <sub>10</sub> , CO	2
34	Charkhi Dadri	Good	25	PM <sub>2.5</sub>	1
35	Chennai	Satisfactory	67	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	7
36	Chhapra	Poor	207	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	54	PM <sub>10</sub>	1
38	Chikkamagaluru	Good	42	PM <sub>10</sub>	1
39	Darbhanga	Poor	207	NO <sub>2</sub>	1
40	Davanagere	Good	31	PM <sub>10</sub>	1
41	Delhi	Good	48	со	20
42	Dewas	Good	37	PM <sub>10</sub>	1
43	Durgapur	Moderate	140	PM <sub>10</sub>	1
44	Eloor	Satisfactory	58	PM <sub>10</sub>	1
45	Ernakulam	Satisfactory	66	со	1
46	Faridabad	Good	36	SO <sub>2</sub> , NO <sub>2</sub>	3
47	Fatehabad	Satisfactory	60	PM <sub>10</sub>	1
48	Firozabad	Good	32	SO <sub>2</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Good	33	PM <sub>2.5</sub>	1
50	Gandhinagar	Satisfactory	61	PM <sub>10</sub>	1
51	Gangtok	Good	15	SO <sub>2</sub>	1
52	Gaya	Satisfactory	68	PM <sub>10</sub> , CO	3
53	Ghaziabad	Good	14	SO <sub>2</sub> , PM <sub>2.5</sub>	2
54	Gorakhpur	Satisfactory	51	SO <sub>2</sub>	1
55	Greater Noida	Good	23	со	1
56	Gurugram	Good	32	PM <sub>2.5</sub>	1
57	Guwahati	Good	29	PM <sub>10</sub> , PM <sub>2.5</sub>	3
58	Gwalior	Good	38	PM <sub>10</sub>	1
59	Hajipur	Moderate	133	PM <sub>10</sub>	1
60	Haldia	Good	23	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Good	13	O <sub>3</sub>	1
62	Hassan	Good	33	SO <sub>2</sub>	1
63	Haveri	Good	32	со	1
64	Hisar	Satisfactory	53	03	1
65	Hosur	Satisfactory	75	со	1
66	Howrah	Good	33	PM <sub>10</sub>	3
67	Hubballi	Satisfactory	58	со	1
68	Hyderabad	Satisfactory	51	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	12
69	Imphal	Satisfactory	98	O <sub>3</sub> , PM <sub>10</sub>	2
70	Indore	Satisfactory	53	PM <sub>10</sub>	1
71	Jabalpur	Satisfactory	69	со	1
72	Jaipur	Good	44	СО	3

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Satisfactory	55	PM <sub>10</sub>	1
74	Jhansi	Good	50	PM <sub>10</sub>	1
75	Jind	Satisfactory	70	со	1
76	Jodhpur	Good	46	PM <sub>10</sub>	1
77	Kaithal	Good	36	PM <sub>10</sub>	1
78	Kalaburgi	Good	36	SO <sub>2</sub>	1
79	Kalyan	Satisfactory	68	PM <sub>10</sub>	1
80	Kannur	Satisfactory	67	PM <sub>10</sub>	1
81	Kanpur	Good	36	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
82	Karnal	Good	17	PM <sub>10</sub>	1
83	Katni	Good	42	PM <sub>10</sub>	1
84	Khanna	Satisfactory	73	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Good	46	SO <sub>2</sub>	1
86	Kishanganj	Satisfactory	66	PM <sub>2.5</sub>	1
87	Kochi	Moderate	146	PM <sub>2.5</sub>	1
88	Kohima	Satisfactory	52	PM <sub>10</sub>	1
89	Kolkata	Good	43	O <sub>3</sub> , CO, NO <sub>2</sub>	7
90	Kollam	Satisfactory	76	PM <sub>10</sub>	1
91	Koppal	Good	48	O <sub>3</sub>	1
92	Kota	Satisfactory	71	СО	1
93	Kozhikode	Satisfactory	70	PM <sub>10</sub>	1
94	Kurukshetra	Good	45	PM <sub>2.5</sub>	1
95	Lucknow	Good	49	CO, O <sub>3</sub> , PM <sub>10</sub>	6
96	Ludhiana	Satisfactory	100	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Good	21	03	1
98	Maihar	Good	20	PM <sub>10</sub>	1
99	Mandi Gobindgarh	Moderate	120	PM <sub>10</sub>	1
100	Mandideep	Moderate	123	PM <sub>10</sub>	1
101	Manglore	Satisfactory	56	со	1
102	Moradabad	Good	32	SO <sub>2</sub> , O <sub>3</sub> , PM <sub>10</sub>	5
103	Motihari	Satisfactory	61	03	1
104	Mumbai	Satisfactory	60	PM <sub>2.5</sub> , NO <sub>2</sub> , CO	16
105	Muzaffarnagar	Satisfactory	99	со	1
106	Muzaffarpur	Satisfactory	73	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	3
107	Mysuru	Satisfactory	51	PM <sub>10</sub>	1
108	Nagpur	Satisfactory	53	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nandesari	Good	50	со	1
110	Narnaul	Good	47	со	1
111	Nashik	Good	45	03	1
112	Navi Mumbai	Satisfactory	58	CO, PM <sub>10</sub>	3
113	Noida	Satisfactory	55	CO, SO <sub>2</sub>	3
114	Ooty	Good	47	SO <sub>2</sub>	1
115	Pali	Good	50	PM <sub>10</sub>	1
116	Panchkula	Satisfactory	64	PM <sub>2.5</sub>	1
117	Panipat	Good	35	PM <sub>10</sub>	1
118	Patiala	Good	47	PM <sub>10</sub>	1
119	Patna	Satisfactory	98	PM <sub>10</sub> , PM <sub>2.5</sub>	6
120	Pithampur	Good	40	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Satisfactory	76	PM <sub>2.5</sub>	3
122	Puducherry	Good	40	PM <sub>10</sub>	1
123	Raichur	Satisfactory	71	со	1
124	Rajamahendravaram	Good	24	со	1
125	Rajgir	Satisfactory	70	со	1
126	Ramanagara	Good	46	PM <sub>10</sub>	1
127	Ramanathapuram	Good	37	PM <sub>10</sub>	1
128	Ratlam	Good	27	PM <sub>10</sub>	1
129	Rohtak	Good	30	O <sub>3</sub>	1
130	Rupnagar	Satisfactory	74	PM <sub>2.5</sub>	1
131	Sagar	Satisfactory	64	СО	1
132	Saharsa	Moderate	149	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Samastipur	Poor	205	PM <sub>10</sub>	1
134	Sasaram	Satisfactory	80	со	1
135	Satna	Good	38	PM <sub>10</sub>	1
136	Shillong	Good	21	SO <sub>2</sub>	1
137	Shivamogga	Satisfactory	53	PM <sub>10</sub>	1
138	Siliguri	Good	38	PM <sub>10</sub>	1
139	Singrauli	Satisfactory	84	NO <sub>2</sub>	1
140	Sirsa	Satisfactory	66	03	1
141	Sivasagar	Good	13	со	1
142	Solapur	Satisfactory	70	PM <sub>10</sub>	1
143	Sonipat	Good	48	со	1
144	Srinagar	Satisfactory	53	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thane	Satisfactory	65	O <sub>3</sub>	1
146	Thiruvananthapuram	Good	42	PM <sub>2.5</sub> , PM <sub>10</sub>	2
147	Thoothukudi	Satisfactory	80	PM <sub>10</sub>	1
148	Tirupati	Satisfactory	61	PM <sub>2.5</sub>	1
149	Tiruppur	Poor	263	PM <sub>10</sub>	1
150	Udaipur	Satisfactory	54	PM <sub>10</sub>	1
151	Udupi	Satisfactory	72	СО	1
152	Ujjain	Satisfactory	66	PM <sub>10</sub>	1
153	Varanasi	Moderate	114	O <sub>3</sub> , PM <sub>10</sub>	4
154	Vatva	Satisfactory	75	PM <sub>10</sub>	1
155	Visakhapatnam	Good	33	SO <sub>2</sub>	1
156	Vrindavan	Satisfactory	54	SO <sub>2</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yadgir	Good	30	PM <sub>10</sub>	1
158	Yamunanagar	Satisfactory	59	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Ankleshwar, Notes: Aurangabad (Bihar), Baghpat, Bhilai, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Coimbatore, Damoh, Dehradun, Dharuhera, Dindigul, Gummidipoondi, Jorapokhar, Katihar, Kolar, Mandikhera, Manesar, Manguraha, Meerut, Munger, Naharlagun, Palwal, Pune, Purnia, Salem, Siwan, Talcher, Thrissur, Vapi, Vijayapura, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.