

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	85	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	56	PM <sub>10</sub> , NO <sub>2</sub>	4
3	Ahmedabad	Satisfactory	71	PM <sub>10</sub>	8
4	Ajmer	Satisfactory	84	PM <sub>2.5</sub>	1
5	Akola	Good	35	со	1
6	Alwar	Satisfactory	54	PM <sub>10</sub>	1
7	Amaravati	Good	30	03	1
8	Ambala	Satisfactory	91	со	1
9	Amravati	Good	30	PM <sub>10</sub>	2
10	Amritsar	Satisfactory	88	PM <sub>10</sub>	1
11	Ankleshwar	Moderate	175	со	1
12	Araria	Satisfactory	57	со	1

### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Beisai

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	41	PM <sub>10</sub>	1
14	Arrah	Satisfactory	64	PM <sub>10</sub>	1
15	Asansol	Good	47	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Good	34	PM <sub>10</sub>	2
17	Baddi	Moderate	126	PM <sub>10</sub>	1
18	Badlapur	Good	49	PM <sub>10</sub>	1
19	Bagalkot	Good	42	PM <sub>10</sub>	1
20	Baghpat	Satisfactory	55	O <sub>3</sub>	1
21	Bahadurgarh	Satisfactory	82	PM <sub>10</sub>	1
22	Banswara	Satisfactory	67	со	1
23	Baran	Satisfactory	63	PM <sub>10</sub>	1
24	Bareilly	Good	31	SO <sub>2</sub>	1

### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	51	PM <sub>10</sub>	1
26	Barmer	Satisfactory	63	PM <sub>10</sub>	1
27	Bathinda	Moderate	125	PM <sub>10</sub>	1
28	Begusarai	Satisfactory	69	PM <sub>2.5</sub>	1
29	Belapur	Good	50	PM <sub>10</sub>	1
30	Belgaum	Good	46	со	1
31	Bengaluru	Good	40	PM <sub>10</sub> , O <sub>3</sub>	10
32	Bettiah	Moderate	115	PM <sub>10</sub>	1
33	Bhagalpur	Moderate	120	PM <sub>10</sub>	2
34	Bharatpur	Satisfactory	51	PM <sub>10</sub>	1
35	Bhilai	Good	29	PM <sub>10</sub> , PM <sub>2.5</sub>	2
36	Bhilwara	Satisfactory	72	PM <sub>10</sub>	1

### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

### - Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Beisar

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	83	PM <sub>10</sub>	1
38	Bhiwani	Satisfactory	64	со	1
39	Bhopal	Good	33	со	3
40	Bihar Sharif	Good	37	PM <sub>10</sub>	1
41	Bikaner	Satisfactory	97	PM <sub>10</sub>	1
42	Bilaspur	Good	48	PM <sub>10</sub>	1
43	Bileipada	Satisfactory	81	PM <sub>10</sub>	1
44	Bulandshahr	Satisfactory	58	PM <sub>10</sub>	1
45	Bundi	Satisfactory	57	03	1
46	Byrnihat	Moderate	156	PM <sub>2.5</sub>	1
47	Chamarajanagar	Good	43	PM <sub>10</sub>	1
48	Chandigarh	Satisfactory	63	PM <sub>10</sub>	3

## Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Boise

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Hisar, Imphal, Jalore, Jhansi, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Purnia, Raichur, Satna, Silchar, Sri Ganganagar, Srinagar, Surat, Tonk, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Satisfactory	51	PM <sub>10</sub>	1
50	Charkhi Dadri	Satisfactory	75	PM <sub>2.5</sub>	1
51	Chennai	Satisfactory	54	CO, PM <sub>10</sub>	8
52	Chhapra	Satisfactory	74	PM <sub>10</sub>	1
53	Chikkaballapur	Good	23	PM <sub>10</sub>	1
54	Chikkamagaluru	Good	36	PM <sub>10</sub>	1
55	Chittoor	Good	41	03	1
56	Chittorgarh	Satisfactory	93	PM <sub>2.5</sub>	1
57	Churu	Satisfactory	65	03	1
58	Cuddalore	Good	18	PM <sub>2.5</sub>	1
59	Damoh	Good	23	со	1
60	Dausa	Satisfactory	69	PM <sub>10</sub>	1

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Boise

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Hisar, Imphal, Jalore, Jhansi, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Purnia, Raichur, Satna, Silchar, Sri Ganganagar, Srinagar, Surat, Tonk, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	23	PM <sub>10</sub>	1
62	Delhi	Satisfactory	85	O <sub>3</sub> , PM <sub>10</sub>	27
63	Dewas	Good	38	03	1
64	Dhanbad	Moderate	184	со	1
65	Dharuhera	Moderate	112	PM <sub>10</sub>	1
66	Dharwad	Good	34	со	1
67	Dholpur	Satisfactory	89	PM <sub>10</sub>	1
68	Dhule	Good	34	СО	1
69	Durgapur	Good	35	SO <sub>2</sub>	1
70	Faridabad	Satisfactory	86	PM <sub>10</sub> , PM <sub>2.5</sub>	3
71	Fatehabad	Moderate	116	03	1
72	Firozabad	Good	40	PM <sub>10</sub>	2

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Boise

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Hisar, Imphal, Jalore, Jhansi, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Purnia, Raichur, Satna, Silchar, Sri Ganganagar, Srinagar, Surat, Tonk, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gadag	Good	45	SO <sub>2</sub>	1
74	Gandhinagar	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub>	3
75	Gangtok	Satisfactory	66	SO <sub>2</sub>	1
76	Gaya	Satisfactory	53	PM <sub>2.5</sub>	3
77	Ghaziabad	Satisfactory	58	PM <sub>10</sub>	4
78	Gorakhpur	Satisfactory	60	PM <sub>10</sub>	1
79	Greater Noida	Moderate	174	PM <sub>10</sub>	2
80	Gummidipoondi	Satisfactory	83	PM <sub>2.5</sub>	1
81	Gurugram	Moderate	143	PM <sub>2.5</sub>	2
82	Guwahati	Satisfactory	69	CO, SO <sub>2</sub>	3
83	Gwalior	Satisfactory	54	PM <sub>10</sub> , O <sub>3</sub>	3
84	Hajipur	Good	43	PM <sub>10</sub>	1

## Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Boise

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Hisar, Imphal, Jalore, Jhansi, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Purnia, Raichur, Satna, Silchar, Sri Ganganagar, Srinagar, Surat, Tonk, Tumakuru,

Tumidih, Udupi, Virar, vellore as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Good	38	03	1
86	Hanumangarh	Satisfactory	86	PM <sub>10</sub>	1
87	Hapur	Good	43	PM <sub>10</sub>	1
88	Hassan	Satisfactory	53	PM <sub>10</sub>	1
89	Haveri	Good	39	со	1
90	Hosur	Good	24	PM <sub>10</sub>	1
91	Howrah	Good	44	PM <sub>10</sub>	3
92	Hubballi	Good	44	со	2
93	Hyderabad	Satisfactory	54	PM <sub>10</sub> , NO <sub>2</sub>	7
94	Indore	Satisfactory	74	со	1
95	Jabalpur	Good	49	O <sub>3</sub> , PM <sub>10</sub>	3
96	Jaipur	Satisfactory	82	PM <sub>2.5</sub> , PM <sub>10</sub>	5

### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

-- Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Boisai

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaisalmer	Satisfactory	69	PM <sub>10</sub>	1
98	Jalandhar	Satisfactory	75	PM <sub>10</sub>	1
99	Jalgaon	Good	50	PM <sub>10</sub>	1
100	Jalna	Satisfactory	58	PM <sub>10</sub>	1
101	Jhalawar	Satisfactory	73	со	1
102	Jhunjhunu	Satisfactory	99	PM <sub>2.5</sub>	1
103	Jodhpur	Satisfactory	57	O <sub>3</sub>	4
104	Kadapa	Good	49	PM <sub>2.5</sub>	1
105	Kaithal	Satisfactory	67	PM <sub>2.5</sub>	1
106	Kalyan	Satisfactory	72	со	1
107	Kannur	Satisfactory	70	PM <sub>10</sub>	1
108	Kanpur	Satisfactory	51	со	4

### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

### tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Good	44	O <sub>3</sub>	1
110	Karnal	Good	49	PM <sub>10</sub>	1
111	Kashipur	Satisfactory	69	PM <sub>10</sub>	1
112	Katihar	Satisfactory	85	со	1
113	Katni	Good	38	03	1
114	Keonjhar	Good	46	PM <sub>10</sub>	1
115	Khanna	Good	34	PM <sub>10</sub>	1
116	Khurja	Satisfactory	82	PM <sub>2.5</sub>	1
117	Kishanganj	Satisfactory	90	PM <sub>10</sub>	1
118	Kolar	Good	26	O <sub>3</sub>	1
119	Kolhapur	Good	27	PM <sub>10</sub>	2
120	Kolkata	Good	36	PM <sub>10</sub>	7

### Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kollam	Satisfactory	64	PM <sub>10</sub>	1
122	Korba	Satisfactory	59	O <sub>3</sub>	2
123	Kota	Good	49	PM <sub>10</sub>	3
124	Kunjemura	Good	27	со	1
125	Kurukshetra	Satisfactory	62	PM <sub>10</sub>	1
126	Latur	Good	36	PM <sub>10</sub>	1
127	Lucknow	Satisfactory	61	PM <sub>10</sub>	5
128	Ludhiana	Satisfactory	90	PM <sub>10</sub>	1
129	Madikeri	Good	40	со	1
130	Mahad	Satisfactory	69	PM <sub>10</sub>	1
131	Maihar	Good	32	со	1
132	Mandi Gobindgarh	Satisfactory	83	PM <sub>10</sub>	1

### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

# Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Boisar, Brairainagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, D

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandideep	Satisfactory	73	PM <sub>10</sub>	1
134	Mandikhera	Good	26	SO <sub>2</sub>	1
135	Manesar	Satisfactory	57	PM <sub>2.5</sub>	1
136	Mangalore	Good	39	PM <sub>10</sub>	1
137	Manguraha	Satisfactory	58	со	1
138	Meerut	Good	44	со	2
139	Moradabad	Satisfactory	66	PM <sub>10</sub>	6
140	Motihari	Satisfactory	72	PM <sub>10</sub>	1
141	Mumbai	Satisfactory	60	PM <sub>10</sub>	20
142	Munger	Satisfactory	76	PM <sub>2.5</sub>	1
143	Muzaffarnagar	Satisfactory	51	PM <sub>10</sub>	1
144	Muzaffarpur	Moderate	107	O <sub>3</sub> , NO <sub>2</sub>	3

### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,
-Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Boise

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Mysuru	Good	34	PM <sub>10</sub>	1
146	Nagaon	Satisfactory	61	PM <sub>10</sub>	1
147	Nagaur	Satisfactory	53	03	1
148	Nagpur	Good	26	PM <sub>10</sub>	4
149	Naharlagun	Good	47	PM <sub>2.5</sub>	1
150	Nalbari	Satisfactory	79	PM <sub>10</sub>	1
151	Nanded	Satisfactory	66	O <sub>3</sub>	1
152	Narnaul	Satisfactory	69	PM <sub>10</sub>	1
153	Nashik	Good	32	PM <sub>10</sub>	4
154	Navi Mumbai	Satisfactory	58	PM <sub>2.5</sub> , CO	6
155	Nayagarh	Good	39	PM <sub>2.5</sub>	1
156	Noida	Satisfactory	62	PM <sub>10</sub>	3

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Beist

#### Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dehradun, Dindigul, Dungarpur, Eloor, Ernakulam, Hisar, Imphal, Jalore, Jhansi, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Ooty, Palkalaiperur, Purnia, Raichur, Satna, Silchar, Sri Ganganagar, Srinagar, Surat, Tonk, Tumakuru, Tumidih, Udupi, Virar, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pali	Satisfactory	92	PM <sub>10</sub>	1
158	Palwal	Satisfactory	54	PM <sub>2.5</sub>	1
159	Panchkula	Satisfactory	53	03	1
160	Panipat	Satisfactory	70	PM <sub>10</sub>	1
161	Parbhani	Good	44	03	1
162	Patiala	Good	47	O <sub>3</sub>	1
163	Patna	Satisfactory	90	PM <sub>2.5</sub> , CO	6
164	Pimpri Chinchwad	Satisfactory	61	PM <sub>2.5</sub>	3
165	Pithampur	Satisfactory	58	СО	1
166	Pratapgarh	Good	50	O <sub>3</sub>	1
167	Prayagraj	Satisfactory	67	PM <sub>10</sub>	3
168	Puducherry	Good	43	PM <sub>10</sub>	1

## Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

 $^{\star}$  AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pune	Satisfactory	76	NO <sub>2</sub> , PM <sub>10</sub>	7
170	Raipur	Good	20	O <sub>3</sub> , NO <sub>2</sub>	3
171	Rairangpur	Good	45	PM <sub>2.5</sub>	1
172	Rajamahendravaram	Good	44	03	1
173	Rajgir	Good	46	PM <sub>10</sub>	1
174	Rajsamand	Good	45	PM <sub>10</sub>	1
175	Ramanagara	Good	28	PM <sub>10</sub>	1
176	Ramanathapuram	Good	23	PM <sub>10</sub>	1
177	Ratlam	Good	16	PM <sub>10</sub>	1
178	Rishikesh	Good	32	СО	1
179	Rohtak	Good	38	O <sub>3</sub>	1
180	Rourkela	Good	49	PM <sub>10</sub>	3

### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

### Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Beisai

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rupnagar	Moderate	131	PM <sub>10</sub>	1
182	Sagar	Good	48	со	2
183	Saharsa	Satisfactory	73	PM <sub>10</sub>	1
184	Salem	Satisfactory	79	SO <sub>2</sub>	1
185	Samastipur	Satisfactory	63	со	1
186	Sangli	Good	25	O <sub>3</sub>	1
187	Sasaram	Good	30	СО	1
188	Sawai Madhopur	Good	49	O <sub>3</sub>	1
189	Shillong	Good	40	PM <sub>10</sub> , PM <sub>2.5</sub>	2
190	Shivamogga	Good	41	O <sub>3</sub>	1
191	Sikar	Satisfactory	79	03	1
192	Siliguri	Satisfactory	54	O <sub>3</sub>	1

### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, D

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Singrauli	Good	48	O <sub>3</sub>	1
194	Sirohi	Satisfactory	59	03	1
195	Sirsa	Moderate	181	03	1
196	Sivasagar	Good	25	PM <sub>10</sub>	1
197	Siwan	Satisfactory	87	PM <sub>10</sub>	1
198	Solapur	Satisfactory	56	PM <sub>10</sub>	3
199	Sonipat	Satisfactory	72	PM <sub>2.5</sub>	1
200	Suakati	Good	49	PM <sub>10</sub>	1
201	Talcher	Satisfactory	62	со	1
202	Tensa	Good	41	NO <sub>2</sub>	1
203	Thane	Satisfactory	58	PM <sub>10</sub>	2
204	Thiruvananthapuram	Good	30	PM <sub>10</sub> , CO	2

### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

tapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thoothukudi	Good	34	PM <sub>10</sub>	1
206	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
207	Tirupati	Good	39	PM <sub>2.5</sub>	2
208	Tirupur	Good	27	СО	1
209	Udaipur	Satisfactory	55	PM <sub>10</sub>	1
210	Ujjain	Satisfactory	62	СО	1
211	Ulhasnagar	Good	46	PM <sub>10</sub>	1
212	Vapi	Moderate	108	СО	1
213	Varanasi	Good	28	O <sub>3</sub>	4
214	Vatva	Satisfactory	94	PM <sub>10</sub>	1
215	Vijayapura	Satisfactory	53	PM <sub>10</sub>	1
216	Vijayawada	Good	32	O <sub>3</sub>	1

### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

### Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	oor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

### Anantapur, Aurangabad (Bihar), Ballabgarh, Bhiwandi, Bidar, Beisai

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Visakhapatnam	Satisfactory	91	PM <sub>10</sub>	1
218	Vrindavan	Good	32	PM <sub>10</sub>	1
219	Yadgir	Good	30	СО	1
220	Yamunanagar	Satisfactory	78	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.