



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	231	PM _{2.5}	1
2	Agra	Moderate	141	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Moderate	129	PM _{2.5} , PM ₁₀ , NO ₂	8
4	Aizawl	Good	38	PM ₁₀	1
5	Ajmer	Satisfactory	83	PM ₁₀	1
6	Alwar	Satisfactory	81	PM ₁₀	1
7	Amaravati	Moderate	114	PM _{2.5}	1
8	Ambala	Moderate	191	PM _{2.5}	1
9	Amritsar	Moderate	116	PM ₁₀	1
10	Ankleshwar	Poor	211	PM _{2.5}	1
11	Araria	Poor	256	PM _{2.5}	1
12	Arrah	Moderate	159	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	103	PM ₁₀	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Bahadurgarh	Poor	242	PM _{2.5}	1
16	Ballabgarh	Moderate	200	PM _{2.5}	1
17	Bathinda	Moderate	111	PM ₁₀	1
18	Bengaluru	Satisfactory	77	PM ₁₀	9
19	Bettiah	Poor	215	PM ₁₀	1
20	Bhagalpur	Poor	250	PM _{2.5}	2
21	Bhiwadi	Poor	201	PM _{2.5}	1
22	Bhopal	Satisfactory	97	PM ₁₀	1
23	Bidar	Satisfactory	98	PM ₁₀	1
24	Bihar Sharif	Moderate	158	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Poor	241	PM _{2.5}	1
26	Chamarajanagar	Good	38	PM ₁₀	1
27	Chandigarh	Moderate	145	PM _{2.5} , PM ₁₀	2
28	Chandrapur	Moderate	128	O ₃ , PM ₁₀	2
29	Charkhi Dadri	Moderate	175	PM _{2.5}	1
30	Chennai	Moderate	114	O ₃ , PM ₁₀ , PM _{2.5}	5
31	Chhapra	Poor	230	PM _{2.5}	1
32	Chikkaballapur	Satisfactory	80	PM ₁₀	1
33	Chikkamagaluru	Satisfactory	56	PM ₁₀	1
34	Coimbatore	Satisfactory	73	PM _{2.5}	1
35	Damoh	Good	47	PM _{2.5}	1
36	Darbhanga	Poor	236	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Satisfactory	100	PM ₁₀	1
38	Delhi	Poor	239	PM ₁₀ , PM _{2.5}	33
39	Dewas	Satisfactory	72	PM ₁₀	1
40	Dharuhera	Moderate	153	PM _{2.5}	1
41	Durgapur	Moderate	191	PM ₁₀	1
42	Eloor	Satisfactory	63	PM _{2.5}	1
43	Faridabad	Poor	220	PM ₁₀	2
44	Fatehabad	Moderate	109	PM ₁₀	1
45	Firozabad	Moderate	145	PM _{2.5}	1
46	Gadag	Satisfactory	58	PM _{2.5}	1
47	Gandhinagar	Satisfactory	94	PM ₁₀	2
48	Gaya	Moderate	168	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Poor	283	PM _{2.5} , PM ₁₀	4
50	Gorakhpur	Satisfactory	84	PM _{2.5}	1
51	Greater Noida	Moderate	197	PM _{2.5}	2
52	Gummidipoondi	Good	43	PM ₁₀	1
53	Gurugram	Poor	213	PM _{2.5}	3
54	Guwahati	Moderate	180	PM _{2.5}	2
55	Gwalior	Satisfactory	93	PM ₁₀	1
56	Hajipur	Moderate	106	PM _{2.5}	1
57	Haldia	Moderate	112	PM ₁₀	1
58	Hapur	Poor	232	PM _{2.5}	1
59	Hassan	Satisfactory	75	PM ₁₀	1
60	Hisar	Moderate	184	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Moderate	133	PM ₁₀	1
62	Hubballi	Moderate	113	PM ₁₀	1
63	Hyderabad	Moderate	129	PM _{2.5} , PM ₁₀	5
64	Indore	Satisfactory	96	O ₃	1
65	Jabalpur	Moderate	155	PM ₁₀	1
66	Jaipur	Satisfactory	90	PM ₁₀	2
67	Jalandhar	Moderate	106	PM ₁₀	1
68	Jhansi	Moderate	153	PM ₁₀	1
69	Jind	Moderate	178	PM _{2.5}	1
70	Jodhpur	Moderate	131	PM _{2.5}	1
71	Kaithal	Moderate	164	PM _{2.5}	1
72	Kalaburgi	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	58	PM _{2.5}	1
74	Kanpur	Poor	225	PM _{2.5}	3
75	Karnal	Moderate	186	PM _{2.5}	1
76	Katihar	Poor	282	PM _{2.5}	1
77	Katni	Moderate	147	PM ₁₀	1
78	Khanna	Moderate	114	PM ₁₀	1
79	Kishanganj	Poor	282	PM _{2.5}	1
80	Kochi	Satisfactory	73	PM _{2.5}	1
81	Kohima	Satisfactory	65	PM ₁₀	1
82	Kolkata	Moderate	149	PM _{2.5} , PM ₁₀	6
83	Kollam	Satisfactory	82	PM ₁₀	1
84	Koppal	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Moderate	167	PM _{2.5}	1
86	Kozhikode	Satisfactory	56	PM ₁₀	1
87	Kurukshetra	Poor	243	PM _{2.5}	1
88	Lucknow	Poor	214	PM _{2.5} , O ₃ , PM ₁₀	6
89	Ludhiana	Poor	203	PM _{2.5}	1
90	Madikeri	Satisfactory	68	PM ₁₀	1
91	Maihar	Good	23	PM ₁₀	1
92	Mandi Gobindgarh	Moderate	110	PM ₁₀	1
93	Mandideep	Satisfactory	72	O ₃	1
94	Mandikhera	Moderate	107	PM ₁₀	1
95	Manesar	Poor	207	PM _{2.5}	1
96	Manglore	Satisfactory	51	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manguraha	Moderate	104	CO	1
98	Meerut	Poor	299	PM ₁₀ , PM _{2.5}	3
99	Moradabad	Moderate	200	PM _{2.5}	4
100	Motihari	Poor	292	PM _{2.5}	1
101	Mumbai	Moderate	128	PM _{2.5} , PM ₁₀	18
102	Munger	Poor	279	PM _{2.5}	1
103	Muzaffarnagar	Very Poor	337	PM _{2.5}	1
104	Muzaffarpur	Very Poor	311	PM ₁₀ , PM _{2.5}	3
105	Mysuru	Satisfactory	52	PM ₁₀	1
106	Nagpur	Moderate	101	CO	1
107	Nandesari	Satisfactory	81	CO	1
108	Narnaul	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	74	PM ₁₀	1
110	Navi Mumbai	Moderate	152	PM _{2.5} , PM ₁₀	3
111	Noida	Poor	232	PM _{2.5} , PM ₁₀	4
112	Pali	Satisfactory	81	PM _{2.5}	1
113	Palwal	Moderate	145	PM _{2.5}	1
114	Panchkula	Satisfactory	94	PM _{2.5}	1
115	Patiala	Moderate	160	PM _{2.5}	1
116	Patna	Poor	244	PM _{2.5} , PM ₁₀	6
117	Pithampur	Satisfactory	76	PM ₁₀	1
118	Prayagraj	Moderate	126	PM _{2.5} , PM ₁₀	3
119	Puducherry	Satisfactory	72	PM ₁₀	1
120	Pune	Moderate	114	PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Poor	268	PM _{2.5}	1
122	Raichur	Moderate	112	PM ₁₀	1
123	Rajamahendravaram	Moderate	118	PM _{2.5}	1
124	Rajgir	Moderate	152	O ₃	1
125	Ramanagara	Satisfactory	77	PM ₁₀	1
126	Ratlam	Satisfactory	70	PM ₁₀	1
127	Rohtak	Poor	260	PM _{2.5}	1
128	Rupnagar	Moderate	178	PM _{2.5}	1
129	Sagar	Satisfactory	54	CO	1
130	Saharsa	Poor	292	PM _{2.5}	1
131	Sasaram	Moderate	170	PM _{2.5}	1
132	Satna	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Satisfactory	57	PM ₁₀	1
134	Siliguri	Moderate	140	PM _{2.5}	1
135	Singrauli	Moderate	180	PM ₁₀	1
136	Sirsa	Moderate	105	PM ₁₀	1
137	Siwan	Poor	278	PM _{2.5}	1
138	Sonipat	Poor	223	PM ₁₀	1
139	Srinagar	Poor	273	PM ₁₀	1
140	Talcher	Moderate	167	PM _{2.5}	1
141	Thane	Moderate	113	O ₃	1
142	Thiruvananthapuram	Good	37	PM _{2.5}	1
143	Thoothukudi	Satisfactory	56	PM ₁₀	1
144	Thrissur	Satisfactory	80	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 14, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	132	PM ₁₀	1
146	Udupi	Good	44	O ₃	1
147	Ujjain	Moderate	123	PM _{2.5}	1
148	Vapi	Poor	211	PM ₁₀	1
149	Varanasi	Moderate	126	O ₃ , PM _{2.5} , PM ₁₀	4
150	Vatva	Moderate	164	NO ₂	1
151	Vijayapura	Satisfactory	51	PM ₁₀	1
152	Visakhapatnam	Moderate	127	PM ₁₀	1
153	Vrindavan	Moderate	103	PM ₁₀	1
154	Yadgir	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Baghpat, Bhilai, Bhiwani, Bilaspur, Brajrajnagar, Buxar, Ernakulam, Jorapokhar, Kalyan, Kolar, Naharlagun, Panipat, Shillong, Solapur, Tirupati, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.