Air Quality Index on Dec 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	163	$PM_{2.5}$	1
2	Agra	Poor	288	$PM_{2.5}$	1
3	Ahmedabad	Moderate	128	PM_{10}	1
4	Aizawl	Good	12	PM_{10}	1
5	Ajmer	Moderate	122	$PM_{2.5}$	1
6	Alwar	Moderate	112	PM_{10}	1
7	Amaravati	Poor	267	$PM_{2.5}$	1
8	Ambala	Moderate	135	PM_{10}	1
9	Amritsar	Moderate	113	$PM_{2.5}$	1
10	Ankleshwar	Moderate	172	PM_{10}	1
11	Asansol	Poor	282	$PM_{2.5}$	1
12	Aurangabad	Satisfactory	99	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chikkamagaluru, Dharuhera, Ernakulam, Jorapokhar, Muzaffarnagar, Nagpur, Ramanagara, Rupnagar, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	80	PM_{10}	1
14	Baghpat	Poor	254	PM_{10}	1
15	Bahadurgarh	Poor	230	$PM_{2.5}$	1
16	Ballabgarh	Moderate	199	$PM_{2.5}$	1
17	Bathinda	Moderate	139	PM_{10}	1
18	Bengaluru	Moderate	122	$PM_{2.5}$	9
19	Bhiwadi	Poor	285	$PM_{2.5}$	1
20	Bhiwani	Moderate	171	PM_{10}	1
21	Bhopal	Moderate	199	PM_{10}	1
22	Brajrajnagar	Poor	240	$PM_{2.5}$	1
23	Bulandshahr	Poor	277	$PM_{2.5}$	1
24	Chamarajanagar	Satisfactory	52	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chikkamagaluru, Dharuhera, Ernakulam, Jorapokhar, Muzaffarnagar, Nagpur, Ramanagara, Rupnagar, Vijayapura as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	123	PM_{10}	1
26	Chandrapur	Moderate	130	$PM_{2.5}$, PM_{10}	2
27	Charkhi Dadri	Poor	246	PM_{10}	1
28	Chennai	Moderate	114	$PM_{2.5}$, PM_{10}	6
29	Chikkaballapur	Moderate	135	$PM_{2.5}$	1
30	Coimbatore	Moderate	142	$PM_{2.5}$	1
31	Damoh	Poor	204	$PM_{2.5}$	1
32	Delhi	Poor	265	$PM_{2.5}$, PM_{10}	37
33	Dewas	Moderate	188	PM_{10}	1
34	Durgapur	Poor	234	PM_{10}	1
35	Eloor	Satisfactory	56	PM_{10}	1
36	Faridabad	Poor	291	$PM_{2.5}$, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chikkamagaluru, Dharuhera, Ernakulam, Jorapokhar, Muzaffarnagar, Nagpur, Ramanagara, Rupnagar, Vijayapura as data was not available.
\# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Poor	208	$PM_{2.5}$	1
38	Gandhinagar	Moderate	115	$PM_{2.5}$	1
39	Gaya	Poor	210	$PM_{2.5}$	2
40	Ghaziabad	Poor	283	PM_{10}, $PM_{2.5}$	4
41	Greater Noida	Poor	272	$PM_{2.5}$, PM_{10}	2
42	Gurugram	Poor	214	$PM_{2.5}$	4
43	Guwahati	Poor	268	$PM_{2.5}$	2
44	Gwalior	Poor	213	$PM_{2.5}$	1
45	Hajipur	Poor	274	PM_{10}	1
46	Haldia	Moderate	179	PM_{10}	1
47	Hapur	Moderate	125	PM_{10}	1
48	Hisar	Poor	285	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chikkamagaluru, Dharuhera, Ernakulam, Jorapokhar, Muzaffarnagar, Nagpur, Ramanagara, Rupnagar, Vijayapura as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Very Poor	371	PM_{10}, $PM_{2.5}$	3
50	Hubballi	Moderate	143	$PM_{2.5}$	1
51	Hyderabad	Moderate	182	$PM_{2.5}$, PM_{10}	5
52	Indore	Moderate	168	PM_{10}	1
53	Jabalpur	Poor	289	$PM_{2.5}$	1
54	Jaipur	Moderate	141	PM_{10}, $PM_{2.5}$	3
55	Jalandhar	Moderate	109	PM_{10}	1
56	Jind	Poor	215	$PM_{2.5}$	1
57	Jodhpur	Moderate	189	CO	1
58	Kaithal	Moderate	155	PM_{10}	1
59	Kalaburgi	Moderate	131	PM_{10}	1
60	Kalyan	Moderate	143	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chikkamagaluru, Dharuhera, Ernakulam, Jorapokhar, Muzaffarnagar, Nagpur, Ramanagara, Rupnagar, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Moderate	115	PM_{10}	1
62	Kanpur	Very Poor	312	$PM_{2.5}$	2
63	Karnal	Moderate	160	$PM_{2.5}$	1
64	Katni	Very Poor	308	$PM_{2.5}$	1
65	Khanna	Moderate	128	PM_{10}	1
66	Kochi	Moderate	174	$PM_{2.5}$	1
67	Kohima	Satisfactory	63	PM_{10}	1
68	Kolkata	Very Poor	347	$PM_{2.5}$	7
69	Kollam	Poor	232	$PM_{2.5}$	1
70	Koppal	Satisfactory	94	PM_{10}	1
71	Kota	Moderate	134	$PM_{2.5}$	1
72	Kozhikode	Satisfactory	96	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chikkamagaluru, Dharuhera, Ernakulam, Jorapokhar, Muzaffarnagar, Nagpur, Ramanagara, Rupnagar, Vijayapura as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	236	$PM_{2.5}$	1
74	Lucknow	Very Poor	352	$PM_{2.5}$, PM_{10}	4
75	Ludhiana	Satisfactory	95	PM_{10}	1
76	Maihar	Moderate	148	$PM_{2.5}$	1
77	Mandi Gobindgarh	Poor	202	$PM_{2.5}$	1
78	Mandideep	Moderate	177	$PM_{2.5}$	1
79	Mandikhera	Moderate	107	PM_{10}	1
80	Manesar	Moderate	185	$PM_{2.5}$	1
81	Medikeri	Moderate	147	O_3	1
82	Meerut	Poor	242	PM_{10}, NO_2, $PM_{2.5}$	3
83	Moradabad	Moderate	194	$PM_{2.5}$	1
84	Mumbai	Moderate	192	$PM_{2.5}$, PM_{10}	19

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chikkamagaluru, Dharuhera, Ernakulam, Jorapokhar, Muzaffarnagar, Nagpur, Ramanagara, Rupnagar, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Poor	271	PM_{10}	1
86	Mysuru	Satisfactory	82	$PM_{2.5}$	1
87	Nandesari	Moderate	131	CO	1
88	Narnaul	Poor	282	PM_{10}	1
89	Nashik	Satisfactory	80	PM_{10}	1
90	Navi Mumbai	Poor	229	$PM_{2.5}$, NO_2	3
91	Noida	Poor	258	$PM_{2.5}$	3
92	Pali	Moderate	123	$PM_{2.5}$	1
93	Palwal	Moderate	140	$PM_{2.5}$	1
94	Panchkula	Poor	223	$PM_{2.5}$	1
95	Panipat	Poor	235	PM_{10}	1
96	Patiala	Moderate	145	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Dec 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Very Poor	344	$PM_{2.5}$, PM_{10}	5
98	Pithampur	Moderate	158	PM_{10}	1
99	Pune	Moderate	114	$PM_{2.5}$	6
100	Raichur	Moderate	194	$PM_{2.5}$	1
101	Rajamahendravaram	Poor	263	$PM_{2.5}$	1
102	Ratlam	Moderate	138	PM_{10}	1
103	Rohtak	Poor	209	$PM_{2.5}$	1
104	Sagar	Satisfactory	73	$PM_{2.5}$	1
105	Satna	Satisfactory	96	PM_{10}	1
106	Shillong	Good	24	PM_{10}	1
107	Shivamogga	Moderate	148	$PM_{2.5}$	1
108	Siliguri	Poor	261	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chikkamagaluru, Dharuhera, Ernakulam, Jorapokhar, Muzaffarnagar, Nagpur, Ramanagara, Rupnagar, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Very Poor	355	$PM_{2.5}$	1
110	Sirsa	Moderate	132	$PM_{2.5}$	1
111	Solapur	Moderate	166	$PM_{2.5}$	1
112	Sonipat	Moderate	195	PM_{10}	1
113	Talcher	Moderate	157	$PM_{2.5}$	1
114	Thane	Poor	225	PM_{10}	1
115	Thiruvananthapuram	Satisfactory	95	$PM_{2.5}$	1
116	Thoothukudi	Satisfactory	72	PM_{10}	1
117	Thrissur	Moderate	148	$PM_{2.5}$	1
118	Tirupati	Moderate	188	$PM_{2.5}$	1
119	Udaipur	Moderate	135	$PM_{2.5}$	1
120	Ujjain	Moderate	174	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chikkamagaluru, Dharuhera, Ernakulam, Jorapokhar, Muzaffarnagar, Nagpur, Ramanagara, Rupnagar, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 29, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Poor	238	$PM_{2.5}$	1
122	Varanasi	Very Poor	324	$PM_{2.5}$	1
123	Vatva	Poor	230	PM_{10}	1
124	Visakhapatnam	Poor	283	$PM_{2.5}$	1
125	Yadgir	Moderate	146	$PM_{2.5}$	1
126	Yamunanagar	Moderate	165	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Chikkamagaluru, Dharuhera, Ernakulam, Jorapokhar, Muzaffarnagar, Nagpur, Ramanagara, Rupnagar, Vijayapura as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.