Air Quality Index on Jan 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Moderate	135	$PM_{2.5}$	1
2	Ajmer	Moderate	129	PM_{10}	1
3	Alwar	Satisfactory	96	PM_{10}	1
4	Amaravati	Satisfactory	81	$PM_{2.5}$	1
5	Ambala	Poor	236	$PM_{2.5}$	1
6	Amritsar	Moderate	168	$PM_{2.5}$	1
7	Asanol	Moderate	119	$PM_{2.5}$	1
8	Aurangabad	Moderate	118	$PM_{2.5}$	1
9	Baghpat	Poor	281	$PM_{2.5}$	1
10	Bahadurgarh	Poor	254	$PM_{2.5}$	1
11	Ballabgarh	Very Poor	306	$PM_{2.5}$	1
12	Bathinda	Moderate	105	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Dharuhera, Haldia, Kalaburagi, Ludhiana, Maihar, Manesar, Muzaffarnagar, Shillong, Singrauli, Sirsa, Talcher, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	68	PM_{10}, O_3, $PM_{2.5}$	10
14	Bhiwadi	Very Poor	350	$PM_{2.5}$	1
15	Bhiwani	Poor	252	$PM_{2.5}$	1
16	Bhopal	Poor	210	$PM_{2.5}$	1
17	Brajrajnagar	Satisfactory	66	CO	1
18	Bulandshahr	Poor	278	$PM_{2.5}$	1
19	Chandigarh	Moderate	102	PM_{10}	1
20	Chandrapur	Satisfactory	84	$PM_{2.5}$, PM_{10}	2
21	Chennai	Satisfactory	69	CO, $PM_{2.5}$	3
22	Coimbatore	Satisfactory	54	$PM_{2.5}$	1
23	Damoh	Satisfactory	78	$PM_{2.5}$	1
24	Delhi	Very Poor	352	$PM_{2.5}$	35

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Dharuhera, Haldia, Kalaburagi, Ludhiana, Maihar, Manesar, Muzaffarnagar, Shillong, Singrauli, Sirsa, Talcher, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Satisfactory	90	$PM_{2.5}$	1
26	Eloor	Moderate	119	PM_{10}	1
27	Faridabad	Very Poor	339	$PM_{2.5}$	1
28	Fatehabad	Moderate	137	$PM_{2.5}$	1
29	GandhiNagar	Satisfactory	72	PM_{10}	1
30	Gaya	Moderate	155	$PM_{2.5}$	1
31	Ghaziabad	Very Poor	316	$PM_{2.5}$, PM_{10}	4
32	Greater_Noida	Very Poor	336	PM_{10}, $PM_{2.5}$	2
33	Gurugram	Very Poor	318	$PM_{2.5}$	2
34	Guwahati	Moderate	146	$PM_{2.5}$	1
35	Hapur	Moderate	160	PM_{10}	1
36	Hisar	Poor	221	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Dharuhera, Haldia, Kalaburagi, Ludhiana, Maihar, Manesar, Muzaffarnagar, Shillong, Singrauli, Sirsa, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Poor	217	$PM_{2.5}$	3
38	Hubballi	Satisfactory	91	PM_{10}	1
39	Hyderabad	Satisfactory	61	$PM_{2.5}$, PM_{10}	5
40	Indore	Moderate	111	$PM_{2.5}$	1
41	Jabalpur	Satisfactory	77	$PM_{2.5}$	1
42	Jaipur	Satisfactory	92	PM_{10}	2
43	Jalandhar	Moderate	115	$PM_{2.5}$	1
44	Jind	Poor	223	$PM_{2.5}$	1
45	Jodhpur	Poor	279	$PM_{2.5}$	1
46	Jorapokhar	Moderate	105	PM_{10}	1
47	Kaithal	Moderate	146	$PM_{2.5}$	1
48	Kalyan	Moderate	186	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Dharuhera, Haldia, Kalaburagi, Ludhiana, Maihar, Manesar, Muzaffarnagar, Shillong, Singrauli, Sirsa, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kanpur	Very Poor	304	$PM_{2.5}$	1
50	Karnal	Poor	225	$PM_{2.5}$	1
51	Katni	Moderate	135	$PM_{2.5}$	1
52	Khanna	Moderate	124	PM_{10}	1
53	Kolkata	Moderate	166	$PM_{2.5}$	6
54	Kota	Moderate	131	$PM_{2.5}$	1
55	Kurukshetra	Poor	218	$PM_{2.5}$	1
56	Lucknow	Poor	280	$PM_{2.5}$	4
57	Mandi Gobindgarh	Poor	201	$PM_{2.5}$	1
58	Mandideep	Satisfactory	87	PM_{10}	1
59	Mandikhera	Poor	207	$PM_{2.5}$	1
60	Meerut	Poor	220	$PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Dharuhera, Haldia, Kalaburagi, Ludhiana, Maihar, Manesar, Muzaffarnagar, Shillong, Singrauli, Sirsa, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Moradabad	Poor	203	$PM_{2.5}$	1
62	Mumbai	Poor	201	$PM_{2.5}$	10
63	Muzaffarpur	Severe	418	$PM_{2.5}$	1
64	Mysuru	Satisfactory	54	$PM_{2.5}$	1
65	Nagpur	Satisfactory	69	$PM_{2.5}$	1
66	Narnaul	Poor	251	$PM_{2.5}$	1
67	Nashik	Satisfactory	96	$PM_{2.5}$	1
68	Navi Mumbai	Moderate	155	$PM_{2.5}$, CO	2
69	Noida	Very Poor	340	$PM_{2.5}$	4
70	Pali	Moderate	176	$PM_{2.5}$	1
71	Palwal	Very Poor	318	$PM_{2.5}$	1
72	Panchkula	Moderate	116	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Dharuhera, Haldia, Kalaburagi, Ludhiana, Maihar, Manesar, Muzaffarnagar, Shillong, Singrauli, Sirsa, Talcher, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Panipat	Very Poor	322	PM_{10}	1
74	Patiala	Moderate	163	$PM_{2.5}$	1
75	Patna	Very Poor	342	$PM_{2.5}$	4
76	Pithampur	Moderate	123	$PM_{2.5}$	1
77	Pune	Moderate	108	$PM_{2.5}$	1
78	Rajamahendravaram	Satisfactory	81	O_3	1
79	Ramanagara	Good	48	CO	1
80	Ratlam	Moderate	165	$PM_{2.5}$	1
81	Rohtak	Moderate	182	$PM_{2.5}$	1
82	Rupnagar	Moderate	177	$PM_{2.5}$	1
83	Satna	Satisfactory	63	PM_{10}	1
84	Siliguri	Moderate	149	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Dharuhera, Haldia, Kalaburagi, Ludhiana, Maihar, Manesar, Muzaffarnagar, Shillong, Singrauli, Sirsa, Talcher, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Solapur	Moderate	102	PM_{10}	1
86	Sonipat	Poor	226	PM_{10}	1
87	Thane	Satisfactory	73	PM_{10}	1
88	Thiruvananthapuram	Satisfactory	76	$PM_{2.5}$	1
89	Tirupati	Good	33	$PM_{2.5}$	1
90	Udaipur	Moderate	122	$PM_{2.5}$	1
91	Ujjain	Moderate	148	$PM_{2.5}$	1
92	Vapi	Very Poor	351	$PM_{2.5}$	1
93	Varanasi	Poor	208	$PM_{2.5}$	1
94	Vatva	Poor	235	$PM_{2.5}$	1
95	Visakhapatnam	Satisfactory	95	PM_{10}	1
96	Yadgir	Satisfactory	52	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Dharuhera, Haldia, Kalaburagi, Ludhiana, Maihar, Manesar, Muzaffarnagar, Shillong, Singrauli, Sirsa, Talcher, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jan 03, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Yamunanagar	Poor	226	PM$_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Agra, Ankleshwar, Chikkaballapur, Dharuhera, Haldia, Kalaburagi, Ludhiana, Maihar, Manesar, Muzaffarnagar, Shillong, Singrauli, Sirsa, Talcher, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.