



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	309	PM _{2.5}	2
2	Agra	Satisfactory	76	PM ₁₀	6
3	Ahmedabad	Moderate	190	PM _{2.5}	6
4	Aizawl	Moderate	116	PM ₁₀	1
5	Ajmer	Satisfactory	93	PM _{2.5}	1
6	Alwar	Moderate	119	PM _{2.5}	1
7	Amaravati	Good	47	PM ₁₀	1
8	Ambala	Poor	216	PM _{2.5}	1
9	Amritsar	Moderate	178	PM _{2.5}	1
10	Anantapur	Satisfactory	85	O ₃	1
11	Ankleshwar	Moderate	175	PM _{2.5}	1
12	Araria	Poor	296	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpatt, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	50	NO ₂	1
14	Arrah	Very Poor	318	PM _{2.5}	1
15	Asansol	Poor	253	PM _{2.5}	1
16	Aurangabad (Bihar)	Poor	222	PM ₁₀	1
17	Aurangabad (Maharashtra)	Moderate	120	PM ₁₀	1
18	Baddi	Poor	252	PM _{2.5}	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Bahadurgarh	Moderate	189	PM _{2.5}	1
21	Ballabgarh	Satisfactory	93	PM ₁₀	1
22	Bareilly	Moderate	128	PM ₁₀	2
23	Baripada	Moderate	109	PM ₁₀	1
24	Bathinda	Moderate	128	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	413	PM _{2.5}	1
26	Belgaum	Good	46	CO	1
27	Bengaluru	Moderate	106	PM _{2.5} , PM ₁₀	10
28	Bettiah	Very Poor	339	PM _{2.5}	1
29	Bhagalpur	Very Poor	332	PM _{2.5}	2
30	Bharatpur	Poor	237	PM _{2.5}	1
31	Bhilai	Satisfactory	88	PM _{2.5} , PM ₁₀	2
32	Bhiwadi	Moderate	172	PM ₁₀	1
33	Bhiwani	Poor	235	PM _{2.5}	1
34	Bhopal	Moderate	160	PM ₁₀ , O ₃	2
35	Bidar	Satisfactory	84	PM ₁₀	1
36	Bihar Sharif	Moderate	139	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	56	CO	1
38	Bileipada	Poor	209	PM ₁₀	1
39	Brajrajnagar	Satisfactory	100	PM ₁₀	1
40	Bulandshahr	Poor	231	PM _{2.5}	1
41	Chamarajanagar	Good	43	PM ₁₀	1
42	Chandigarh	Very Poor	314	PM _{2.5}	3
43	Chandrapur	Poor	236	PM _{2.5}	1
44	Charkhi Dadri	Poor	267	PM _{2.5}	1
45	Chennai	Satisfactory	74	PM _{2.5} , PM ₁₀	5
46	Chhapra	Very Poor	317	PM _{2.5}	1
47	Chikkaballapur	Satisfactory	93	PM ₁₀	1
48	Chikkamagaluru	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Satisfactory	58	O ₃	1
50	Damoh	Satisfactory	56	PM _{2.5}	1
51	Dehradun	Moderate	138	PM ₁₀	1
52	Delhi	Very Poor	324	PM _{2.5}	37
53	Dharuhera	Poor	257	PM _{2.5}	1
54	Dindigul	Very Poor	316	NO ₂	1
55	Durgapur	Poor	219	PM _{2.5}	1
56	Eloor	Satisfactory	85	PM ₁₀	1
57	Faridabad	Poor	273	PM _{2.5}	4
58	Fatehabad	Moderate	187	PM _{2.5}	1
59	Firozabad	Moderate	114	PM ₁₀ , PM _{2.5}	2
60	Gadag	Satisfactory	65	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gandhinagar	Poor	228	PM _{2.5}	3
62	Gangtok	Moderate	124	PM _{2.5}	1
63	Gaya	Poor	286	PM _{2.5}	3
64	Ghaziabad	Poor	293	PM _{2.5} , PM ₁₀	4
65	Gorakhpur	Moderate	125	PM ₁₀	1
66	Greater Noida	Poor	280	PM _{2.5}	2
67	Gummidipoondi	Satisfactory	74	PM _{2.5}	1
68	Gurugram	Very Poor	304	PM _{2.5}	3
69	Guwahati	Very Poor	310	PM _{2.5}	4
70	Gwalior	Moderate	187	PM _{2.5}	3
71	Hajipur	Poor	235	PM _{2.5}	1
72	Haldia	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Satisfactory	86	PM ₁₀	1
74	Howrah	Satisfactory	100	PM ₁₀	3
75	Hubballi	Moderate	126	PM ₁₀ , PM _{2.5}	2
76	Hyderabad	Satisfactory	92	PM _{2.5} , PM ₁₀	14
77	Imphal	Moderate	125	PM _{2.5} , SO ₂	2
78	Indore	Satisfactory	96	NO ₂	1
79	Jabalpur	Moderate	186	PM ₁₀	1
80	Jaipur	Moderate	129	PM _{2.5} , PM ₁₀	3
81	Jalandhar	Moderate	150	PM ₁₀	1
82	Jhansi	Satisfactory	93	PM ₁₀	1
83	Jind	Moderate	200	PM _{2.5}	1
84	Jodhpur	Moderate	128	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jorapokhar	Moderate	195	PM ₁₀	1
86	Kadapa	Satisfactory	68	O ₃	1
87	Kaithal	Poor	204	PM _{2.5}	1
88	Kalaburgi	Satisfactory	59	PM _{2.5}	1
89	Kalyan	Poor	230	PM _{2.5}	1
90	Kanchipuram	Good	46	PM ₁₀	1
91	Kannur	Satisfactory	63	PM _{2.5}	1
92	Kanpur	Moderate	143	PM _{2.5}	3
93	Karnal	Moderate	158	PM _{2.5}	1
94	Kashipur	Moderate	154	PM _{2.5}	1
95	Katihar	Very Poor	315	PM _{2.5}	1
96	Katni	Moderate	185	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpatt, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Keonjhar	Moderate	186	PM _{2.5}	1
98	Khanna	Moderate	121	PM ₁₀	1
99	Khurja	Moderate	139	PM _{2.5}	1
100	Kishanganj	Poor	277	PM ₁₀	1
101	Kohima	Moderate	130	PM _{2.5}	1
102	Kolar	Moderate	165	SO ₂	1
103	Kolkata	Satisfactory	83	PM ₁₀ , PM _{2.5}	7
104	Kollam	Satisfactory	93	PM ₁₀	1
105	Koppal	Satisfactory	77	PM ₁₀	1
106	Korba	Moderate	149	PM _{2.5} , PM ₁₀	2
107	Kota	Moderate	125	PM ₁₀ , O ₃	3
108	Kozhikode	Satisfactory	95	NH ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpatt, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kurukshetra	Poor	300	PM _{2.5}	1
110	Lucknow	Moderate	196	PM _{2.5}	6
111	Ludhiana	Very Poor	317	PM _{2.5}	1
112	Maihar	Satisfactory	63	PM ₁₀	1
113	Mandi Gobindgarh	Satisfactory	92	PM ₁₀	1
114	Mandideep	Poor	269	PM ₁₀	1
115	Mandikhera	Moderate	117	PM ₁₀	1
116	Manesar	Moderate	198	PM _{2.5}	1
117	Mangalore	Moderate	117	PM ₁₀	1
118	Manguraha	Moderate	175	O ₃	1
119	Meerut	Very Poor	373	PM ₁₀ , PM _{2.5}	3
120	Moradabad	Moderate	121	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mumbai	Moderate	183	PM _{2.5} , PM ₁₀	17
122	Munger	Very Poor	348	PM _{2.5}	1
123	Muzaffarnagar	Very Poor	391	PM _{2.5}	1
124	Muzaffarpur	Very Poor	305	PM _{2.5}	3
125	Mysuru	Satisfactory	54	PM ₁₀	1
126	Nagaon	Very Poor	340	PM _{2.5}	1
127	Nagpur	Poor	209	O ₃	1
128	Naharlagun	Satisfactory	66	PM _{2.5}	1
129	Nalbari	Very Poor	344	PM _{2.5}	1
130	Nashik	Moderate	106	PM _{2.5}	1
131	Navi Mumbai	Poor	281	PM _{2.5}	3
132	Nayagarh	Moderate	185	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpatt, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Noida	Poor	298	PM _{2.5}	4
134	Ooty	Satisfactory	80	PM _{2.5}	1
135	Pali	Satisfactory	94	PM ₁₀	1
136	Palwal	Satisfactory	90	PM _{2.5}	1
137	Panchkula	Moderate	130	PM _{2.5}	1
138	Panipat	Moderate	178	PM ₁₀	1
139	Patiala	Moderate	160	PM _{2.5}	1
140	Patna	Very Poor	322	PM ₁₀ , PM _{2.5}	6
141	Pithampur	Satisfactory	91	PM ₁₀	1
142	Prayagraj	Moderate	105	PM ₁₀	3
143	Pune	Moderate	152	PM _{2.5}	3
144	Purnia	Poor	239	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raichur	Satisfactory	90	PM ₁₀	1
146	Raipur	Moderate	116	PM _{2.5} , PM ₁₀	4
147	Rajamahendravaram	Satisfactory	69	PM ₁₀	1
148	Rajgir	Very Poor	314	PM _{2.5}	1
149	Ramanagara	Satisfactory	66	PM ₁₀	1
150	Ramanathapuram	Good	42	PM ₁₀	1
151	Ratlam	Moderate	143	PM ₁₀	1
152	Rishikesh	Satisfactory	98	PM ₁₀	1
153	Rohtak	Poor	270	PM _{2.5}	1
154	Rourkela	Poor	210	PM _{2.5}	3
155	Rupnagar	Moderate	196	PM ₁₀	1
156	Sagar	Moderate	116	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpatt, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Saharsa	Very Poor	357	PM _{2.5}	1
158	Salem	Moderate	101	SO ₂	1
159	Samastipur	Very Poor	349	PM _{2.5}	1
160	Sasaram	Moderate	143	PM ₁₀	1
161	Satna	Moderate	102	PM ₁₀	1
162	Shillong	Poor	201	PM _{2.5}	1
163	Shivamogga	Good	50	PM ₁₀	1
164	Siliguri	Moderate	147	PM _{2.5}	1
165	Singrauli	Poor	248	PM _{2.5}	1
166	Sirsa	Moderate	119	PM ₁₀	1
167	Sivasagar	Satisfactory	78	PM _{2.5}	1
168	Siwan	Very Poor	328	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Solapur	Moderate	128	PM ₁₀	1
170	Sonipat	Poor	296	PM ₁₀	1
171	Suakati	Moderate	138	PM _{2.5}	1
172	Surat	Poor	247	PM _{2.5}	1
173	Tensa	Moderate	147	PM _{2.5}	1
174	Thane	Poor	274	PM ₁₀	1
175	Thiruvananthapuram	Satisfactory	84	O ₃	2
176	Thoothukudi	Satisfactory	78	O ₃	1
177	Thrissur	Moderate	151	PM _{2.5}	1
178	Tirupati	Satisfactory	63	PM ₁₀	1
179	Tirupur	Satisfactory	56	PM ₁₀	1
180	Udaipur	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpatt, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Ujjain	Moderate	146	PM ₁₀	1
182	Vapi	Very Poor	324	PM _{2.5}	1
183	Varanasi	Satisfactory	76	PM ₁₀	4
184	Vatva	Poor	237	PM _{2.5}	1
185	Vijayapura	Good	46	PM ₁₀	1
186	Vijayawada	Moderate	155	O ₃	1
187	Visakhapatnam	Moderate	106	PM ₁₀	1
188	Vrindavan	Moderate	180	PM ₁₀	1
189	Yadgir	Satisfactory	78	PM ₁₀	1
190	Yamunanagar	Poor	279	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Hapur, Hassan, Haveri, Hisar, Kochi, Kunjemura, Madikeri, Milupara, Motihari, Nandesari, Narnaul, Puducherry, Rairangpur, Silchar, Sirohi, Srinagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.