



Air Quality Index on Feb 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	122	PM _{2.5}	1
2	Ahmedabad	Moderate	194	PM _{2.5}	1
3	Ajmer	Moderate	131	PM ₁₀	1
4	Alwar	Satisfactory	92	PM ₁₀	1
5	Amaravati	Satisfactory	60	O ₃	1
6	Ambala	Moderate	167	PM _{2.5}	1
7	Amritsar	Moderate	134	PM _{2.5}	1
8	Ankleshwar	Poor	208	O ₃	1
9	Asanol	Moderate	123	PM _{2.5}	1
10	Aurangabad	Moderate	110	PM _{2.5}	1
11	Bagalkot	Satisfactory	68	PM ₁₀	1
12	Bahadurgarh	Moderate	153	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkamagaluru, Eloor, Haldia, Kalaburgi, Moradabad, Mysuru, Sagar, Satna, Thane, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	90	PM ₁₀	1
14	Bathinda	Moderate	188	PM _{2.5}	1
15	Bengaluru	Satisfactory	90	PM ₁₀ , PM _{2.5}	9
16	Bhiwadi	Moderate	163	PM _{2.5}	1
17	Bhiwani	Moderate	190	O ₃	1
18	Bhopal	Moderate	142	PM ₁₀	1
19	Brajrajnagar	Satisfactory	95	PM _{2.5}	1
20	Bulandshahr	Poor	243	PM _{2.5}	1
21	Chandigarh	Moderate	112	PM ₁₀	1
22	Chandrapur	Satisfactory	89	PM ₁₀	1
23	Chennai	Satisfactory	70	CO, O ₃ , PM ₁₀	4
24	Chikkaballapur	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkamagaluru, Eloor, Haldia, Kalaburgi, Moradabad, Mysuru, Sagar, Satna, Thane, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Satisfactory	58	O ₃	1
26	Damoh	Moderate	110	PM ₁₀	1
27	Delhi	Moderate	198	PM _{2.5}	33
28	Dewas	Satisfactory	98	PM ₁₀	1
29	Dharuhera	Moderate	170	PM _{2.5}	1
30	Ernakulam	Satisfactory	88	PM _{2.5}	1
31	Faridabad	Moderate	144	PM _{2.5}	1
32	Fatehabad	Moderate	109	PM ₁₀	1
33	Gandhinagar	Moderate	105	PM _{2.5}	1
34	Gaya	Satisfactory	98	PM _{2.5}	1
35	Ghaziabad	Poor	248	PM _{2.5}	3
36	Greater Noida	Poor	220	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkamagaluru, Eloor, Haldia, Kalaburgi, Moradabad, Mysuru, Sagar, Satna, Thane, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Moderate	154	PM _{2.5}	2
38	Guwahati	Moderate	131	PM _{2.5}	1
39	Gwalior	Moderate	130	O ₃ , PM _{2.5}	2
40	Hapur	Satisfactory	80	PM ₁₀	1
41	Hisar	Poor	209	PM _{2.5}	1
42	Howrah	Moderate	158	PM _{2.5} , O ₃	3
43	Hubballi	Satisfactory	95	PM ₁₀	1
44	Hyderabad	Satisfactory	94	PM ₁₀ , PM _{2.5}	4
45	Indore	Moderate	140	PM ₁₀	1
46	Jabalpur	Moderate	148	PM ₁₀	1
47	Jaipur	Moderate	113	PM ₁₀	3
48	Jalandhar	Moderate	141	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkamagaluru, Eloor, Haldia, Kalaburgi, Moradabad, Mysuru, Sagar, Satna, Thane, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Poor	221	PM _{2.5}	1
50	Jodhpur	Moderate	180	PM _{2.5}	1
51	Jorapokhar	Moderate	126	PM _{2.5}	1
52	Kaithal	Moderate	130	PM ₁₀	1
53	Kalyan	Poor	212	PM _{2.5}	1
54	Kannur	Moderate	101	PM _{2.5}	1
55	Kanpur	Moderate	106	PM _{2.5}	1
56	Karnal	Moderate	165	PM ₁₀	1
57	Katni	Satisfactory	99	PM ₁₀	1
58	Khanna	Satisfactory	87	PM ₁₀	1
59	Kochi	Moderate	102	PM _{2.5}	1
60	Kolkata	Moderate	158	PM _{2.5} , O ₃ , PM ₁₀	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkamagaluru, Eloor, Haldia, Kalaburgi, Moradabad, Mysuru, Sagar, Satna, Thane, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kota	Satisfactory	96	PM _{2.5}	1
62	Kozhikode	Satisfactory	75	PM _{2.5}	1
63	Kurukshetra	Moderate	200	PM _{2.5}	1
64	Lucknow	Moderate	117	PM _{2.5} , O ₃	4
65	Ludhiana	Moderate	167	PM _{2.5}	1
66	Maihar	Good	48	NO ₂	1
67	Mandi Gobindgarh	Moderate	109	PM ₁₀	1
68	Mandideep	Moderate	125	PM ₁₀	1
69	Mandikhera	Moderate	140	PM ₁₀	1
70	Manesar	Moderate	123	PM ₁₀	1
71	Meerut	Poor	238	PM _{2.5}	3
72	Mumbai	Moderate	172	PM ₁₀ , NO ₂ , PM _{2.5}	10

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkamagaluru, Eloor, Haldia, Kalaburgi, Moradabad, Mysuru, Sagar, Satna, Thane, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarnagar	Poor	240	PM _{2.5}	1
74	Muzaffarpur	Poor	234	PM _{2.5}	1
75	Nagpur	Satisfactory	80	O ₃	1
76	Nandesari	Moderate	181	CO	1
77	Narnaul	Moderate	128	PM _{2.5}	1
78	Nashik	Moderate	154	O ₃	1
79	Navi Mumbai	Moderate	182	PM _{2.5} , CO	3
80	Noida	Poor	218	PM _{2.5}	4
81	Pali	Moderate	167	PM ₁₀	1
82	Palwal	Moderate	136	PM ₁₀	1
83	Panchkula	Moderate	117	PM _{2.5}	1
84	Panipat	Poor	282	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkamagaluru, Eloor, Haldia, Kalaburgi, Moradabad, Mysuru, Sagar, Satna, Thane, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patiala	Moderate	119	PM ₁₀	1
86	Patna	Moderate	175	PM _{2.5} , PM ₁₀	4
87	Pithampur	Moderate	133	PM ₁₀	1
88	Pune	Moderate	169	PM _{2.5}	1
89	Rajamahendravaram	Satisfactory	73	O ₃	1
90	Ramanagara	Satisfactory	59	PM ₁₀	1
91	Ratlam	Moderate	128	PM ₁₀	1
92	Rohtak	Poor	225	PM _{2.5}	1
93	Rupnagar	Moderate	154	PM _{2.5}	1
94	Shillong	Good	25	PM _{2.5}	1
95	Siliguri	Satisfactory	100	PM ₁₀	1
96	Singrauli	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkamagaluru, Eloor, Haldia, Kalaburgi, Moradabad, Mysuru, Sagar, Satna, Thane, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sirsa	Moderate	108	PM ₁₀	1
98	Solapur	Moderate	125	PM ₁₀	1
99	Sonipat	Moderate	190	PM ₁₀	1
100	Talcher	Moderate	156	PM _{2.5}	1
101	Thiruvananthapuram	Satisfactory	77	CO, PM _{2.5}	2
102	Tirupati	Satisfactory	66	PM _{2.5}	1
103	Udaipur	Moderate	105	PM ₁₀	1
104	Ujjain	Moderate	158	PM ₁₀	1
105	Vapi	Poor	248	PM _{2.5}	1
106	Varanasi	Moderate	114	PM _{2.5}	1
107	Vatva	Poor	231	PM _{2.5}	1
108	Vijayapura	Moderate	107	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkamagaluru, Eloor, Haldia, Kalaburgi, Moradabad, Mysuru, Sagar, Satna, Thane, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 28, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Visakhapatnam	Satisfactory	100	PM ₁₀	1
110	Yadgir	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Chikkamagaluru, Eloor, Haldia, Kalaburgi, Moradabad, Mysuru, Sagar, Satna, Thane, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.