



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	250	PM _{2.5}	2
2	Agra	Satisfactory	57	PM ₁₀	5
3	Ahmedabad	Moderate	174	PM _{2.5}	7
4	Ajmer	Moderate	108	O ₃	1
5	Alwar	Satisfactory	92	PM ₁₀	1
6	Amaravati	Moderate	106	PM ₁₀	1
7	Ambala	Satisfactory	54	PM _{2.5}	1
8	Amritsar	Satisfactory	69	PM _{2.5}	1
9	Anantapur	Satisfactory	54	PM _{2.5}	1
10	Ankleshwar	Poor	237	PM _{2.5}	1
11	Araria	Poor	296	PM _{2.5}	1
12	Ariyalur	Satisfactory	71	NO ₂	1

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Banowara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittoargarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	232	PM _{2.5}	1
14	Asansol	Poor	219	PM _{2.5}	1
15	Aurangabad (Bihar)	Poor	212	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	144	PM ₁₀	1
17	Baddi	Satisfactory	87	PM ₁₀	1
18	Baghpat	Moderate	188	PM _{2.5}	1
19	Bahadurgarh	Moderate	145	PM _{2.5}	1
20	Ballabgarh	Moderate	190	PM _{2.5}	1
21	Bareilly	Satisfactory	68	PM ₁₀	2
22	Baripada	Moderate	117	PM ₁₀	1
23	Bathinda	Satisfactory	64	PM ₁₀	1
24	Begusarai	Very Poor	345	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Banowara, Bider, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	133	PM ₁₀	1
26	Bengaluru	Satisfactory	87	PM ₁₀	11
27	Bettiah	Poor	295	PM _{2.5}	1
28	Bhagalpur	Poor	275	PM _{2.5}	2
29	Bharatpur	Moderate	168	PM _{2.5}	1
30	Bhilai	Moderate	138	O ₃	2
31	Bhiwadi	Poor	268	PM ₁₀	1
32	Bhiwani	Moderate	123	PM _{2.5}	1
33	Bhopal	Moderate	163	PM _{2.5}	3
34	Bihar Sharif	Moderate	103	PM ₁₀	1
35	Bilaspur	Satisfactory	76	CO	1
36	Bileipada	Moderate	150	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Banowara, Bida, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Brajrajnagar	Moderate	126	PM ₁₀	1
38	Bulandshahr	Moderate	170	O ₃	1
39	Chamarajanagar	Good	41	PM ₁₀	1
40	Chandigarh	Satisfactory	93	PM _{2.5}	3
41	Chandrapur	Moderate	186	PM _{2.5}	1
42	Charkhi Dadri	Moderate	117	PM ₁₀	1
43	Chengalpattu	Satisfactory	92	PM ₁₀	1
44	Chennai	Satisfactory	92	PM _{2.5} , PM ₁₀	8
45	Chhapra	Poor	274	PM ₁₀	1
46	Chikkaballapur	Satisfactory	75	PM ₁₀	1
47	Chikkamagaluru	Good	46	PM ₁₀	1
48	Chittoor	Satisfactory	69	O ₃	1

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot,

Banswara, Bida, Bikaner, Buxar, Byrnihat, Chhal, Chittoorgarh, Churu,

Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Damoh	Good	47	PM _{2.5}	1
50	Dehradun	Satisfactory	61	PM ₁₀	1
51	Delhi	Poor	226	PM _{2.5}	39
52	Dhanbad	Moderate	180	PM _{2.5}	1
53	Dharuhera	Poor	259	PM _{2.5}	1
54	Dindigul	Very Poor	324	NO ₂	1
55	Durgapur	Poor	242	PM ₁₀	1
56	Eloor	Satisfactory	91	PM ₁₀	1
57	Faridabad	Poor	221	PM _{2.5}	4
58	Fatehabad	Moderate	154	PM ₁₀	1
59	Firozabad	Satisfactory	82	PM ₁₀	2
60	Gandhinagar	Moderate	176	PM _{2.5} , PM ₁₀	3

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Banowara, Bider, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Satisfactory	97	PM ₁₀	1
62	Gaya	Moderate	178	PM ₁₀ , PM _{2.5}	3
63	Ghaziabad	Moderate	182	PM ₁₀	4
64	Gorakhpur	Moderate	123	PM ₁₀	1
65	Greater Noida	Poor	228	PM ₁₀	2
66	Gummidipoondi	Moderate	154	PM _{2.5}	1
67	Gurugram	Poor	216	PM _{2.5}	4
68	Guwahati	Poor	233	PM _{2.5}	3
69	Gwalior	Moderate	188	PM _{2.5}	3
70	Hajipur	Poor	282	PM ₁₀	1
71	Haldia	Satisfactory	69	PM ₁₀	1
72	Hapur	Satisfactory	62	O ₃	1

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot,

Banswara, Bider, Bikaner, Buxar, Bymihat, Chhal, Chittoargarh, Churu,

Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hassan	Satisfactory	80	PM ₁₀	1
74	Haveri	Satisfactory	98	PM ₁₀	1
75	Hosur	Moderate	113	PM _{2.5}	1
76	Howrah	Moderate	104	PM ₁₀	3
77	Hubballi	Moderate	118	PM ₁₀	2
78	Hyderabad	Satisfactory	94	PM ₁₀	13
79	Imphal	Satisfactory	86	SO ₂	1
80	Indore	Moderate	121	PM ₁₀	1
81	Jabalpur	Moderate	172	PM _{2.5}	1
82	Jaipur	Moderate	107	PM ₁₀	3
83	Jalandhar	Satisfactory	89	PM ₁₀	1
84	Jhansi	Satisfactory	92	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Banawara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittoorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jind	Satisfactory	56	CO	1
86	Jodhpur	Moderate	196	O ₃ , PM _{2.5}	2
87	Kadapa	Satisfactory	76	PM _{2.5}	1
88	Kaithal	Satisfactory	94	PM ₁₀	1
89	Kalaburgi	Moderate	103	PM ₁₀	1
90	Kalyan	Moderate	200	PM ₁₀	1
91	Kannur	Satisfactory	84	PM ₁₀	1
92	Kanpur	Moderate	103	PM ₁₀ , PM _{2.5}	3
93	Karnal	Satisfactory	72	PM ₁₀	1
94	Kashipur	Satisfactory	71	PM ₁₀	1
95	Katihar	Poor	263	PM _{2.5}	1
96	Katni	Moderate	159	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Banowara, Bider, Bikaner, Buxar, Byrnihat, Chhal, Chittoargarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Keonjhar	Moderate	191	PM _{2.5}	1
98	Khanna	Good	45	PM ₁₀	1
99	Khurja	Moderate	114	PM _{2.5}	1
100	Kishanganj	Poor	216	PM ₁₀	1
101	Kochi	Moderate	103	PM _{2.5}	1
102	Kohima	Moderate	108	PM _{2.5}	1
103	Kolar	Moderate	168	SO ₂	1
104	Kolkata	Satisfactory	90	PM ₁₀ , PM _{2.5}	7
105	Korba	Moderate	106	PM _{2.5}	2
106	Kota	Moderate	149	O ₃ , PM _{2.5}	3
107	Kozhikode	Satisfactory	93	NH ₃	1
108	Kurukshetra	Satisfactory	77	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Banowara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu,

Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Lucknow	Moderate	116	PM _{2.5} , PM ₁₀	6
110	Ludhiana	Satisfactory	89	PM ₁₀	1
111	Madikeri	Good	43	O ₃	1
112	Maihar	Satisfactory	51	PM ₁₀	1
113	Mandi Gobindgarh	Moderate	120	PM _{2.5}	1
114	Mandideep	Moderate	195	PM _{2.5}	1
115	Mandikhera	Satisfactory	97	PM ₁₀	1
116	Manesar	Moderate	177	PM _{2.5}	1
117	Mangalore	Moderate	126	PM ₁₀	1
118	Manguraha	Poor	228	PM _{2.5}	1
119	Meerut	Moderate	174	PM _{2.5} , PM ₁₀	3
120	Moradabad	Satisfactory	83	PM ₁₀	6

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot,

Banswara, Bida, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu,

Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mumbai	Poor	205	PM _{2.5} , PM ₁₀	19
122	Munger	Poor	279	PM ₁₀	1
123	Muzaffarnagar	Moderate	161	PM _{2.5}	1
124	Muzaffarpur	Poor	274	PM _{2.5}	3
125	Mysuru	Good	39	PM ₁₀	1
126	Nagaon	Poor	227	PM _{2.5}	1
127	Nagpur	Poor	263	PM _{2.5}	1
128	Naharlagun	Satisfactory	54	PM _{2.5}	1
129	Nalbari	Poor	213	PM _{2.5}	1
130	Narnaul	Moderate	102	PM ₁₀	1
131	Nashik	Satisfactory	97	PM _{2.5}	1
132	Navi Mumbai	Very Poor	303	PM _{2.5} , PM ₁₀	3

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Banowara, Bider, Bikaner, Buxar, Bymihat, Chhal, Chittorgarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nayagarh	Very Poor	336	PM ₁₀	1
134	Noida	Poor	212	PM ₁₀ , PM _{2.5}	4
135	Ooty	Satisfactory	55	PM _{2.5}	1
136	Pali	Satisfactory	90	PM ₁₀	1
137	Panchkula	Satisfactory	81	CO	1
138	Panipat	Moderate	102	PM ₁₀	1
139	Patiala	Satisfactory	72	PM ₁₀	1
140	Patna	Poor	271	PM ₁₀ , PM _{2.5}	6
141	Pithampur	Moderate	137	PM ₁₀	1
142	Prayagraj	Moderate	107	O ₃ , PM ₁₀	3
143	Puducherry	Satisfactory	67	PM ₁₀	1
144	Pune	Moderate	171	PM _{2.5} , PM ₁₀	4

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Banowara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittoargarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raichur	Satisfactory	100	PM ₁₀	1
146	Raipur	Moderate	117	NO ₂ , PM ₁₀	4
147	Rairangpur	Moderate	159	O ₃	1
148	Rajamahendravaram	Moderate	163	PM _{2.5}	1
149	Rajgir	Moderate	156	PM ₁₀	1
150	Ramanagara	Satisfactory	74	PM ₁₀	1
151	Ramanathapuram	Satisfactory	52	PM ₁₀	1
152	Ratlam	Moderate	118	PM ₁₀	1
153	Rishikesh	Good	42	PM ₁₀	1
154	Rohtak	Satisfactory	74	PM _{2.5}	1
155	Rourkela	Poor	211	PM _{2.5}	3
156	Rupnagar	Satisfactory	87	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot,

Banswara, Bida, Bikaner, Buxar, Byrnihat, Chhal, Chittorgarh, Churu,

Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sagar	Satisfactory	75	O ₃ , CO	2
158	Saharsa	Very Poor	344	PM _{2.5}	1
159	Samastipur	Very Poor	358	PM ₁₀	1
160	Satna	Satisfactory	66	PM ₁₀	1
161	Shillong	Moderate	146	PM _{2.5}	1
162	Shivamogga	Satisfactory	73	O ₃	1
163	Siliguri	Moderate	159	PM _{2.5}	1
164	Singrauli	Moderate	180	PM _{2.5}	1
165	Sirsa	Satisfactory	57	PM ₁₀	1
166	Sivasagar	Satisfactory	63	PM _{2.5}	1
167	Siwan	Poor	242	PM _{2.5}	1
168	Sonipat	Moderate	141	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Banowara, Bider, Bikaner, Buxar, Byrnihat, Chhal, Chittoargarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Suakati	Moderate	184	PM _{2.5}	1
170	Surat	Poor	208	PM _{2.5}	1
171	Talcher	Moderate	190	PM _{2.5}	1
172	Tensa	Moderate	146	PM _{2.5}	1
173	Thiruvananthapuram	Satisfactory	80	PM _{2.5}	2
174	Thoothukudi	Good	49	PM ₁₀	1
175	Thrissur	Moderate	151	PM _{2.5}	1
176	Tirupati	Satisfactory	74	PM _{2.5} , NO ₂	2
177	Udaipur	Moderate	124	PM ₁₀	1
178	Ujjain	Moderate	190	PM _{2.5}	1
179	Vapi	Very Poor	304	PM _{2.5}	1
180	Varanasi	Satisfactory	66	PM ₁₀	4

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Banowara, Bider, Bikaner, Buxar, Byrnihat, Chhal, Chittoargarh, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Mar 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vatva	Poor	210	PM _{2.5}	1
182	Vijayapura	Good	46	PM ₁₀	1
183	Visakhapatnam	Poor	263	PM ₁₀	1
184	Vrindavan	Moderate	151	PM ₁₀	1
185	Yadgir	Satisfactory	86	PM ₁₀	1
186	Yamunanagar	Moderate	109	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Banowara, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Chittoorgarh, Churu,

Coimbatore, Darbhanga, Dausa, Davanagere, Dewas, Dharwad, Dholpur, Ernakulam, Gadag, Hanumangarh, Hisar, Jorapokhar, Kanchipuram, Kollam, Koppal, Kunjemura, Milupara, Motihari, Nandesari, Palwal, Purnia, Salem, Sasaram, Sawai Madhopur, Silchar, Sirohi, Solapur, Srinagar, Thane, Tirupur, Tonk, Tumakuru, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases