Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	62	$PM_{2.5}$	1
2	Agra	Moderate	158	PM_{10}, $PM_{2.5}$	6
3	Ahmedabad	Moderate	153	$PM_{2.5}$, PM_{10}	8
4	Aizawl	Moderate	117	O_3	1
5	Ajmer	Moderate	160	$PM_{2.5}$	1
6	Alwar	Moderate	108	PM_{10}	1
7	Amaravati	Good	49	PM_{10}	1
8	Ambala	Moderate	142	PM_{10}	1
9	Amritsar	Moderate	121	PM_{10}	1
10	Ankleshwar	Moderate	179	$PM_{2.5}$	1
11	Araria	Moderate	125	$PM_{2.5}$	1
12	Arrah	Moderate	191	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	154	O_3	1
14	Aurangabad	Poor	273	$PM_{2.5}$	1
15	Baddi	Moderate	142	PM_{10}	1
16	Bagalkot	Satisfactory	51	PM_{10}	1
17	Baghpat	Very Poor	318	PM_{10}	1
18	Bahadurgarh	Poor	292	PM_{10}	1
19	Ballabgarh	Moderate	192	$PM_{2.5}$	1
20	Bathinda	Moderate	123	PM_{10}	1
21	Bengaluru	Satisfactory	100	PM_{10}, CO	8
22	Bhagalpur	Poor	230	$PM_{2.5}$	2
23	Bhiwadi	Very Poor	307	PM_{10}	1
24	Bhiwani	Moderate	178	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	135	PM_{10}	1
26	Bidar	Moderate	109	PM_{10}	1
27	Bihar Sharif	Severe	416	PM_{10}	1
28	Bilaspur	Satisfactory	84	CO	1
29	Brajrajnagar	Poor	205	$PM_{2.5}$	1
30	Bulandshahr	Poor	287	PM_{10}	1
31	Chamarajanagar	Good	47	PM_{10}	1
32	Chandigarh	Moderate	185	O_3, $PM_{2.5}$, PM_{10}	3
33	Chandrapur	Moderate	176	$PM_{2.5}$	2
34	Charkhi Dadri	Poor	220	PM_{10}	1
35	Chennai	Good	45	CO, PM_{10}	8
36	Chhapra	Very Poor	338	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	99	PM_{10}	1
38	Chikkamagaluru	Good	45	PM_{10}	1
39	Coimbatore	Satisfactory	97	PM_{10}	1
40	Damoh	Moderate	108	PM_{10}	1
41	Darbhanga	Moderate	158	PM_{10}	1
42	Davanagere	Satisfactory	96	PM_{10}	1
43	Delhi	Poor	276	NO_2, PM_{10}	37
44	Dewas	Moderate	134	PM_{10}	1
45	Dharuhera	Poor	297	PM_{10}	1
46	Durgapur	Poor	272	$PM_{2.5}$	1
47	Ernakulam	Good	34	$PM_{2.5}$	1
48	Faridabad	Very Poor	311	PM_{10}, $PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Poor	241	O_3	1
50	Gadag	Satisfactory	72	$PM_{2.5}$	1
51	Gandhinagar	Moderate	172	$PM_{2.5}$, PM_{10}	3
52	Gaya	Moderate	179	$PM_{2.5}$, PM_{10}	3
53	Ghaziabad	Poor	254	PM_{10}	3
54	Gorakhpur	Satisfactory	68	$PM_{2.5}$	1
55	Greater Noida	Very Poor	308	PM_{10}, O_3	2
56	Gummidipoondi	Good	32	PM_{10}	1
57	Gurugram	Poor	243	PM_{10}, $PM_{2.5}$	4
58	Guwahati	Satisfactory	93	PM_{10}, $PM_{2.5}$	2
59	Gwalior	Moderate	126	$PM_{2.5}$	1
60	Hajipur	Moderate	153	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	47	$PM_{2.5}$	1
62	Hapur	Poor	201	$PM_{2.5}$	1
63	Hassan	Moderate	117	PM_{10}	1
64	Hisar	Poor	240	$PM_{2.5}$	1
65	Howrah	Satisfactory	86	PM_{10}	2
66	Hubballi	Satisfactory	100	PM_{10}	1
67	Hyderabad	Moderate	141	$PM_{2.5}$, PM_{10}	6
68	Indore	Moderate	142	PM_{10}	1
69	Jabalpur	Moderate	195	PM_{10}	1
70	Jaipur	Moderate	155	$PM_{2.5}$	2
71	Jalandhar	Moderate	147	PM_{10}	1
72	Jhansi	Moderate	150	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Moderate	158	PM_{10}	1
74	Jodhpur	Poor	212	$PM_{2.5}$	1
75	Kaithal	Moderate	191	PM_{10}	1
76	Kalaburgi	Moderate	130	PM_{10}	1
77	Kannur	Satisfactory	70	PM_{10}	1
78	Kanpur	Moderate	158	$PM_{2.5}$, PM_{10}	3
79	Karnal	Moderate	126	PM_{10}	1
80	Katihar	Poor	270	$PM_{2.5}$	1
81	Katni	Poor	238	PM_{10}	1
82	Khanna	Moderate	126	PM_{10}	1
83	Kishanganj	Moderate	111	PM_{10}	1
84	Kolar	Satisfactory	93	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Satisfactory	74	PM_{10}	7
86	Kollam	Satisfactory	62	PM_{10}	1
87	Kota	Moderate	132	$PM_{2.5}$	1
88	Kozhikode	Satisfactory	51	PM_{10}	1
89	Kurukshetra	Moderate	169	$PM_{2.5}$	1
90	Lucknow	Poor	228	$PM_{2.5}$, PM_{10}	6
91	Ludhiana	Moderate	130	PM_{10}	1
92	Madikeri	Satisfactory	72	PM_{10}	1
93	Mandi Gobindgarh	Moderate	114	$PM_{2.5}$	1
94	Mandideep	Moderate	112	PM_{10}	1
95	Mandikhera	Satisfactory	100	PM_{10}	1
96	Manesar	Very Poor	351	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Satisfactory	53	CO	1
98	Manguraha	Moderate	154	CO	1
99	Meerut	Very Poor	303	PM_{10}	3
100	Moradabad	Moderate	154	PM_{10}, $PM_{2.5}$	4
101	Motihari	Moderate	152	PM_{10}	1
102	Mumbai	Moderate	128	PM_{10}, $PM_{2.5}$	16
103	Munger	Very Poor	305	$PM_{2.5}$	1
104	Muzaffarnagar	Poor	255	$PM_{2.5}$	1
105	Muzaffarpur	Moderate	147	$PM_{2.5}$, PM_{10}	3
106	Mysuru	Satisfactory	61	PM_{10}	1
107	Nagpur	Satisfactory	54	PM_{10}	1
108	Narnaul	Moderate	178	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	74	PM_{10}	1
110	Navi Mumbai	Moderate	144	O_3, PM_{10}, $PM_{2.5}$	3
111	Noida	Poor	277	PM_{10}	4
112	Pali	Moderate	182	$PM_{2.5}$	1
113	Palwal	Moderate	113	CO	1
114	Panchkula	Moderate	185	$PM_{2.5}$	1
115	Patiala	Moderate	134	PM_{10}	1
116	Patna	Poor	244	$PM_{2.5}$	5
117	Pithampur	Satisfactory	91	$PM_{2.5}$	1
118	Prayagraj	Moderate	129	PM_{10}	3
119	Puducherry	Good	31	PM_{10}	1
120	Pune	Moderate	108	$PM_{2.5}$, CO, PM_{10}	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Moderate	149	$PM_{2.5}$	1
122	Rajamahendravaram	Good	36	PM_{10}	1
123	Rajgir	Poor	256	$PM_{2.5}$	1
124	Ramanagara	Moderate	115	PM_{10}	1
125	Ratlam	Moderate	126	PM_{10}	1
126	Rohtak	Poor	232	$PM_{2.5}$	1
127	Rupnagar	Moderate	150	PM_{10}	1
128	Sagar	Satisfactory	77	$PM_{2.5}$	1
129	Saharsa	Moderate	192	PM_{10}	1
130	Samastipur	Poor	289	PM_{10}	1
131	Sasaram	Poor	241	$PM_{2.5}$	1
132	Satna	Satisfactory	70	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	48	$PM_{2.5}$	1
134	Shivamogga	Satisfactory	56	PM_{10}	1
135	Siliguri	Satisfactory	76	PM_{10}	1
136	Singrauli	Very Poor	328	PM_{10}	1
137	Sirsa	Moderate	106	O_3	1
138	Siwan	Moderate	188	PM_{10}	1
139	Srinagar	Good	39	PM_{10}	1
140	Talcher	Satisfactory	91	CO	1
141	Thane	Poor	257	O_3	1
142	Thiruvananthapuram	Good	36	PM_{10}, CO	2
143	Thoothukudi	Good	44	PM_{10}	1
144	Thrissur	Moderate	123	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	133	PM_{10}	1
146	Udupi	Satisfactory	68	O_3	1
147	Ujjain	Moderate	181	PM_{10}	1
148	Varanasi	Moderate	126	PM_{10}	3
149	Vatva	Moderate	138	PM_{10}	1
150	Vijayapura	Satisfactory	51	PM_{10}	1
151	Visakhapatnam	Satisfactory	98	PM_{10}	1
152	Vrindavan	Moderate	160	PM_{10}	1
153	Yamunanagar	Poor	237	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Buxar, Eloor, Fatehabad, Jorapokhar, Kalyan, Kochi, Kohima, Koppal, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Solapur, Sonipat, Tirupati, Vapi, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.