

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	79	PM <sub>10</sub>	1
2	Agra	Very Poor	308	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	163	PM <sub>2.5</sub> , PM <sub>10</sub>	6
4	Aizawl	Good	21	со	1
5	Ajmer	Satisfactory	89	PM <sub>10</sub>	1
6	Alwar	Satisfactory	95	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	100	PM <sub>2.5</sub>	1
8	Ambala	Moderate	119	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	76	PM <sub>2.5</sub>	1
10	Ankleshwar	Poor	256	PM <sub>2.5</sub>	1
11	Aurangabad	Satisfactory	72	PM <sub>10</sub>	1
12	Bagalkot	Satisfactory	52	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Asansol, Ballabgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Ramanagara, Solapur, Vrindavan as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	299	PM <sub>2.5</sub>	1
14	Bahadurgarh	Poor	295	PM <sub>2.5</sub>	1
15	Bathinda	Satisfactory	94	PM <sub>10</sub>	1
16	Bengaluru	Moderate	111	PM <sub>2.5</sub> , PM <sub>10</sub>	6
17	Bhiwadi	Very Poor	305	PM <sub>2.5</sub>	1
18	Bhiwani	Poor	262	PM <sub>2.5</sub>	1
19	Bhopal	Moderate	158	PM <sub>10</sub>	1
20	Bidar	Satisfactory	85	PM <sub>10</sub>	1
21	Bilaspur	Satisfactory	86	PM <sub>10</sub>	1
22	Brajrajnagar	Moderate	115	03	1
23	Bulandshahr	Moderate	176	PM <sub>10</sub>	1
24	Chamarajanagar	Good	44	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Ballabgarh,
  Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur,
  Eloor, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kannur, Maihar,
  Motihari, Nagpur, Ramanagara, Solapur, Vrindavan as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	111	O <sub>3</sub> , PM <sub>10</sub>	2
26	Chandrapur	Moderate	106	PM <sub>10</sub>	2
27	Charkhi Dadri	Poor	262	PM <sub>2.5</sub>	1
28	Chennai	Satisfactory	91	PM <sub>2.5</sub> , PM <sub>10</sub>	6
29	Chikkaballapur	Satisfactory	82	PM <sub>2.5</sub>	1
30	Chikkamagaluru	Satisfactory	67	PM <sub>2.5</sub>	1
31	Davanagere	Satisfactory	100	PM <sub>10</sub>	1
32	Delhi	Poor	283	PM <sub>10</sub> , PM <sub>2.5</sub>	35
33	Dewas	Satisfactory	91	PM <sub>10</sub>	1
34	Ernakulam	Satisfactory	60	со	1
35	Faridabad	Poor	289	PM <sub>2.5</sub> , PM <sub>10</sub>	4
36	Fatehabad	Moderate	159	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Ballabgarh,
  Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur,
  Eloor, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kannur, Maihar,
  Motihari, Nagpur, Ramanagara, Solapur, Vrindavan as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Poor	214	PM <sub>2.5</sub>	1
38	Gandhinagar	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub>	3
39	Gaya	Moderate	102	PM <sub>2.5</sub>	2
40	Ghaziabad	Very Poor	321	PM <sub>2.5</sub>	4
41	Gorakhpur	Moderate	200	PM <sub>2.5</sub>	1
42	Greater Noida	Poor	284	PM <sub>2.5</sub>	2
43	Gurugram	Poor	262	PM <sub>2.5</sub>	4
44	Guwahati	Moderate	112	PM <sub>10</sub> , SO <sub>2</sub>	2
45	Gwalior	Moderate	166	PM <sub>2.5</sub> , PM <sub>10</sub>	2
46	Hajipur	Moderate	177	PM <sub>2.5</sub>	1
47	Hapur	Very Poor	305	PM <sub>2.5</sub>	1
48	Hisar	Poor	277	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Ballabgarh,
  Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur,
  Eloor, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kannur, Maihar,
  Motihari, Nagpur, Ramanagara, Solapur, Vrindavan as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Moderate	122	PM <sub>10</sub> , PM <sub>2.5</sub>	3
50	Hubballi	Satisfactory	100	PM <sub>10</sub>	1
51	Hyderabad	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	4
52	Indore	Moderate	145	PM <sub>10</sub>	1
53	Jabalpur	Moderate	155	PM <sub>10</sub>	1
54	Jaipur	Moderate	143	PM <sub>2.5</sub> , PM <sub>10</sub>	3
55	Jalandhar	Moderate	130	PM <sub>2.5</sub>	1
56	Jind	Poor	277	PM <sub>2.5</sub>	1
57	Jodhpur	Moderate	170	PM <sub>2.5</sub>	1
58	Kaithal	Poor	208	PM <sub>2.5</sub>	1
59	Kalaburgi	Moderate	102	PM <sub>10</sub>	1
60	Kalyan	Moderate	132	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Ballabgarh,
  Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur,
  Eloor, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kannur, Maihar,
  Motihari, Nagpur, Ramanagara, Solapur, Vrindavan as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Poor	217	PM <sub>2.5</sub>	4
62	Karnal	Poor	270	PM <sub>2.5</sub>	1
63	Katni	Poor	211	PM <sub>10</sub>	1
64	Khanna	Moderate	132	PM <sub>2.5</sub>	1
65	Kochi	Satisfactory	66	PM <sub>10</sub>	1
66	Kohima	Satisfactory	64	PM <sub>10</sub>	1
67	Kolar	Satisfactory	100	PM <sub>2.5</sub>	1
68	Kolkata	Moderate	141	PM <sub>2.5</sub> , PM <sub>10</sub>	7
69	Kollam	Satisfactory	99	PM <sub>10</sub>	1
70	Koppal	Satisfactory	67	03	1
71	Kota	Moderate	177	PM <sub>2.5</sub>	1
72	Kozhikode	Satisfactory	52	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Asansol, Ballabgarh,
  Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur,
  Eloor, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kannur, Maihar,
  Motihari, Nagpur, Ramanagara, Solapur, Vrindavan as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	237	PM <sub>2.5</sub>	1
74	Lucknow	Poor	214	PM <sub>10</sub> , PM <sub>2.5</sub>	6
75	Ludhiana	Moderate	151	PM <sub>2.5</sub>	1
76	Mandi Gobindgarh	Moderate	110	PM <sub>10</sub>	1
77	Mandideep	Moderate	169	PM <sub>10</sub>	1
78	Mandikhera	Poor	217	PM <sub>2.5</sub>	1
79	Manesar	Poor	281	PM <sub>2.5</sub>	1
80	Manglore	Satisfactory	91	PM <sub>2.5</sub>	1
81	Medikeri	Satisfactory	75	PM <sub>2.5</sub>	1
82	Meerut	Very Poor	301	PM <sub>2.5</sub>	2
83	Moradabad	Poor	250	PM <sub>2.5</sub>	1
84	Mumbai	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	15

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Ballabgarh,
  Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur,
  Eloor, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kannur, Maihar,
  Motihari, Nagpur, Ramanagara, Solapur, Vrindavan as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Poor	234	PM <sub>2.5</sub>	1
86	Muzaffarpur	Moderate	196	PM <sub>2.5</sub>	2
87	Mysuru	Satisfactory	74	PM <sub>10</sub>	1
88	Naharlagun	Poor	233	O <sub>3</sub>	1
89	Nandesari	Satisfactory	56	со	1
90	Narnaul	Moderate	121	PM <sub>2.5</sub>	1
91	Nashik	Satisfactory	89	PM <sub>10</sub>	1
92	Navi Mumbai	Moderate	112	PM <sub>10</sub> , PM <sub>2.5</sub>	3
93	Noida	Poor	282	PM <sub>2.5</sub> , PM <sub>10</sub>	4
94	Pali	Satisfactory	97	PM <sub>2.5</sub>	1
95	Palwal	Moderate	163	PM <sub>10</sub>	1
96	Panchkula	Satisfactory	64	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Asansol, Ballabgarh, Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur, Eloor, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kannur, Maihar, Motihari, Nagpur, Ramanagara, Solapur, Vrindavan as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Very Poor	303	PM <sub>2.5</sub>	1
98	Patiala	Moderate	122	PM <sub>10</sub>	1
99	Patna	Moderate	157	PM <sub>2.5</sub> , PM <sub>10</sub>	5
100	Pithampur	Moderate	139	PM <sub>2.5</sub>	1
101	Prayagraj	Poor	223	PM <sub>2.5</sub>	3
102	Puducherry	Satisfactory	76	PM <sub>2.5</sub>	1
103	Pune	Moderate	135	PM <sub>2.5</sub>	4
104	Raichur	Moderate	127	PM <sub>10</sub>	1
105	Rajamahendravaram	Moderate	108	PM <sub>2.5</sub>	1
106	Ratlam	Moderate	137	PM <sub>10</sub>	1
107	Rohtak	Poor	277	PM <sub>2.5</sub>	1
108	Rupnagar	Moderate	115	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Ballabgarh,
  Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur,
  Eloor, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kannur, Maihar,
  Motihari, Nagpur, Ramanagara, Solapur, Vrindavan as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Satisfactory	64	PM <sub>2.5</sub>	1
110	Satna	Satisfactory	70	PM <sub>10</sub>	1
111	Shillong	Good	11	SO <sub>2</sub>	1
112	Shivamogga	Good	46	PM <sub>10</sub>	1
113	Siliguri	Moderate	116	PM <sub>2.5</sub>	1
114	Singrauli	Moderate	190	PM <sub>10</sub>	1
115	Sirsa	Moderate	145	PM <sub>10</sub>	1
116	Sonipat	Poor	201	PM <sub>10</sub>	1
117	Srinagar	Moderate	115	со	1
118	Talcher	Satisfactory	77	PM <sub>10</sub>	1
119	Thane	Moderate	171	PM <sub>10</sub>	1
120	Thiruvananthapuram	Good	37	СО	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Ballabgarh,
  Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur,
  Eloor, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kannur, Maihar,
  Motihari, Nagpur, Ramanagara, Solapur, Vrindavan as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Satisfactory	54	PM <sub>10</sub>	1
122	Thrissur	Good	41	PM <sub>10</sub>	1
123	Tirupati	Satisfactory	69	PM <sub>2.5</sub>	1
124	Udaipur	Moderate	124	PM <sub>10</sub>	1
125	Udupi	Moderate	109	со	1
126	Ujjain	Moderate	134	PM <sub>10</sub>	1
127	Vapi	Moderate	192	PM <sub>10</sub>	1
128	Varanasi	Moderate	109	PM <sub>2.5</sub> , PM <sub>10</sub>	4
129	Vatva	Moderate	131	NO <sub>2</sub>	1
130	Vijayapura	Good	49	PM <sub>2.5</sub>	1
131	Visakhapatnam	Satisfactory	92	PM <sub>2.5</sub>	1
132	Yadgir	Satisfactory	80	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Ballabgarh,
  Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur,
  Eloor, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kannur, Maihar,
  Motihari, Nagpur, Ramanagara, Solapur, Vrindavan as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yamunanagar	Very Poor	302	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Asansol, Ballabgarh,
  Bettiah, Bihar Sharif, Coimbatore, Damoh, Darbhanga, Dharuhera, Durgapur,
  Eloor, Gadag, Gummidipoondi, Haldia, Hassan, Jorapokhar, Kannur, Maihar,
  Motihari, Nagpur, Ramanagara, Solapur, Vrindavan as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.