

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	288	PM <sub>2.5</sub>	2
2	Agra	Moderate	153	PM <sub>2.5</sub> , PM <sub>10</sub>	6
3	Ahmedabad	Moderate	143	PM <sub>2.5</sub> , PM <sub>10</sub>	8
4	Aizawl	Moderate	116	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	100	PM <sub>10</sub>	1
6	Alwar	Satisfactory	91	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	93	PM <sub>10</sub>	1
8	Ambala	Poor	249	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	197	O <sub>3</sub>	1
10	Ankleshwar	Poor	212	PM <sub>2.5</sub>	1
11	Araria	Moderate	175	PM <sub>2.5</sub>	1
12	Arrah	Moderate	108	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	164	O <sub>3</sub>	1
14	Baddi	Moderate	179	PM <sub>2.5</sub>	1
15	Bagalkot	Satisfactory	51	PM <sub>10</sub>	1
16	Baghpat	Poor	260	PM <sub>2.5</sub>	1
17	Bahadurgarh	Poor	262	PM <sub>2.5</sub>	1
18	Ballabgarh	Very Poor	317	PM <sub>10</sub>	1
19	Bathinda	Satisfactory	94	PM <sub>10</sub>	1
20	Bengaluru	Moderate	121	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	8
21	Bettiah	Poor	261	PM <sub>2.5</sub>	1
22	Bhagalpur	Moderate	195	PM <sub>10</sub> , PM <sub>2.5</sub>	2
23	Bhiwadi	Poor	277	PM <sub>2.5</sub>	1
24	Bhiwani	Moderate	164	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	133	PM <sub>10</sub>	1
26	Bidar	Moderate	104	PM <sub>10</sub>	1
27	Bihar Sharif	Poor	246	PM <sub>2.5</sub>	1
28	Bilaspur	Satisfactory	68	со	1
29	Bulandshahr	Poor	276	PM <sub>2.5</sub>	1
30	Buxar	Poor	213	PM <sub>10</sub>	1
31	Chamarajanagar	Good	44	PM <sub>10</sub>	1
32	Chandigarh	Moderate	173	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	3
33	Chandrapur	Moderate	120	PM <sub>10</sub> , CO	2
34	Charkhi Dadri	Poor	224	PM <sub>2.5</sub>	1
35	Chennai	Moderate	110	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	7
36	Chhapra	Poor	226	PM <sub>2.5</sub>	1

### Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Moderate	170	PM <sub>2.5</sub>	1
38	Chikkamagaluru	Satisfactory	66	PM <sub>2.5</sub>	1
39	Coimbatore	Moderate	126	PM <sub>2.5</sub>	1
40	Darbhanga	Moderate	200	PM <sub>2.5</sub>	1
41	Davanagere	Moderate	135	PM <sub>10</sub>	1
42	Delhi	Poor	253	PM <sub>2.5</sub> , PM <sub>10</sub>	37
43	Dewas	Moderate	141	PM <sub>10</sub>	1
44	Dharuhera	Poor	268	PM <sub>10</sub>	1
45	Durgapur	Poor	267	PM <sub>2.5</sub>	1
46	Eloor	Satisfactory	73	PM <sub>10</sub>	1
47	Ernakulam	Moderate	134	PM <sub>2.5</sub>	1
48	Faridabad	Poor	209	PM <sub>10</sub> , PM <sub>2.5</sub>	3

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Moderate	144	PM <sub>2.5</sub>	1
50	Firozabad	Moderate	178	PM <sub>2.5</sub>	1
51	Gadag	Moderate	118	PM <sub>2.5</sub>	1
52	Gandhinagar	Moderate	133	PM <sub>2.5</sub> , PM <sub>10</sub>	3
53	Gaya	Moderate	145	PM <sub>10</sub> , PM <sub>2.5</sub>	3
54	Ghaziabad	Poor	282	PM <sub>2.5</sub>	4
55	Gorakhpur	Satisfactory	94	PM <sub>2.5</sub>	1
56	Greater Noida	Poor	252	PM <sub>2.5</sub> , PM <sub>10</sub>	2
57	Gummidipoondi	Satisfactory	62	PM <sub>2.5</sub>	1
58	Gurugram	Poor	281	PM <sub>10</sub> , PM <sub>2.5</sub>	2
59	Guwahati	Very Poor	321	PM <sub>2.5</sub>	2
60	Gwalior	Moderate	180	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Poor	249	PM <sub>2.5</sub>	1
62	Haldia	Moderate	150	PM <sub>10</sub>	1
63	Hapur	Poor	234	PM <sub>2.5</sub>	1
64	Hassan	Moderate	121	PM <sub>10</sub>	1
65	Hisar	Poor	238	PM <sub>2.5</sub>	1
66	Howrah	Poor	235	PM <sub>2.5</sub>	3
67	Hyderabad	Moderate	138	PM <sub>2.5</sub> , PM <sub>10</sub>	5
68	Indore	Poor	218	PM <sub>10</sub>	1
69	Jabalpur	Moderate	172	PM <sub>10</sub>	1
70	Jaipur	Moderate	177	PM <sub>2.5</sub>	3
71	Jalandhar	Moderate	128	PM <sub>10</sub>	1
72	Jhansi	Moderate	174	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Moderate	169	PM <sub>2.5</sub>	1
74	Jodhpur	Moderate	168	PM <sub>10</sub>	1
75	Kaithal	Poor	201	PM <sub>2.5</sub>	1
76	Kalaburgi	Moderate	129	PM <sub>10</sub>	1
77	Kannur	Satisfactory	79	PM <sub>2.5</sub>	1
78	Kanpur	Moderate	186	PM <sub>2.5</sub>	3
79	Karnal	Moderate	178	PM <sub>2.5</sub>	1
80	Katihar	Very Poor	318	PM <sub>2.5</sub>	1
81	Katni	Poor	263	PM <sub>10</sub>	1
82	Khanna	Moderate	114	PM <sub>10</sub>	1
83	Kishanganj	Poor	260	PM <sub>2.5</sub>	1
84	Kochi	Satisfactory	70	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Moderate	124	PM <sub>10</sub>	1
86	Kolar	Moderate	141	PM <sub>2.5</sub>	1
87	Kolkata	Moderate	198	PM <sub>10</sub> , PM <sub>2.5</sub>	7
88	Kollam	Moderate	122	PM <sub>10</sub>	1
89	Koppal	Satisfactory	85	03	1
90	Kota	Moderate	113	PM <sub>10</sub>	1
91	Kozhikode	Satisfactory	55	PM <sub>10</sub>	1
92	Kurukshetra	Moderate	199	PM <sub>2.5</sub>	1
93	Lucknow	Poor	215	PM <sub>2.5</sub> , PM <sub>10</sub>	6
94	Ludhiana	Moderate	143	PM <sub>10</sub>	1
95	Madikeri	Moderate	101	PM <sub>10</sub>	1
96	Mandi Gobindgarh	Moderate	174	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Moderate	136	PM <sub>10</sub>	1
98	Mandikhera	Satisfactory	100	PM <sub>10</sub>	1
99	Manesar	Poor	266	PM <sub>2.5</sub>	1
100	Manglore	Satisfactory	65	со	1
101	Manguraha	Moderate	108	03	1
102	Meerut	Poor	273	PM <sub>2.5</sub>	3
103	Moradabad	Moderate	182	PM <sub>2.5</sub>	4
104	Motihari	Poor	260	03	1
105	Mumbai	Moderate	198	PM <sub>2.5</sub> , O <sub>3</sub>	17
106	Munger	Moderate	194	PM <sub>10</sub>	1
107	Muzaffarnagar	Poor	288	PM <sub>2.5</sub>	1
108	Muzaffarpur	Poor	278	PM <sub>2.5</sub> , PM <sub>10</sub>	3

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Satisfactory	75	PM <sub>10</sub>	1
110	Nagpur	Satisfactory	78	со	1
111	Narnaul	Poor	218	PM <sub>2.5</sub>	1
112	Nashik	Satisfactory	78	PM <sub>10</sub>	1
113	Navi Mumbai	Poor	274	PM <sub>10</sub>	1
114	Noida	Poor	220	PM <sub>2.5</sub> , PM <sub>10</sub>	3
115	Pali	Moderate	147	PM <sub>2.5</sub>	1
116	Palwal	Moderate	144	PM <sub>10</sub>	1
117	Panchkula	Moderate	178	PM <sub>2.5</sub>	1
118	Panipat	Moderate	180	PM <sub>10</sub>	1
119	Patiala	Satisfactory	96	PM <sub>2.5</sub>	1
120	Patna	Poor	250	PM <sub>2.5</sub> , PM <sub>10</sub>	6

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Satisfactory	97	PM <sub>10</sub>	1
122	Prayagraj	Moderate	145	PM <sub>10</sub>	3
123	Puducherry	Satisfactory	89	PM <sub>10</sub>	1
124	Pune	Moderate	154	PM <sub>2.5</sub>	7
125	Purnia	Moderate	199	PM <sub>2.5</sub>	1
126	Raichur	Moderate	143	PM <sub>10</sub>	1
127	Rajamahendravaram	Moderate	121	PM <sub>10</sub>	1
128	Rajgir	Moderate	139	PM <sub>10</sub>	1
129	Ramanagara	Moderate	163	PM <sub>10</sub>	1
130	Ratlam	Moderate	138	PM <sub>10</sub>	1
131	Rohtak	Moderate	147	PM <sub>2.5</sub>	1
132	Sagar	Moderate	101	PM <sub>2.5</sub>	1

### Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Very Poor	310	PM <sub>10</sub>	1
134	Sasaram	Moderate	191	PM <sub>2.5</sub>	1
135	Satna	Satisfactory	60	PM <sub>10</sub>	1
136	Shivamogga	Satisfactory	94	03	1
137	Siliguri	Poor	211	PM <sub>2.5</sub>	1
138	Singrauli	Very Poor	341	PM <sub>10</sub>	1
139	Sirsa	Moderate	123	PM <sub>10</sub>	1
140	Siwan	Poor	238	PM <sub>2.5</sub>	1
141	Solapur	Satisfactory	84	PM <sub>10</sub>	1
142	Sonipat	Poor	213	PM <sub>10</sub>	1
143	Srinagar	Good	42	PM <sub>10</sub>	1
144	Talcher	Moderate	195	PM <sub>10</sub>	1

### Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thane	Very Poor	321	PM <sub>10</sub>	1
146	Thiruvananthapuram	Satisfactory	82	PM <sub>2.5</sub>	2
147	Tirupati	Moderate	148	PM <sub>2.5</sub>	1
148	Udaipur	Moderate	156	PM <sub>2.5</sub>	1
149	Udupi	Poor	237	03	1
150	Ujjain	Moderate	152	PM <sub>10</sub>	1
151	Varanasi	Moderate	132	PM <sub>10</sub>	4
152	Vatva	Moderate	136	PM <sub>10</sub>	1
153	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
154	Visakhapatnam	Moderate	193	PM <sub>2.5</sub>	1
155	Vrindavan	Moderate	129	PM <sub>10</sub>	1
156	Yadgir	Satisfactory	74	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yamunanagar	Satisfactory	85	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Damoh, Hubballi, Jorapokhar, Kalyan, Maihar, Naharlagun, Nandesari, Rupnagar, Shillong, Thoothukudi, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.