

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	22	SO ₂	1
2	Agra	Moderate	120	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	82	PM ₁₀	8
4	Aizawl	Good	15	PM ₁₀	1
5	Ajmer	Satisfactory	76	PM ₁₀	1
6	Alwar	Good	50	PM ₁₀	1
7	Amaravati	Good	37	03	1
8	Ambala	Satisfactory	61	PM ₁₀	1
9	Amritsar	Satisfactory	86	PM ₁₀	1
10	Ankleshwar	Satisfactory	92	PM ₁₀	1
11	Asansol	Satisfactory	79	PM ₁₀	1
12	Bagalkot	Good	25	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dharuhera, Durgapur, Gummidipoondi, Kalyan, Mandideep, Moradabad, Navi Mumbai, Palwal, Shillong, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	109	PM ₁₀	1
14	Bahadurgarh	Moderate	132	PM ₁₀	1
15	Ballabgarh	Satisfactory	96	PM ₁₀	1
16	Bathinda	Satisfactory	70	PM ₁₀	1
17	Bengaluru	Satisfactory	70	PM _{2.5} , PM ₁₀ , CO	8
18	Bhiwadi	Moderate	150	PM _{2.5}	1
19	Bhiwani	Moderate	142	PM ₁₀	1
20	Bhopal	Satisfactory	70	PM ₁₀	1
21	Brajrajnagar	Satisfactory	93	NO ₂	1
22	Bulandshahr	Moderate	110	PM ₁₀	1
23	Chamarajanagar	Satisfactory	52	PM ₁₀	1
24	Chandigarh	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dharuhera, Durgapur, Gummidipoondi, Kalyan, Mandideep, Moradabad, Navi Mumbai, Palwal, Shillong, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	53	PM ₁₀	2
26	Charkhi Dadri	Moderate	133	PM ₁₀	1
27	Chennai	Satisfactory	56	CO, PM ₁₀ , O ₃	8
28	Chikkaballapur	Good	31	NO ₂	1
29	Chikkamagaluru	Good	31	PM ₁₀	1
30	Damoh	Good	31	PM _{2.5}	1
31	Davanagere	Good	20	O ₃	1
32	Delhi	Moderate	144	O ₃ , PM _{2.5} , PM ₁₀	35
33	Dewas	Satisfactory	64	PM ₁₀	1
34	Eloor	Satisfactory	99	со	1
35	Ernakulam	Good	46	со	1
36	Faridabad	Moderate	137	PM _{2.5} , PM ₁₀ , CO	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dharuhera, Durgapur, Gummidipoondi, Kalyan, Mandideep, Moradabad, Navi Mumbai, Palwal, Shillong, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	158	PM ₁₀	1
38	Gadag	Good	15	со	1
39	Gandhinagar	Moderate	118	PM _{2.5} , PM ₁₀	3
40	Gaya	Good	42	со	2
41	Ghaziabad	Moderate	144	PM ₁₀	4
42	Gorakhpur	Good	21	PM _{2.5}	1
43	Greater Noida	Moderate	149	PM ₁₀	1
44	Gurugram	Satisfactory	90	PM ₁₀ , PM _{2.5}	4
45	Guwahati	Good	41	SO ₂	2
46	Gwalior	Satisfactory	78	PM ₁₀	1
47	Hajipur	Satisfactory	67	PM ₁₀	1
48	Haldia	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dharuhera, Durgapur, Gummidipoondi, Kalyan, Mandideep, Moradabad, Navi Mumbai, Palwal, Shillong, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Satisfactory	60	PM ₁₀	1
50	Hassan	Good	46	PM ₁₀	1
51	Hisar	Moderate	158	PM ₁₀	1
52	Howrah	Satisfactory	52	PM ₁₀	2
53	Hubballi	Good	43	PM ₁₀	1
54	Hyderabad	Good	40	NO ₂ , PM ₁₀ , PM _{2.5}	6
55	Indore	Satisfactory	77	PM ₁₀	1
56	Jabalpur	Satisfactory	56	со	1
57	Jaipur	Satisfactory	100	PM ₁₀	2
58	Jalandhar	Satisfactory	79	PM ₁₀	1
59	Jind	Moderate	182	PM _{2.5}	1
60	Jodhpur	Moderate	110	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dharuhera, Durgapur, Gummidipoondi, Kalyan, Mandideep, Moradabad, Navi Mumbai, Palwal, Shillong, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jorapokhar	Good	49	со	1
62	Kaithal	Moderate	127	PM ₁₀	1
63	Kalaburgi	Good	49	NO ₂	1
64	Kannur	Satisfactory	64	PM ₁₀	1
65	Kanpur	Satisfactory	65	03	1
66	Karnal	Moderate	101	PM ₁₀	1
67	Katni	Satisfactory	58	PM ₁₀	1
68	Khanna	Satisfactory	68	PM ₁₀	1
69	Kochi	Satisfactory	55	со	1
70	Kohima	Good	44	PM ₁₀	1
71	Kolar	Satisfactory	93	со	1
72	Kolkata	Satisfactory	67	O ₃ , PM ₁₀	7

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dharuhera, Durgapur, Gummidipoondi, Kalyan, Mandideep, Moradabad, Navi Mumbai, Palwal, Shillong, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	61	PM ₁₀	1
74	Koppal	Satisfactory	71	со	1
75	Kota	Satisfactory	85	PM ₁₀	1
76	Kozhikode	Satisfactory	56	со	1
77	Kurukshetra	Moderate	104	PM ₁₀	1
78	Lucknow	Satisfactory	83	PM _{2.5} , NO ₂ , PM ₁₀	5
79	Ludhiana	Satisfactory	74	PM ₁₀	1
80	Maihar	Satisfactory	54	со	1
81	Mandi Gobindgarh	Satisfactory	77	PM _{2.5}	1
82	Mandikhera	Moderate	108	PM ₁₀	1
83	Manesar	Moderate	146	PM _{2.5}	1
84	Manglore	Satisfactory	81	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dharuhera, Durgapur, Gummidipoondi, Kalyan, Mandideep, Moradabad, Navi Mumbai, Palwal, Shillong, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Good	29	со	1
86	Meerut	Moderate	108	PM ₁₀	3
87	Mumbai	Satisfactory	52	O ₃ , CO, PM ₁₀	19
88	Muzaffarnagar	Moderate	112	PM ₁₀	1
89	Muzaffarpur	Satisfactory	51	CO, PM _{2.5}	2
90	Mysuru	Good	31	PM ₁₀	1
91	Nagpur	Satisfactory	100	со	1
92	Naharlagun	Good	37	PM ₁₀	1
93	Nandesari	Satisfactory	93	PM _{2.5}	1
94	Narnaul	Moderate	158	PM ₁₀	1
95	Nashik	Good	34	PM ₁₀	1
96	Noida	Moderate	142	PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dharuhera, Durgapur, Gummidipoondi, Kalyan, Mandideep, Moradabad, Navi Mumbai, Palwal, Shillong, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pali	Moderate	104	PM ₁₀	1
98	Panchkula	Satisfactory	85	PM _{2.5}	1
99	Panipat	Moderate	108	PM ₁₀	1
100	Patiala	Satisfactory	87	PM ₁₀	1
101	Patna	Satisfactory	53	CO, O ₃ , PM _{2.5}	5
102	Pithampur	Satisfactory	68	PM ₁₀	1
103	Prayagraj	Satisfactory	64	PM ₁₀	2
104	Puducherry	Good	37	03	1
105	Pune	Satisfactory	71	PM _{2.5} , CO	6
106	Raichur	Good	33	PM ₁₀	1
107	Rajamahendravaram	Satisfactory	51	PM ₁₀	1
108	Ramanagara	Good	36	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dharuhera, Durgapur, Gummidipoondi, Kalyan, Mandideep, Moradabad, Navi Mumbai, Palwal, Shillong, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ratlam	Satisfactory	78	PM ₁₀	1
110	Rohtak	Moderate	160	O ₃	1
111	Rupnagar	Good	49	PM ₁₀	1
112	Sagar	Good	28	PM _{2.5}	1
113	Satna	Satisfactory	90	PM ₁₀	1
114	Shivamogga	Good	50	PM ₁₀	1
115	Siliguri	Good	44	PM ₁₀	1
116	Singrauli	Satisfactory	54	PM ₁₀	1
117	Sirsa	Moderate	163	PM _{2.5}	1
118	Solapur	Good	32	O ₃	1
119	Srinagar	Moderate	135	PM ₁₀	1
120	Talcher	Satisfactory	94	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dharuhera, Durgapur, Gummidipoondi, Kalyan, Mandideep, Moradabad, Navi Mumbai, Palwal, Shillong, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thane	Satisfactory	53	PM ₁₀	1
122	Thiruvananthapuram	Satisfactory	54	со	2
123	Thoothukudi	Good	32	PM ₁₀	1
124	Udaipur	Moderate	107	PM ₁₀	1
125	Ujjain	Satisfactory	87	PM ₁₀	1
126	Varanasi	Good	50	PM ₁₀ , O ₃	3
127	Vatva	Satisfactory	94	PM ₁₀	1
128	Vijayapura	Satisfactory	96	СО	1
129	Visakhapatnam	Moderate	154	PM ₁₀	1
130	Yadgir	Good	22	PM ₁₀	1
131	Yamunanagar	Moderate	106	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Dharuhera, Durgapur, Gummidipoondi, Kalyan, Mandideep, Moradabad, Navi Mumbai, Palwal, Shillong, Sonipat, Thrissur, Tirupati, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.