

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	62	PM <sub>10</sub> , PM <sub>2.5</sub>	4
2	Ahmedabad	Satisfactory	67	CO, PM <sub>10</sub>	9
3	Ajmer	Satisfactory	57	PM <sub>10</sub>	1
4	Alwar	Moderate	124	PM <sub>10</sub>	1
5	Amaravati	Good	19	03	1
6	Ambala	Satisfactory	56	PM <sub>2.5</sub>	1
7	Asansol	Good	40	PM <sub>10</sub>	1
8	Aurangabad	Satisfactory	58	со	1
9	Bagalkot	Good	28	PM <sub>10</sub>	1
10	Baghpat	Good	50	PM <sub>10</sub>	1
11	Bahadurgarh	Satisfactory	57	PM <sub>2.5</sub>	1
12	Ballabgarh	Satisfactory	66	СО	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Amritsar, Ankleshwar, Charkhi Dadri, Coimbatore, Damoh, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Karnal, Mandideep, Naharlagun, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	25	СО	1
14	Bengaluru	Good	47	CO, NO <sub>2</sub> , PM <sub>10</sub>	9
15	Bhiwadi	Moderate	117	PM <sub>2.5</sub>	1
16	Bhiwani	Satisfactory	65	PM <sub>10</sub>	1
17	Bhopal	Satisfactory	54	03	1
18	Bidar	Good	48	со	1
19	Brajrajnagar	Satisfactory	94	NO <sub>2</sub>	1
20	Bulandshahr	Satisfactory	52	03	1
21	Chamarajanagar	Good	38	PM <sub>10</sub>	1
22	Chandigarh	Good	29	со	1
23	Chandrapur	Good	22	O <sub>3</sub> , PM <sub>10</sub>	2
24	Chennai	Satisfactory	68	CO, PM <sub>10</sub>	6

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl,
  Amritsar, Ankleshwar, Charkhi Dadri, Coimbatore, Damoh, Dharuhera,
  Durgapur, Gadag, Gummidipoondi, Jorapokhar, Karnal, Mandideep, Naharlagun,
  Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	28	NO <sub>2</sub>	1
26	Chikkamagaluru	Good	24	O <sub>3</sub>	1
27	Davanagere	Good	18	O <sub>3</sub>	1
28	Delhi	Satisfactory	83	PM <sub>10</sub> , CO	28
29	Dewas	Good	37	PM <sub>10</sub>	1
30	Eloor	Satisfactory	100	со	1
31	Ernakulam	Satisfactory	67	со	1
32	Faridabad	Satisfactory	92	PM <sub>10</sub> , O <sub>3</sub>	4
33	Fatehabad	Good	49	03	1
34	Gandhinagar	Good	48	PM <sub>2.5</sub> , PM <sub>10</sub>	3
35	Gaya	Satisfactory	58	PM <sub>2.5</sub> , PM <sub>10</sub>	2
36	Ghaziabad	Satisfactory	72	PM <sub>10</sub>	3

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl,
  Amritsar, Ankleshwar, Charkhi Dadri, Coimbatore, Damoh, Dharuhera,
  Durgapur, Gadag, Gummidipoondi, Jorapokhar, Karnal, Mandideep, Naharlagun,
  Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gorakhpur	Good	22	PM <sub>10</sub>	1
38	Greater Noida	Satisfactory	78	PM <sub>10</sub>	1
39	Gurugram	Satisfactory	74	PM <sub>2.5</sub>	3
40	Guwahati	Good	44	SO <sub>2</sub>	2
41	Gwalior	Satisfactory	59	03	1
42	Hajipur	Satisfactory	54	PM <sub>10</sub>	1
43	Haldia	Good	30	PM <sub>10</sub>	1
44	Hapur	Satisfactory	60	со	1
45	Hassan	Good	36	со	1
46	Hisar	Satisfactory	51	PM <sub>2.5</sub>	1
47	Howrah	Good	30	O <sub>3</sub> , CO	3
48	Hubballi	Good	35	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl,
  Amritsar, Ankleshwar, Charkhi Dadri, Coimbatore, Damoh, Dharuhera,
  Durgapur, Gadag, Gummidipoondi, Jorapokhar, Karnal, Mandideep, Naharlagun,
  Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Good	30	NO <sub>2</sub> , CO	4
50	Indore	Good	46	O <sub>3</sub>	1
51	Jabalpur	Good	47	со	1
52	Jaipur	Satisfactory	56	PM <sub>10</sub>	2
53	Jalandhar	Satisfactory	56	03	1
54	Jind	Good	38	PM <sub>2.5</sub>	1
55	Jodhpur	Satisfactory	87	PM <sub>10</sub>	1
56	Kaithal	Satisfactory	94	SO <sub>2</sub>	1
57	Kalaburgi	Good	17	O <sub>3</sub>	1
58	Kalyan	Good	34	со	1
59	Kannur	Satisfactory	88	PM <sub>10</sub>	1
60	Kanpur	Satisfactory	53	PM <sub>10</sub>	1

### Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl,
  Amritsar, Ankleshwar, Charkhi Dadri, Coimbatore, Damoh, Dharuhera,
  Durgapur, Gadag, Gummidipoondi, Jorapokhar, Karnal, Mandideep, Naharlagun,
  Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Good	44	O <sub>3</sub>	1
62	Khanna	Good	48	PM <sub>10</sub>	1
63	Kochi	Satisfactory	52	со	1
64	Kohima	Good	32	SO <sub>2</sub>	1
65	Kolar	Satisfactory	89	со	1
66	Kolkata	Good	36	O <sub>3</sub> , PM <sub>10</sub> , CO	6
67	Kollam	Satisfactory	82	PM <sub>10</sub>	1
68	Koppal	Satisfactory	76	со	1
69	Kota	Satisfactory	57	PM <sub>10</sub>	1
70	Kozhikode	Satisfactory	63	со	1
71	Kurukshetra	Good	50	03	1
72	Lucknow	Satisfactory	68	CO, NO <sub>2</sub> , PM <sub>10</sub>	6

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl,
  Amritsar, Ankleshwar, Charkhi Dadri, Coimbatore, Damoh, Dharuhera,
  Durgapur, Gadag, Gummidipoondi, Jorapokhar, Karnal, Mandideep, Naharlagun,
  Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Satisfactory	67	PM <sub>10</sub>	1
74	Maihar	Satisfactory	51	со	1
75	Mandi Gobindgarh	Good	21	NO <sub>2</sub>	1
76	Mandikhera	Good	41	PM <sub>2.5</sub>	1
77	Manesar	Satisfactory	65	PM <sub>10</sub>	1
78	Manglore	Satisfactory	70	NO <sub>2</sub>	1
79	Medikeri	Good	25	03	1
80	Meerut	Good	41	CO, PM <sub>10</sub>	3
81	Moradabad	Moderate	141	PM <sub>2.5</sub>	1
82	Mumbai	Good	47	O <sub>3</sub> , PM <sub>10</sub> , CO	19
83	Muzaffarnagar	Good	50	со	1
84	Muzaffarpur	Good	37	PM <sub>2.5</sub>	1

### Possible Health Impacts

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl,
  Amritsar, Ankleshwar, Charkhi Dadri, Coimbatore, Damoh, Dharuhera,
  Durgapur, Gadag, Gummidipoondi, Jorapokhar, Karnal, Mandideep, Naharlagun,
  Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Good	28	PM <sub>10</sub>	1
86	Nagpur	Satisfactory	83	O <sub>3</sub>	1
87	Nandesari	Moderate	152	PM <sub>2.5</sub>	1
88	Narnaul	Satisfactory	94	PM <sub>10</sub>	1
89	Nashik	Good	29	NO <sub>2</sub>	1
90	Navi Mumbai	Good	26	со	2
91	Noida	Satisfactory	65	PM <sub>10</sub>	3
92	Pali	Satisfactory	66	PM <sub>10</sub>	1
93	Palwal	Satisfactory	70	PM <sub>10</sub>	1
94	Panchkula	Good	39	03	1
95	Panipat	Good	39	03	1
96	Patiala	Good	32	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl,
  Amritsar, Ankleshwar, Charkhi Dadri, Coimbatore, Damoh, Dharuhera,
  Durgapur, Gadag, Gummidipoondi, Jorapokhar, Karnal, Mandideep, Naharlagun,
  Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Satisfactory	64	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	5
98	Pithampur	Good	48	PM <sub>10</sub>	1
99	Prayagraj	Satisfactory	51	PM <sub>10</sub>	2
100	Puducherry	Good	42	PM <sub>10</sub>	1
101	Pune	Satisfactory	76	SO <sub>2</sub> , CO, PM <sub>2.5</sub>	5
102	Raichur	Good	17	NO <sub>2</sub>	1
103	Rajamahendravaram	Good	24	PM <sub>10</sub>	1
104	Ramanagara	Good	30	SO <sub>2</sub>	1
105	Ratlam	Good	31	PM <sub>2.5</sub>	1
106	Rohtak	Satisfactory	83	NO <sub>2</sub>	1
107	Rupnagar	Good	45	PM <sub>10</sub>	1
108	Sagar	Good	40	СО	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl,
  Amritsar, Ankleshwar, Charkhi Dadri, Coimbatore, Damoh, Dharuhera,
  Durgapur, Gadag, Gummidipoondi, Jorapokhar, Karnal, Mandideep, Naharlagun,
  Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	62	PM <sub>10</sub>	1
110	Shivamogga	Good	35	03	1
111	Siliguri	Good	30	со	1
112	Singrauli	Good	36	со	1
113	Sirsa	Satisfactory	98	03	1
114	Solapur	Good	35	PM <sub>10</sub>	1
115	Sonipat	Satisfactory	86	PM <sub>10</sub>	1
116	Srinagar	Satisfactory	53	PM <sub>10</sub>	1
117	Thane	Satisfactory	64	PM <sub>10</sub>	1
118	Thiruvananthapuram	Satisfactory	57	со	2
119	Thoothukudi	Good	37	PM <sub>10</sub>	1
120	Thrissur	Satisfactory	55	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Amritsar, Ankleshwar, Charkhi Dadri, Coimbatore, Damoh, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Karnal, Mandideep, Naharlagun, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Good	41	со	1
122	Udaipur	Satisfactory	55	PM <sub>10</sub>	1
123	Ujjain	Satisfactory	71	O <sub>3</sub>	1
124	Vapi	Satisfactory	61	O <sub>3</sub>	1
125	Varanasi	Satisfactory	55	PM <sub>10</sub>	4
126	Vatva	Satisfactory	62	PM <sub>10</sub>	1
127	Vijayapura	Satisfactory	86	СО	1
128	Visakhapatnam	Satisfactory	86	PM <sub>10</sub>	1
129	Yadgir	Good	19	O <sub>3</sub>	1
130	Yamunanagar	Moderate	200	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Amritsar, Ankleshwar, Charkhi Dadri, Coimbatore, Damoh, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Karnal, Mandideep, Naharlagun, Shillong, Talcher, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.