

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	217	PM _{2.5}	1
2	Agra	Poor	234	PM _{2.5}	5
3	Ahmedabad	Moderate	142	PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	27	PM ₁₀	1
5	Ajmer	Satisfactory	84	PM ₁₀	1
6	Alwar	Moderate	165	PM _{2.5}	1
7	Amaravati	Moderate	114	PM _{2.5}	1
8	Ambala	Very Poor	303	PM _{2.5}	1
9	Amritsar	Moderate	145	PM ₁₀	1
10	Asansol	Moderate	169	O ₃	1
11	Aurangabad	Satisfactory	88	PM ₁₀	1
12	Bagalkot	Satisfactory	67	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Charkhi Dadri, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Kalyan, Kochi, Kohima, Kolar, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Sagar, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	368	PM _{2.5}	1
14	Bahadurgarh	Very Poor	381	PM _{2.5}	1
15	Ballabgarh	Poor	296	PM _{2.5}	1
16	Bathinda	Moderate	180	PM ₁₀	1
17	Bengaluru	Satisfactory	74	CO, PM ₁₀ , PM _{2.5}	8
18	Bettiah	Poor	260	PM ₁₀	1
19	Bhagalpur	Poor	291	PM _{2.5}	1
20	Bhilai	Satisfactory	77	PM ₁₀	1
21	Bhiwadi	Very Poor	324	PM _{2.5}	1
22	Bhiwani	Poor	260	PM _{2.5}	1
23	Bhopal	Moderate	117	PM ₁₀	1
24	Bilaspur	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Charkhi Dadri, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Kalyan, Kochi, Kohima, Kolar, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Sagar, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Moderate	117	O ₃	1
26	Bulandshahr	Very Poor	381	PM _{2.5}	1
27	Chamarajanagar	Good	34	PM ₁₀	1
28	Chandigarh	Moderate	134	PM _{2.5} , PM ₁₀	2
29	Chandrapur	Moderate	116	O ₃ , PM ₁₀	2
30	Chennai	Good	36	O ₃ , CO, SO ₂	8
31	Chhapra	Severe	431	PM _{2.5}	1
32	Chikkaballapur	Satisfactory	69	PM _{2.5}	1
33	Coimbatore	Satisfactory	77	NO ₂	1
34	Damoh	Moderate	134	PM ₁₀	1
35	Darbhanga	Very Poor	331	PM _{2.5}	1
36	Delhi	Severe	405	PM _{2.5} , PM ₁₀	33

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Charkhi Dadri, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Kalyan, Kochi, Kohima, Kolar, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Sagar, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dewas	Satisfactory	54	PM ₁₀	1
38	Dharuhera	Moderate	177	PM ₁₀	1
39	Durgapur	Very Poor	301	PM _{2.5}	1
40	Eloor	Satisfactory	77	PM ₁₀	1
41	Ernakulam	Good	44	со	1
42	Faridabad	Severe	412	PM ₁₀ , PM _{2.5}	4
43	Fatehabad	Poor	244	PM _{2.5}	1
44	Firozabad	Poor	253	PM _{2.5}	1
45	Gandhinagar	Satisfactory	79	PM _{2.5} , PM ₁₀	3
46	Gaya	Poor	290	PM _{2.5}	3
47	Ghaziabad	Very Poor	353	PM _{2.5}	4
48	Gorakhpur	Poor	236	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Charkhi Dadri, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Kalyan, Kochi, Kohima, Kolar, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Sagar, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Very Poor	346	PM _{2.5}	2
50	Gurugram	Very Poor	372	PM _{2.5}	4
51	Guwahati	Moderate	178	PM _{2.5}	2
52	Gwalior	Moderate	122	PM ₁₀ , PM _{2.5}	2
53	Hajipur	Very Poor	326	PM _{2.5}	1
54	Haldia	Moderate	144	PM ₁₀	1
55	Hapur	Very Poor	326	PM _{2.5}	1
56	Hassan	Satisfactory	69	PM _{2.5}	1
57	Hisar	Very Poor	368	PM _{2.5}	1
58	Howrah	Poor	261	PM _{2.5}	3
59	Hyderabad	Moderate	134	PM _{2.5} , PM ₁₀	4
60	Indore	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Charkhi Dadri, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Kalyan, Kochi, Kohima, Kolar, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Sagar, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jabalpur	Moderate	121	PM ₁₀	1
62	Jaipur	Moderate	166	PM _{2.5}	3
63	Jalandhar	Moderate	179	PM _{2.5}	1
64	Jind	Very Poor	379	PM _{2.5}	1
65	Jodhpur	Moderate	176	PM _{2.5}	1
66	Jorapokhar	Good	47	PM ₁₀	1
67	Kaithal	Poor	242	PM _{2.5}	1
68	Kalaburgi	Moderate	135	PM _{2.5}	1
69	Kannur	Satisfactory	73	PM _{2.5}	1
70	Kanpur	Poor	297	PM _{2.5}	4
71	Karnal	Poor	259	PM ₁₀	1
72	Katihar	Very Poor	338	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Charkhi Dadri, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Kalyan, Kochi, Kohima, Kolar, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Sagar, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katni	Poor	229	PM _{2.5}	1
74	Khanna	Moderate	156	PM _{2.5}	1
75	Kishanganj	Poor	243	PM _{2.5}	1
76	Kolkata	Poor	216	PM _{2.5}	5
77	Kollam	Satisfactory	70	PM ₁₀	1
78	Kota	Poor	218	PM _{2.5}	1
79	Kozhikode	Good	44	PM ₁₀	1
80	Kurukshetra	Very Poor	321	PM _{2.5}	1
81	Lucknow	Poor	296	PM _{2.5} , PM ₁₀	6
82	Ludhiana	Moderate	200	PM _{2.5}	1
83	Maihar	Moderate	127	PM _{2.5}	1
84	Mandideep	Poor	218	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Charkhi Dadri, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Kalyan, Kochi, Kohima, Kolar, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Sagar, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandikhera	Satisfactory	98	со	1
86	Medikeri	Good	48	PM ₁₀	1
87	Meerut	Very Poor	337	PM _{2.5}	2
88	Moradabad	Moderate	200	PM _{2.5}	2
89	Motihari	Very Poor	339	PM _{2.5}	1
90	Mumbai	Moderate	145	PM _{2.5}	20
91	Muzaffarnagar	Poor	263	PM _{2.5}	1
92	Muzaffarpur	Very Poor	313	PM _{2.5}	2
93	Mysuru	Satisfactory	58	PM ₁₀	1
94	Nagpur	Satisfactory	75	PM ₁₀	1
95	Naharlagun	Moderate	109	O ₃	1
96	Nandesari	Satisfactory	68	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Charkhi Dadri, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Kalyan, Kochi, Kohima, Kolar, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Sagar, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Narnaul	Poor	289	PM _{2.5}	1
98	Nashik	Moderate	116	PM _{2.5}	1
99	Navi Mumbai	Moderate	171	PM _{2.5} , PM ₁₀	3
100	Noida	Very Poor	362	PM _{2.5}	3
101	Pali	Satisfactory	89	PM ₁₀	1
102	Palwal	Moderate	182	PM ₁₀	1
103	Panchkula	Moderate	166	PM _{2.5}	1
104	Panipat	Moderate	199	PM _{2.5}	1
105	Patiala	Moderate	174	PM _{2.5}	1
106	Patna	Very Poor	342	PM _{2.5}	5
107	Pithampur	Moderate	102	PM ₁₀	1
108	Prayagraj	Very Poor	311	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Charkhi Dadri, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Kalyan, Kochi, Kohima, Kolar, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Sagar, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Puducherry	Good	35	СО	1
110	Pune	Moderate	146	PM _{2.5}	2
111	Purnia	Very Poor	315	PM _{2.5}	1
112	Raichur	Moderate	127	PM ₁₀	1
113	Rajamahendravaram	Moderate	172	PM _{2.5}	1
114	Rajgir	Very Poor	359	PM _{2.5}	1
115	Ramanagara	Satisfactory	62	PM _{2.5}	1
116	Ratlam	Moderate	114	PM ₁₀	1
117	Rohtak	Very Poor	334	PM _{2.5}	1
118	Rupnagar	Very Poor	353	PM ₁₀	1
119	Sasaram	Severe	401	PM _{2.5}	1
120	Satna	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Charkhi Dadri, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Kalyan, Kochi, Kohima, Kolar, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Sagar, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Shivamogga	Good	38	PM ₁₀	1
122	Siliguri	Satisfactory	85	PM ₁₀	1
123	Singrauli	Very Poor	337	PM _{2.5}	1
124	Sirsa	Poor	213	PM _{2.5}	1
125	Siwan	Severe	426	PM _{2.5}	1
126	Srinagar	Moderate	119	PM ₁₀	1
127	Talcher	Moderate	156	PM _{2.5}	1
128	Thane	Moderate	191	PM ₁₀	1
129	Thiruvananthapuram	Good	38	PM ₁₀ , PM _{2.5}	2
130	Thoothukudi	Good	22	PM ₁₀	1
131	Tirupati	Good	40	со	1
132	Udaipur	Moderate	134	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Charkhi Dadri, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Kalyan, Kochi, Kohima, Kolar, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Sagar, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ujjain	Moderate	171	PM ₁₀	1
134	Vapi	Moderate	137	PM _{2.5}	1
135	Varanasi	Poor	268	PM _{2.5}	4
136	Vatva	Moderate	185	PM _{2.5}	1
137	Vijayapura	Good	46	PM ₁₀	1
138	Visakhapatnam	Poor	212	PM _{2.5}	1
139	Vrindavan	Poor	249	PM _{2.5}	1
140	Yamunanagar	Very Poor	310	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Charkhi Dadri, Chikkamagaluru, Davanagere, Gadag, Gummidipoondi, Hubballi, Kalyan, Kochi, Kohima, Kolar, Koppal, Mandi Gobindgarh, Manesar, Manglore, Munger, Sagar, Saharsa, Shillong, Solapur, Sonipat, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.